ANGULAR
ARCHITECTS
INSIDE KNOWLEDGE

Performance Tuning

angular-architects.io


Turbo Button
HIGHSCREEN
386 SX-33
POWER
HDD
TURBO
RESET

Quick Wins

Bundling

Minification

enableProdMode()

Contents

- Lazy Loading and Preloading
- Performance for Data Binding with OnPush
- AOT and Tree Shaking

Lazy Loading

Module Structure



Root Module **Feature Modules** **Shared Module**

Lazy Loading



Root Module **Feature Modules** **Shared Module**

Root Module with Lazy Loading

```
const APP_ROUTE_CONFIG: Routes = [
    {
        path: 'home',
        component: HomeComponent
    },
    {
        path: 'flights',
        loadChildren: () => import('./flight-booking/flight-booking.module')
                              .then(m => m.FlightBookingModule)
    }
];
```

Routes for "lazy" Module

```
const FLIGHT_ROUTES =    [
    {
        path: '',
        component: FlightBookingComponent,
        […]
    },
    […]
}
```

Routes for "lazy" Module

```
const FLIGHT_ROUTES =    [
    {
        path: 'subroute',
        component: FlightBookingComponent,
        […]
    },
    […]
}
```

flight-booking/ subroute

Triggers Lazy Loading w/ loadChildren

Lazy Loading

- Lazy Loading means: Loading it later
- Better startup performance
- Delay during execution for loading on demand

Preloading

Idea

- Module that might be needed later are loaded after the application started
- When module is needed it is available immediately

Activate Preloading

```
…
imports: [
    […]
    RouterModule.forRoot(
        ROUTE_CONFIG,
        { preloadingStrategy: PreloadAllModules });
]
…
```

Performance-Tuning with OnPush

OnPush



Angular just checks when “notified”

"Notify" about change?

- Change bound data (@Input)
  - OnPush: Angular just compares the object reference!
  - e. g. oldFlight === newFlight
- Raise event within the component
- Notify a bound observable
  - {{ flights$ | async }}
- Trigger it manually
  - Don't do this at home ;-)
  - At least: Try to avoid this

Activate OnPush

```
@Component({
        […]
       changeDetection: ChangeDetectionStrategy.OnPush
})
export class FlightCard {
   […]
   @Input() flight;
}
```

Ahead of Time (AOT) Compilation



Angular Compiler



Approaches

- JIT: Just in Time, at runtime
- AOT: Ahead of Time, during build

Advantages of AOT

- Better Startup-Performance
- Smaller Bundles: You don't need to include the compiler!
- Tools can easier analyse the code
  - Remove unneeded parts of frameworks
  - Tree Shaking

Angular CLI

- ng build --prod
- @ngtools/webpack with AngularCompilerPlugin
- Can be used without CLI too


Starter
127.0.0.1:8080/#/flight-booking/flight-search
Production Mode without AOT
(no lazy loading)
FLIGHT42
Flight42
HOME
FLIGHT BOOKING
Flight Search
Passenger Search
Flight Search
Elements
Console
Sources
Network
Performance
Memory
Application
Security
Audits
Augury
Screenshots
Memory
1000 ms
2000 ms
3000 ms
4000 ms
5000 ms
6000 ms
7000 ms
FPS
CPU
NET
Frames
2234.0 ms
Summary
Bottom-Up
Call Tree
Event Log
Range: 0 – 6.93 s
DEU
16:30
30.01.2018


Starter
127.0.0.1:8080/#/flight-booking/flight-search
Production Mode with AOT
(no lazy loading)
FLIGHT42
Flight42
HOME
FLIGHT BOOKING
Flight Search
Passenger Search
Flight Search
Elements
Console
Sources
Network
Performance
Memory
Application
Security
Audits
Augury
Screenshots
Memory
500 ms
1000 ms
1500
2000 ms
2500 ms
3000 ms
3500 ms
4000 ms
4500 ms
FPS
CPU
NET
200 ms
400 ms
600 ms
800 ms
1000 ms
1200 ms
1400 ms
Frames
280.7 ms
571.9 ms
81.5 ms
Summary
Bottom-Up
Call Tree
Event Log
Range: 0 – 1.43 s
DEU
16:27
30.01.2018

Tree Shaking



Tree Shaking




Webpack Bundle Analyze
127.0.0.1:8888
Bundles without AOT and Tree Shaking
vendor.978ac3ef762178ef4aa8.b
node_modules
JIT Compiler
@angular
platform-browser-dynamic
esm5
platform-browser-dynamic.js
+ 1 modules
core
esm5
core.js
router
esm5
router.js +
23 modules
common
esm5
common.js
http.js
forms
esm5
forms.js +
2 modules
platform-browser
esm5
platform-browser.js
http
esm5
http.js
rxjs
_esm5
Subscriber.js
Subject.js
src
main.ts
+ 68
modules
app
polyfills.7c4efb87d4ba5dbbc58c.bundle.js
node_modules
zone.js
dist
zone.js
core-js
modules
FoamTree

Lab

ANGULAR
ARCHITECTS
INSIDE KNOWLEDGE

SOFTWARE
ARCHITECT

Conclusion

Quick Wins

Lazy Loading and Preloading

OnPush w/ Immutables and Observables

AOT and Tree Shaking

For further topics / deep dive

Watch this (starting at 8:30):

https://drive.google.com/file/d/15fmyedJPYSOIv_0YvFtg26XGS8tZpZ03/view

ANGULAR
ARCHITECTS
INSIDE KNOWLEDGE

SOFTWARE
ARCHITECT