

Sites: https://update.googleapis.com https://optimizationguide-pa. googleapis.com https://bam.eu01.nr-data.net https://content-autofill. googleapis.com http://localhost:8885 https://accounts.google.com https://fakeimg.pl https://js-agent.newrelic.com https://fonts.gstatic.com https://fonts.googleapis.com https://www.google.com https://spocs. getpocket.com http://localhost:8880

Generated on Sat, 30 Mar 2024 14:33:52

ZAP Version: 2.14.0

ZAP is supported by the Crash Override Open Source Fellowship

Summary of Alerts

Risk Level	Number of Alerts
High	1
Medium	3
Low	6
Informational	7
False Positives:	0

Alerts

Name	Risk Level	Number of Instances
External Redirect	High	8
CSP: Wildcard Directive	Medium	2
Content Security Policy (CSP) Header Not Set	Medium	12
Missing Anti-clickjacking Header	Medium	11
Private IP Disclosure	Low	5
Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)	Low	20
Server Leaks Version Information via "Server" HTTP Response Header Field	Low	39
Strict-Transport-Security Header Not Set	Low	72
<u>Timestamp Disclosure - Unix</u>	Low	9
X-Content-Type-Options Header Missing	Low	111
Authentication Request Identified	Informational	6
Information Disclosure - Suspicious Comments	Informational	7
Modern Web Application	Informational	2
Re-examine Cache-control Directives	Informational	36
Retrieved from Cache	Informational	5
Session Management Response Identified	Informational	4

Alert Detail

High	External Redirect
Description	URL redirectors represent common functionality employed by web sites to forward an incoming request to an alternate resource. This can be done for a variety of reasons and is often done to allow resources to be moved within the directory structure and to avoid breaking functionality for users that request the resource at its previous location. URL redirectors may also be used to implement load balancing, leveraging abbreviated URLs or recording outgoing links. It is this last implementation which is often used in phishing attacks as described in the example below. URL redirectors do not necessarily represent a direct security vulnerability but can be abused by attackers trying to social engineer victims into believing that they are navigating to a site other than the true destination.
URL	http://localhost:8885/images
Method	GET
Attack	7954205706045796924.owasp.org
Evidence	7954205706045796924.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://localhost:8885/images/advertisement
Method	GET
Attack	7954205706045796924.owasp.org
Evidence	7954205706045796924.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://localhost:8885/images/footer
Method	GET
Attack	7954205706045796924.owasp.org
Evidence	7954205706045796924.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://localhost:8885/images/header
Method	GET
Attack	7954205706045796924.owasp.org
Evidence	7954205706045796924.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://localhost:8885/images/top-categories
Method	GET
Attack	7954205706045796924.owasp.org
Evidence	7954205706045796924.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://localhost:8885/static
Method	GET

Attack	7954205706045796924.owasp.org
Evidence	7954205706045796924.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://localhost:8885/static/css
Method	GET
Attack	7954205706045796924.owasp.org
Evidence	7954205706045796924.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://localhost:8885/static/js
Method	GET
Attack	7954205706045796924.owasp.org
Evidence	7954205706045796924.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
Instances	8
Solution	Assume all input is malicious. Use an "accept known good" input validation strategy, i.e., use an allow list of acceptable inputs that strictly conform to specifications. Reject any input that does not strictly conform to specifications, or transform it into something that does. Do not rely exclusively on looking for malicious or malformed inputs (i.e., do not rely on a deny list). However, deny lists can be useful for detecting potential attacks or determining which inputs are so malformed that they should be rejected outright. When performing input validation, consider all potentially relevant properties, including length, type of input, the full range of acceptable values, missing or extra inputs, syntax, consistency across related fields, and conformance to business rules. As an example of business rule logic, "boat" may be syntactically valid because it only contains alphanumeric characters, but it is not valid if you are expecting colors such as "red" or "blue." Use an allow list of approved URLs or domains to be used for redirection. Use an intermediate disclaimer page that provides the user with a clear warning that they are leaving your site. Implement a long timeout before the redirect occurs, or force the user to click on the link. Be careful to avoid XSS problems when generating the disclaimer page. When the set of acceptable objects, such as filenames or URLs, is limited or known, create a mapping from a set of fixed input values (such as numeric IDs) to the actual filenames or URLs, and reject all other inputs. For example, ID 1 could map to "/login.asp" and ID 2 could map to "https://www.example.com/". Features such as the ESAPI AccessReferenceMap provide this capability. Understand all the potential areas where untrusted inputs can enter your software: parameters or arguments, cookies, anything read from the network, environment variables, reverse DNS lookups, query results, request headers, URL components, e-mail, files, databases, and any external systems that provide data to the applica
Reference	/Unvalidated Redirects and Forwards Cheat Sheet.html https://cwe.mitre.org/data/definitions/601.html
CWE Id	601
WASC Id	38

Plugin Id	20019
Medium	CSP: Wildcard Directive
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	http://localhost:8880/
Method	GET
Attack	
Evidence	default-src 'none'
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
URL	http://localhost:8880/api/courses/create
Method	POST
Attack	
Evidence	default-src 'none'
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
Instances	2
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	https://www.w3.org/TR/CSP/ https://caniuse.com/#search=content+security+policy https://content-security-policy.com/ https://github.com/HtmlUnit/htmlunit-csp https://developers.google.com/web/fundamentals/security /csp#policy applies to a wide variety of resources
CWE Id	<u>693</u>
WASC Id	15
Plugin Id	<u>10055</u>
Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate cerincluding Cross Site Scripting (XSS) and data injection attacks. These attacks are used for every site defacement or distribution of malware. CSP provides a set of standard HTTP headers that declare approved sources of content that browsers should be allowed to load on that page — c JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, if files.
URL	http://localhost:8885
Method	GET
Attack	
Evidence	
Other Info	

URL	http://localhost:8885/
Method	GET
Attack	
Evidence	
Other Info	
URL	http://localhost:8885/sitemap.xml
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1673999601⌖=OPTIMIZATION_TARGET_PAGE_VISIBILITY
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1679317318⌖=OPTIMIZATION_TARGET_LANGUAGE_DETECTION
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1689043206⌖=OPTIMIZATION_TARGET_VISUAL_SEARCH_CLASSIFICATION
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1691042511⌖=OPTIMIZATION_TARGET_NEW_TAB_PAGE_HISTORY_CLUSTE
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1696267841⌖=OPTIMIZATION_TARGET_OMNIBOX_URL_SCORING
Method	GET
Attack	
Evidence	
Other	

Info	
	https://optimizationguide-pa.googleapis.com/downloads?
URL	name=1709568188⌖=OPTIMIZATION_TARGET_GEOLOCATION_PERMISSION_PRED
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1709568210⌖=OPTIMIZATION_TARGET_NOTIFICATION_PERMISSION_PREDI
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1710169458⌖=OPTIMIZATION_TARGET_CLIENT_SIDE_PHISHING
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=4⌖=OPTIMIZATION_TAR
Method	GET
Attack	
Evidence	
Other Info	
Instances	12
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Conheader.
Reference	https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing Content Security Polinttps://cheatsheetseries.owasp.org/cheatsheets/Content Security Policy Cheat Sheet.html https://www.w3.org/TR/CSP/https://w3c.github.io/webappsec-csp/https://web.dev/articles/csphttps://caniuse.com/#feat=contentsecuritypolicyhttps://content-security-policy.com/
CWE Id	<u>693</u>
WASC Id	15
Plugin Id	<u>10038</u>
Medium	Missing Anti-clickjacking Header
Description	The response does not include either Content-Security-Policy with 'frame-ancestors' directive or protect against 'ClickJacking' attacks.
URL	http://localhost:8885
Method	GET
Attack	

Fride	
Evidence	
Other Info	
URL	http://localhost:8885/
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1673999601⌖=OPTIMIZATION_TARGET_PAGE_VISIBILITY
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1679317318⌖=OPTIMIZATION_TARGET_LANGUAGE_DETECTION
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1689043206⌖=OPTIMIZATION TARGET VISUAL SEARCH CLASSIFICATION
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1691042511⌖=OPTIMIZATION TARGET NEW TAB PAGE HISTORY CLUSTE
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1696267841⌖=OPTIMIZATION_TARGET_OMNIBOX_URL_SCORING
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1709568188⌖=OPTIMIZATION TARGET GEOLOCATION PERMISSION PRED
Method	GET

Attack Evidence Other Info URL	https://optimizationguide-pa.googleapis.com/downloads? name=1709568210⌖=OPTIMIZATION TARGET NOTIFICATION PERMISSION PRED
Other Info	
Info	
URL	
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1710169458⌖=OPTIMIZATION_TARGET_CLIENT_SIDE_PHISHING
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=4⌖=OPTIMIZATION_TAR
Method	GET
Attack	
Evidence	
Other Info	
Instances	11
	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP header set on all web pages returned by your site/app.
Solution	If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alt implementing Content Security Policy's "frame-ancestors" directive.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
CWE Id	1021
WASC Id	15
Plugin Id	10020
Low	Private IP Disclosure
Description	A private IP (such as 10.x.x.x, 172.x.x.x, 192.168.x.x) or an Amazon EC2 private hostname (for example, ip-10-0-56-78) has been found in the HTTP response body. This information might be helpful for further attacks targeting internal systems.
URL	http://localhost:8880/api/courses
Method	GET
Attack	
Evidence	10.0.0.1
	10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5

Other Info	0.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.5 10.0.0 110.0.0.2 10.0.0.3 10.0.0.4 10.0.5 10.0.0 110.0.0.2 10.0.0.3 10.0.0.4 10.0.5 10.0.0 110.0.0.2 10.0.0.3 10.0.0.4 10.0.5 10.0.0 110.0.0.2 10.0.0.3 10.0.0.4 10.0.5 10.0.0 110.0.0 2 10.0.0 10.0
URL	http://localhost:8880/api/courses?order_by=id&sort=desc
Method	GET
Attack	
Evidence	192.168.1.17:51790
	192.168.1.17:51790 192.168.1.17:51790

Other Info	192.168.1.17:51790 192.168.1.17:
URL	http://localhost:8880/api/courses?order_by=rating&sort=desc
Method	GET
Attack	
Evidence	10.0.0.1
	10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5 10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5

Other Info	10.0.0.1 10.0.0.2 10.0.3 10.0.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.0.2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.2 10.0.0.3 10.0.4 10.0.5 10.0.0.1 10.0.2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.0 2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.0 2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.0 2 10.0.3 10.0.4 10.0.5 10.0.0.1 10.0.0 2 10.0.3 10.0.4 10.0.5 10.0.0 1 10.0.2 10.0.3 10.0.4 10.0.5 10.0.0 1 10.0.2 10.0.3 10.0.4 10.0.5 10.0.0 1 10.0.2 10.0.3 10.0.4 10.0.5 10.0.0 1 10.0.2 10.0.3 10.0.4 10.0.5 10.0.0 1 10.0.2 10.0.3 10.0.4 10.0.5 10.0.0 1 10.0.2 10.0.3 10.0.4 10.0.5 10.0.0 1 10.0.2 10.0.3 10.0.4 10.0.5 10.0.0 1 10.0.2 10.0.3 10.0.4 10.0.5 10.0.0 1 10.0.2 10.0.3 10.0.4 10.0.5 10.0.0 1 10.0.2 10.0.3 10.0.4 10.0.5 10.0.0 1 10.0.2 10.0.3 10.0.4 10.0.5 10.0.1 10.0.2 10.0.3 10.0.4 10.0.5 10.0 10.0 10.0 10.0 1
URL	http://localhost:8880/api/enrollment
Method	GET
Attack	
Evidence	192.168.1.17:51790
Other Info	192.168.1.17:51790 192.168.1.17:51790
URL	http://localhost:8880/api/enrollment/17

Method	GET
Attack	
Evidence	192.168.1.17:51790
Other Info	192.168.1.17:51790 192.168.1.17:51790
Instances	5
Solution	Remove the private IP address from the HTTP response body. For comments, use JSP/ASP /PHP comment instead of HTML/JavaScript comment which can be seen by client browsers.
Reference	https://tools.ietf.org/html/rfc1918
CWE Id	200
WASC Id	13
Plugin Id	2
Low	Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)
Description	The web/application server is leaking information via one or more "X-Powered-By" HTTP response headers. Access to such information may facilitate attackers identifying other frameworks/components your web application is reliant upon and the vulnerabilities such components may be subject to.
URL	http://localhost:8880/api/courses/8
Method	DELETE
Attack	
Evidence	x-powered-by: Express
Other Info	
URL	http://localhost:8880/api/customers/4
Method	DELETE
Attack	
Evidence	x-powered-by: Express
Other Info	
URL	http://localhost:8880/
Method	GET
Attack	
Evidence	X-Powered-By: Express
Other Info	
URL	http://localhost:8880/api/courses
Method	GET
Attack	
Evidence	x-powered-by: Express
Other Info	
URL	http://localhost:8880/api/courses/6497

Method	GET
Attack	
Evidence	x-powered-by: Express
Other Info	
URL	http://localhost:8880/api/courses/6500
Method	GET
Attack	
Evidence	x-powered-by: Express
Other Info	
URL	http://localhost:8880/api/courses/8
Method	GET
Attack	
Evidence	x-powered-by: Express
Other Info	
URL	http://localhost:8880/api/courses?order_by=id&sort=desc
Method	GET
Attack	
Evidence	x-powered-by: Express
Other Info	
URL	http://localhost:8880/api/courses?order_by=rating&sort=desc
Method	GET
Attack	
Evidence	x-powered-by: Express
Other Info	
URL	http://localhost:8880/api/customers
Method	GET
Attack	
Evidence	x-powered-by: Express
Other Info	
URL	http://localhost:8880/api/customers/4
Method	GET
Attack	
Evidence	x-powered-by: Express
Other Info	
URL	http://localhost:8880/api/enrollment
Method	GET
Attack	

Evidence	x-powered-by: Express
Other Info	
URL	http://localhost:8880/api/enrollment/17
Method	GET
Attack	
Evidence	x-powered-by: Express
Other Info	
URL	http://localhost:8880/api/courses/create
Method	POST
Attack	
Evidence	X-Powered-By: Express
Other Info	
URL	http://localhost:8880/api/courses/create
Method	POST
Attack	
Evidence	x-powered-by: Express
Other Info	
URL	http://localhost:8880/api/customers
Method	POST
Attack	
Evidence	x-powered-by: Express
Other Info	
URL	http://localhost:8880/api/enrollment
Method	POST
Attack	
Evidence	x-powered-by: Express
Other Info	
URL	http://localhost:8880/api/users/login
Method	POST
Attack	
Evidence	x-powered-by: Express
Other Info	
URL	http://localhost:8880/api/courses/8
Method	PUT
Attack	
Evidence	x-powered-by: Express

Other Info	
URL	http://localhost:8880/api/customers/5
Method	PUT
Attack	
Evidence	x-powered-by: Express
Other Info	
Instances	20
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress "X-Powered-By" headers.
Reference	https://owasp.org/www-project-web-security-testing-guide/v42/4- Web Application Security Testing/01-Information Gathering/08- Fingerprint Web Application Framework https://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html
CWE Id	200
WASC Id	13
Plugin Id	<u>10037</u>
Low	Server Leaks Version Information via "Server" HTTP Response Header Field
Description	The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.
URL	http://localhost:8885
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/favicon.ico
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	

URL	http://localhost:8885/images/advertisement
Method	GET
Attack	
Evidence	nginx/1.25.4
Other	11gill 1.23.4
Info	
URL	http://localhost:8885/images/advertisement/box-dark.svg
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/advertisement/eventbrite-dark.svg
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/advertisement/instructor-2x-v3.jpeg
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/advertisement/logo-ub.svg
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/advertisement/nasdaq-dark.svg
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/advertisement/netapp-dark.svg
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/advertisement/transform-2x-v3.jpeg
Method	GET

Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/advertisement/ub-2x-v3.jpeg
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/advertisement/volkswagen-dark.svg
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/footer
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/footer/logo-udemy-inverted.svg
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/header
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/header/header.jpg
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/top-categories
Method	GET
Attack	

Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/top-categories/lohp-category-business-2x-v2.jpeg
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/top-categories/lohp-category-design-2x-v2.jpeg
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/top-categories/lohp-category-development-2x-v2.jpeg
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/top-categories/lohp-category-it-and-software-2x-v2.jpeg
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/top-categories/lohp-category-marketing-2x-v2.jpeg
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/top-categories/lohp-category-music-2x-v2.jpeg
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/images/top-categories/lohp-category-personal-development-2x-v2.jpeg
Method	GET
Attack	
Evidence	nginx/1.25.4
Other	

Info URL http://localhost:8885/images/top-categories/lohp-category-photography-2x-v2.jpeg Method GET Attack Evidence nginx/1.25.4 Other Info URL http://localhost:8885/logo192.png Method GET Attack Evidence nginx/1.25.4 Other Info URL http://localhost:8885/manifest.json Method GET Attack Evidence nginx/1.25.4
Method GET Attack Evidence nginx/1.25.4 Other Info URL http://localhost:8885/logo192.png Method GET Attack Evidence nginx/1.25.4 Other Info URL http://localhost:8885/manifest.json Method GET Attack Attack Method GET
Evidence nginx/1.25.4 Other Info URL http://localhost:8885/logo192.png Method GET Attack Evidence nginx/1.25.4 Other Info URL http://localhost:8885/manifest.json Method GET Attack
Other Info URL http://localhost:8885/logo192.png Method GET Attack Evidence nginx/1.25.4 Other Info URL http://localhost:8885/manifest.json Method GET Attack
Info URL http://localhost:8885/logo192.png Method GET Attack Evidence nginx/1.25.4 Other Info URL http://localhost:8885/manifest.json Method GET Attack
Method GET Attack Evidence nginx/1.25.4 Other Info URL http://localhost:8885/manifest.json Method GET Attack
Attack Evidence nginx/1.25.4 Other Info URL http://localhost:8885/manifest.json Method GET Attack
Evidence nginx/1.25.4 Other Info URL http://localhost:8885/manifest.json Method GET Attack
Other Info URL http://localhost:8885/manifest.json Method GET Attack
URL http://localhost:8885/manifest.json Method GET Attack
Method GET Attack
Attack
Evidence nginx/1.25.4
Other Info
URL http://localhost:8885/robots.txt
Method GET
Attack
Evidence nginx/1.25.4
Other Info
URL http://localhost:8885/sitemap.xml
Method GET
Attack
Evidence nginx/1.25.4
Other Info
URL http://localhost:8885/static
Method GET
Attack
Evidence nginx/1.25.4
Other Info
URL http://localhost:8885/static/css
Method GET
Attack
Evidence nginx/1.25.4
Other Info
URL http://localhost:8885/static/css/main.1d05e13a.css

	OFT
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/static/css/main.1d05e13a.css.map
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/static/js
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/static/js/main.fd39a2f5.js
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	http://localhost:8885/static/js/main.fd39a2f5.js.map
Method	GET
Attack	
Evidence	nginx/1.25.4
Other Info	
URL	https://js-agent.newrelic.com/nr-spa-1.253.0.min.js
Method	GET
Attack	
Evidence	AmazonS3
Other Info	
Instances	39
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
Reference	https://httpd.apache.org/docs/current/mod/core.html#servertokens https://learn.microsoft.com/en-us/previous-versions/msp-n-p/ff648552(v=pandp.10) https://www.troyhunt.com/shhh-dont-let-your-response-headers/
CWE Id	200
WASC Id	13
Plugin Id	10036

Low	Strict-Transport-Security Header Not Set
Description	HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web serv standards track protocol and is specified in RFC 6797.
URL	https://content-autofill.googleapis.com/v1/pages/ChRDaHJvbWUvMTIzLjAuNjMxMi44NxIgCVKnXAHvzHGsEgUNg6hbPRIFDc5BTHoh1gCmv3gVCEOaChlgCW6cTvWGnze4EgUNNDfTKxIFDdzkyiwh1mvoFQhDmgoSUQm05qxeQf5lthIFDalt=proto
Method	GET
Attack	
Evidence	
Other Info	
URL	$\underline{https://content-autofill.googleapis.com/v1/pages/ChRDaHJvbWUvMTIzLjAuNjMxMi44NxIgCW6equality.}\\$
Method	GET
Attack	
Evidence	
Other Info	
URL	$\underline{https://content-autofill.googleapis.com/v1/pages/ChRDaHJvbWUvMTIzLjAuNjMxMi44NxInCV3italt=proto}\\$
Method	GET
Attack	
Evidence	
Other Info	
URL	$\underline{https://content-autofill.googleapis.com/v1/pages/ChRDaHJvbWUvMTIzLjAuNjMxMi44NxIZCdV6}$
Method	GET
Attack	
Evidence	
Other Info	
URL	https://content-autofill.googleapis.com/v1/pages/ChRDaHJvbWUvMTlzLjAuNjMxMi44NxJmCdghpfjbAUzPEgUNNDfTKxIFDdzkyiwSBQ0G7bvgVCEOaChJRCbTmrF5B mW2EgUNBu27 xIFDQbtu 8SBQ0G7bv EgUNBu27 xIFDQbtu 8S
Method	GET
Attack	
Evidence	
Other Info	
URL	$\underline{https://content-autofill.googleapis.com/v1/pages/ChRDaHJvbWUvMTlzLjAuNjMxMi44NxJRCbT}$
Method	GET
Attack	
Evidence	
Other Info	
URL	https://fakeimg.pl/1430x810

Method	GET
Attack	
Evidence	
Other	
Info	
URL	https://fonts.gstatic.com/s/playfairdisplay/v37/nuFiD-vYSZviVYUb_rj3ij_anPXDTzYgEM86xQ.v
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=1673999601⌖=OPTIMIZA
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=1679317318⌖=OPTIMIZA
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=1689043206⌖=OPTIMIZA
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=1691042511⌖=OPTIMIZA
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=1696267841⌖=OPTIMIZA
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=1709568188⌖=OPTIMIZA
OILE	
Method	GET

Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=1709568210⌖=OPTIMIZA
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=1710169458⌖=OPTIMIZA
Method	GET
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=4⌖=OPTIMIZATION_TAR
Method	GET
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.253.0&22timing%22:%7B%22of%22:1711804733318,%22n%22:0,%22u%22:83,%22ue%22:95,%22f922dc%22:1046,%22l%22:1046,%22le%22:1049%7D,%22navigation%22:%7B%7D%7D&fcp=3
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.253.0&22timing%22:%7B%22of%22:1711804701564,%22n%22:0,%22f%22:23,%22dn%22:26,%22dn 1082,%22le%22:1097%7D,%22navigation%22:%7B%7D%7D&fcp=696
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.253.0&22timing%22:%7B%22of%22:1711804561961,%22n%22:0,%22f%22:28,%22dn%22:28,%22dn 22:5546,%22le%22:5575%7D,%22navigation%22:%7B%7D%7D&fp=5182&fcp=5182
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.

Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.
Method	POST
Attack	

Evidence	
Other	
Info	
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1
Method	POST
Attack	
Evidence	

Other Info	
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1
Method	POST
Attack	
Evidence	
Other Info	

URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1
Method	POST

Attack Evidence Other	
Other	
lus f =	
Info	
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1
Method	POST
Attack	
Evidence	
Other Info	
URL	$\underline{https://bam.eu01.nr\text{-}data.net/resources/1/NRJS\text{-}65820cd5fb121452e7b?a=538578264\&sa=1\&valign{2}{2}{2}{2}{2}{2}{2}{2}{2}{2}{2}{2}{2}{$
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f82e0ba&st=1711804701564&hr=0&fts=1711804701663&n=123&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	$\underline{https://bam.eu01.nr\text{-}data.net/resources/1/NRJS\text{-}65820cd5fb121452e7b?a=538578264\&sa=1\&valign{2}{2}{2}{2}{2}{2}{2}{2}{2}{2}{2}{2}{2}{$
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f80d279&st=1711804561961&hr=0&fts=1711804562246&n=132&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	$\frac{\text{https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&vol18e8f80d279\&st=1711804561961\&hr=0\&fts=1711804567143\&n=243\&fsh=0}{\text{nttps://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&vol18e8f80d279\&st=1711804561961\&hr=0\&fts=1711804567143\&n=243\&fsh=0}$
Method	POST
Attack	
Evidence	
Other Info	
URL	$\frac{\text{https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v018e8f82e0ba\&st=1711804701564\&hr=0\&fts=1711804713139\&n=903\&fsh=0}{\text{https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v018e8f82e0ba\&st=1711804701564\&hr=0\&fts=1711804713139\&n=903\&fsh=0}{\text{https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v018e8f82e0ba\&st=1711804701564\&hr=0\&fts=1711804713139\&n=903\&fsh=0}{\text{https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v018e8f82e0ba\&st=1711804701564\&hr=0\&fts=1711804713139\&n=903\&fsh=0}{\text{https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v018e8f82e0ba\&st=1711804701564\&hr=0\&fts=1711804713139\&n=903\&fsh=0}{https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v018e8f82e0ba\&st=1711804701564\&hr=0\&fts=171180470164\&hr=0\&fts=17118044044044044044044044044044044044044044$

Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f82e0ba&st=1711804701564&hr=0&fts=1711804702386&n=11&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f82e0ba&st=1711804701564&hr=0&fts=1711804733409&n=12&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f80d279&st=1711804561961&hr=0&fts=1711804588252&n=295&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f80d279&st=1711804561961&hr=0&fts=1711804598256&n=569&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f835c3d&st=1711804733318&hr=0&fts=1711804733439&n=88&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f835c3d&st=1711804733318&hr=0&fts=1711804738049&n=3&fsh=0
Method	POST
Attack	
Evidence	
Other Info	

URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f80d279&st=1711804561961&hr=0&fts=1711804608302&n=250&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f80d279&st=1711804561961&hr=0&fts=1711804618320&n=235&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f80d279&st=1711804561961&hr=0&fts=1711804563585&n=59&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f80d279&st=1711804561961&hr=0&fts=1711804650762&n=14&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljle
Method	POST
Attack	
Evidence	
Other Info	
URL	https://spocs.getpocket.com/spocs
Method	POST
Attack	
Evidence	
Other	

Info	
URL	https://update.googleapis.com/service/update2/json
Method	POST
Attack	
Evidence	
Other Info	
URL	https://update.googleapis.com/service/update2/json?cup2key=14:TkLGn-RZN_M8jT-cN2ROald
Method	POST
Attack	
Evidence	
Other Info	
Instances	72
Solution	Ensure that your web server, application server, load balancer, etc. is configured to enforce Stri
Reference	https://cheatsheetseries.owasp.org/cheatsheets/HTTP Strict Transport Security Cheat Sheethttps://owasp.org/www-community/Security Headers https://en.wikipedia.org/wiki/HTTP Strict Transport Security https://caniuse.com/stricttransportsecurity https://datatracker.ietf.org/doc/html/rfc6797
CWE Id	<u>319</u>
WASC Id	15
Plugin Id	10035
Law	Timestown Disclosure, Huir
Low	Timestamp Disclosure - Unix
Description	A timestamp was disclosed by the application/web server - Unix
Description	A timestamp was disclosed by the application/web server - Unix
Description URL	A timestamp was disclosed by the application/web server - Unix http://localhost:8885/static/js/main.fd39a2f5.js
Description URL Method	A timestamp was disclosed by the application/web server - Unix http://localhost:8885/static/js/main.fd39a2f5.js
Description URL Method Attack	A timestamp was disclosed by the application/web server - Unix http://localhost:8885/static/js/main.fd39a2f5.js GET
Description URL Method Attack Evidence Other	A timestamp was disclosed by the application/web server - Unix http://localhost:8885/static/js/main.fd39a2f5.js GET 1540483477
Description URL Method Attack Evidence Other Info	A timestamp was disclosed by the application/web server - Unix http://localhost:8885/static/js/main.fd39a2f5.js GET 1540483477 1540483477, which evaluates to: 2018-10-25 17:04:37 https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-
Description URL Method Attack Evidence Other Info URL	A timestamp was disclosed by the application/web server - Unix http://localhost:8885/static/js/main.fd39a2f5.js GET 1540483477 1540483477, which evaluates to: 2018-10-25 17:04:37 https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljleyEU21OpBXqWBgw
Description URL Method Attack Evidence Other Info URL Method	A timestamp was disclosed by the application/web server - Unix http://localhost:8885/static/js/main.fd39a2f5.js GET 1540483477 1540483477, which evaluates to: 2018-10-25 17:04:37 https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljleyEU21OpBXqWBgw
Description URL Method Attack Evidence Other Info URL Method Attack	A timestamp was disclosed by the application/web server - Unix http://localhost:8885/static/js/main.fd39a2f5.js GET 1540483477 1540483477, which evaluates to: 2018-10-25 17:04:37 https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljleyEU21OpBXqWBgw POST
Description URL Method Attack Evidence Other Info URL Method Attack Evidence Other	A timestamp was disclosed by the application/web server - Unix http://localhost:8885/static/js/main.fd39a2f5.js GET 1540483477 1540483477, which evaluates to: 2018-10-25 17:04:37 https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljleyEU21OpBXqWBgw POST 1673999601
Description URL Method Attack Evidence Other Info URL Method Attack Evidence Other	A timestamp was disclosed by the application/web server - Unix http://localhost:8885/static/js/main.fd39a2f5.js GET 1540483477 1540483477, which evaluates to: 2018-10-25 17:04:37 https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljleyEU21OpBXqWBgw POST 1673999601 1673999601, which evaluates to: 2023-01-17 23:53:21 https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-
Description URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack URL URL URL URL URL URL URL UR	A timestamp was disclosed by the application/web server - Unix http://localhost:8885/static/js/main.fd39a2f5.js GET 1540483477 1540483477, which evaluates to: 2018-10-25 17:04:37 https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljleyEU21OpBXqWBgw POST 1673999601 1673999601, which evaluates to: 2023-01-17 23:53:21 https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljleyEU21OpBXqWBgw
Description URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack URL Method Method Method	A timestamp was disclosed by the application/web server - Unix http://localhost:8885/static/js/main.fd39a2f5.js GET 1540483477 1540483477, which evaluates to: 2018-10-25 17:04:37 https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljleyEU21OpBXqWBgw POST 1673999601 1673999601, which evaluates to: 2023-01-17 23:53:21 https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljleyEU21OpBXqWBgw
Description URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack	A timestamp was disclosed by the application/web server - Unix http://localhost:8885/static/js/main.fd39a2f5.js GET 1540483477 1540483477, which evaluates to: 2018-10-25 17:04:37 https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljleyEU21OpBXqWBgw POST 1673999601 1673999601, which evaluates to: 2023-01-17 23:53:21 https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljleyEU21OpBXqWBgw POST
Description URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Other Info URL Method Attack Evidence Other Info Other Other	A timestamp was disclosed by the application/web server - Unix http://localhost:8885/static/js/main.fd39a2f5.js GET 1540483477 1540483477, which evaluates to: 2018-10-25 17:04:37 https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljleyEU21OpBXqWBgw POST 1673999601 1673999601, which evaluates to: 2023-01-17 23:53:21 https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljleyEU21OpBXqWBgw POST 1679317318

URL	6x9WDnZljleyEU21OpBXqWBgw
Method	POST
Attack	
Evidence	1689043206
Other Info	1689043206, which evaluates to: 2023-07-11 03:40:06
URL	https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljleyEU21OpBXqWBgw
Method	POST
Attack	
Evidence	1691042511
Other Info	1691042511, which evaluates to: 2023-08-03 07:01:51
URL	https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljleyEU21OpBXqWBgw
Method	POST
Attack	
Evidence	1696267841
Other Info	1696267841, which evaluates to: 2023-10-02 18:30:41
URL	https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljleyEU21OpBXqWBgw
Method	POST
Attack	
Evidence	1709568188
Other Info	1709568188, which evaluates to: 2024-03-04 16:03:08
URL	https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljleyEU21OpBXqWBgw
Method	POST
Attack	
Evidence	1709568210
Other Info	1709568210, which evaluates to: 2024-03-04 16:03:30
URL	https://optimizationguide-pa.googleapis.com/v1:GetModels?key=AlzaSyBOti4mM-6x9WDnZljleyEU21OpBXqWBgw
Method	POST
Attack	
Evidence	1710169458
Other Info	1710169458, which evaluates to: 2024-03-11 15:04:18
Instances	9
Solution	Manually confirm that the timestamp data is not sensitive, and that the data cannot be aggregated to disclose exploitable patterns.
Reference	https://cwe.mitre.org/data/definitions/200.html
CWE Id	200

WASC Id	13
Plugin Id	<u>10096</u>
Low	X-Content-Type-Options Header Missing
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows old Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the reinterpreted and displayed as a content type other than the declared content type. Current (early versions of Firefox will use the declared content type (if one is set), rather than performing MIM
URL	http://localhost:8880/api/courses/8
Method	DELETE
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still aff in which case there is still concern for browsers sniffing pages away from their actual content ty this scan rule will not alert on client or server error responses.
URL	http://localhost:8880/api/customers/4
Method	DELETE
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still aff in which case there is still concern for browsers sniffing pages away from their actual content ty this scan rule will not alert on client or server error responses.
URL	http://localhost:8880/api/courses
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still aff in which case there is still concern for browsers sniffing pages away from their actual content ty this scan rule will not alert on client or server error responses.
URL	http://localhost:8880/api/courses/6497
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still aff in which case there is still concern for browsers sniffing pages away from their actual content ty this scan rule will not alert on client or server error responses.
URL	http://localhost:8880/api/courses/6500
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still aff in which case there is still concern for browsers sniffing pages away from their actual content ty this scan rule will not alert on client or server error responses.
URL	http://localhost:8880/api/courses/8
Method	GET
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8880/api/courses?order_by=id&sort=desc
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8880/api/courses?order_by=rating&sort=desc
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8880/api/customers
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8880/api/customers/4
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8880/api/enrollment
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8880/api/enrollment/17
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885
Method	GET

Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/favicon.ico
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/images/advertisement/box-dark.svg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/images/advertisement/eventbrite-dark.svg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/images/advertisement/instructor-2x-v3.jpeg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/images/advertisement/logo-ub.svg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.

URL	http://localhost:8885/images/advertisement/nasdaq-dark.svg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/images/advertisement/netapp-dark.svg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/images/advertisement/transform-2x-v3.jpeg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/images/advertisement/ub-2x-v3.jpeg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/images/advertisement/volkswagen-dark.svg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/images/footer/logo-udemy-inverted.svg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/images/header/header.jpg
Method	GET
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/images/top-categories/lohp-category-business-2x-v2.jpeg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/images/top-categories/lohp-category-design-2x-v2.jpeg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/images/top-categories/lohp-category-development-2x-v2.jpeg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/images/top-categories/lohp-category-it-and-software-2x-v2.jpeg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/images/top-categories/lohp-category-marketing-2x-v2.jpeg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/images/top-categories/lohp-category-music-2x-v2.jpeg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/images/top-categories/lohp-category-personal-development-2x-v2.jpeg
Method	GET

Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/images/top-categories/lohp-category-photography-2x-v2.jpeg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/logo192.png
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/manifest.json
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/robots.txt
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/static/css/main.1d05e13a.css
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/static/css/main.1d05e13a.css.map
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.

URL	http://localhost:8885/static/js/main.fd39a2f5.js
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8885/static/js/main.fd39a2f5.js.map
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://fakeimg.pl/1430x810
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://js-agent.newrelic.com/nr-spa-1.253.0.min.js
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1673999601⌖=OPTIMIZATION_TARGET_PAGE_VISIBILITY
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1679317318⌖=OPTIMIZATION_TARGET_LANGUAGE_DETECTION
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://optimizationguide-pa.googleapis.com/downloads?name=1689043206⌖=OPTIMIZATION_TARGET_VISUAL_SEARCH_CLASSIFICATION
Method	GET
Attack	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1691042511⌖=OPTIMIZATION_TARGET_NEW_TAB_PAGE_HISTORY_CLUSTE
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1696267841⌖=OPTIMIZATION_TARGET_OMNIBOX_URL_SCORING
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1709568188⌖=OPTIMIZATION_TARGET_GEOLOCATION_PERMISSION_PRED
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1709568210⌖=OPTIMIZATION_TARGET_NOTIFICATION_PERMISSION_PREDI
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://optimizationguide-pa.googleapis.com/downloads? name=1710169458⌖=OPTIMIZATION_TARGET_CLIENT_SIDE_PHISHING
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://optimizationguide-pa.googleapis.com/downloads?name=4⌖=OPTIMIZATION_TAR
Method	GET
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://www.google.com/complete/search?client=firefox&q=localhost%3A&channel=fen
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8880/api/courses/create
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8880/api/customers
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8880/api/enrollment
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8880/api/users/login
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.253.0&20Transaction&rst=1085&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&hr=0⁡=erspa&be=26&fe=1023&dc=379&fsh=0&perf=%7B%22timing%22:%7B%22of%22:17118047333122:83,%22ue%22:95,%22f%22:1,%22dn%22:25,%22dne%22:25,%22c%22:26,%22s%22:26,%22rp%22:26,%22rp%22:53,%22di%22:196,%22ds%22:404,%22de%22:405,%22dc%22:22le%22:1049%7D,%22navigation%22:%7B%7D%7D&fcp=370
Method	POST
Attack	
Evidence	

Info	this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.253.0&20Transaction&rst=1170&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&hr=0⁡=erspa&be=27&fe=1070&dc=772&fsh=1&perf=%7B%22timing%22:%7B%22of%22:17118047015(23,%22dn%22:26,%22dn%22:26,%22c%22:26,%22s%22:26,%22ce%22:26,%22rq%22:26,%64,%22di%22:336,%22ds%22:783,%22de%22:799,%22dc%22:1082,%22l%22:1082,%22le%222navigation%22:%7B%7D%7D&fcp=696
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.253.0&20Transaction&rst=5737&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&hr=0⁡=errspa&be=165&fe=5410&dc=2222&fsh=1&perf=%7B%22timing%22:%7B%22of%22:171180456122:28,%22dn%22:28,%22dne%22:28,%22c%22:32,%22s%22:34,%22ce%22:151,%22rq%22:122rpe%22:167,%22di%22:768,%22ds%22:2363,%22de%22:2387,%22dc%22:5546,%22l%22:57D,%22navigation%22:%7B%7D%7D&fp=5182&fcp=5182
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.20Transaction&rst=11558&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&ptid=04169018e8f82e0ba&hr=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	$\frac{\text{https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v=1.20 Transaction&rst=11583\&ck=0\&s=ab800cbb51383c01\&ref=https://localhost:8885/\&ptid=04169018e8f82e0ba\&hr=0}{\text{018e8f82e0ba\&hr=0}}$
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1. 20Transaction&rst=1189&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&ptid=14874018e8f835c3d&hr=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affein which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.

URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1. 20Transaction&rst=1327&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&ptid=04169:018e8f82e0ba&hr=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1. 20Transaction&rst=16080&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&hr=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1. 20Transaction&rst=16091&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&hr=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1. 20Transaction&rst=31841&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&ptid=04169018e8f82e0ba&hr=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1. 20Transaction&rst=46085&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&hr=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	$\frac{\text{https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v=1.}{20 Transaction\&rst=46103\&ck=0\&s=12281d24e9ef453d\&ref=https://localhost:8885/\&ptid=2a0cc018e8f80d279\&hr=0}$
Method	POST
Attack	

Evidonoo	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affin which case there is still concern for browsers sniffing pages away from their actual content ty this scan rule will not alert on client or server error responses.
URL	$\text{https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v=120Transaction\&rst=4729\&ck=0\&s=ab800cbb51383c01\&ref=https://localhost:8885/\&ptid=14874018e8f835c3d\&hr=0$
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still after in which case there is still concern for browsers sniffing pages away from their actual content ty this scan rule will not alert on client or server error responses.
URL	$\frac{\text{https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v=120Transaction\&rst=4731\&ck=0\&s=ab800cbb51383c01\&ref=https://localhost:8885/\&ptid=14874018e8f835c3d\&hr=0}{\text{018e8f835c3d\&hr=0}}$
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still after in which case there is still concern for browsers sniffing pages away from their actual content ty this scan rule will not alert on client or server error responses.
URL	$\frac{\text{https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v=120Transaction\&rst=4769\&ck=0\&s=ab800cbb51383c01\&ref=https://localhost:8885/\&ptid=14874018e8f835c3d\&hr=0}{\text{018e8f835c3d\&hr=0}}$
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still after in which case there is still concern for browsers sniffing pages away from their actual content ty this scan rule will not alert on client or server error responses.
URL	$\text{https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v=120Transaction\&rst=6223\&ck=0\&s=12281d24e9ef453d\&ref=https://localhost:8885/\&ptid=2a0cd018e8f80d279\&hr=0$
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still af in which case there is still concern for browsers sniffing pages away from their actual content ty this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/events/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=120Transaction&rst=88793&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0c018e8f80d279&hr=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still af in which case there is still concern for browsers sniffing pages away from their actual content to this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=20Transaction&rst=11577&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&ptid=0416

		040-0600-01-01-0
	Marth 1	018e8f82e0ba&hr=0
	Method	POST
	Attack	
	Evidence	
	Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
U	RL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=120Transaction&rst=16082&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&hr=0
	Method	POST
	Attack	
	Evidence	
	Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
U	RL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1 20Transaction&rst=21595&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&ptid=04169018e8f82e0ba&hr=0
	Method	POST
	Attack	
	Evidence	
	Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
U	RL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=120Transaction&rst=26089&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&hr=0
	Method	POST
	Attack	
	Evidence	
	Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
U	RL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1 20Transaction&rst=31611&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&ptid=0416:018e8f82e0ba&hr=0
	Method	POST
	Attack	
	Evidence	
	Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
U	RL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=120Transaction&rst=31838&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&ptid=04169018e8f82e0ba&hr=0
	Method	POST
	Attack	
	Evidence	
		This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affe

0.11	
Other Info	in which case there is still concern for browsers sniffing pages away from their actual content tyles this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=120Transaction&rst=31843&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&ptid=04169018e8f82e0ba&hr=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1 20Transaction&rst=36095&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&hr=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=120Transaction&rst=46102&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&hr=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1 20Transaction&rst=4728&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&ptid=14874 018e8f835c3d&hr=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1 20Transaction&rst=4731&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&ptid=14874 018e8f835c3d&hr=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=120Transaction&rst=56104&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&hr=0
Method	POST

Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affe in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=120Transaction&rst=66128&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&hr=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=120Transaction&rst=76138&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&hr=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=120Transaction&rst=86141&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&hr=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=120Transaction&rst=88778&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&hr=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	$\text{https://bam.eu01.nr-data.net/jserrors/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v=120Transaction\&rst=88798\&ck=0\&s=12281d24e9ef453d\&ref=https://localhost:8885/\&ptid=2a0cc018e8f80d279\&hr=0$
Method	POST
Attack	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type.
Info	this scan rule will not alert on client or server error responses.

URL	20Transaction&rst=1142&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885 /&st=1711804733318&hr=0&fts=1711804733318&n=23&fsh=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v 20Transaction&rst=11585&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&ptid=04169018e8f82e0ba&st=1711804701564&hr=0&fts=1711804701663&n=123&fsh=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v20Transaction&rst=1276&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&st=1711804701564&hr=0&fts=1711804701564&h=23&fsh=1
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v20Transaction&rst=16232&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&st=1711804561961&hr=0&fts=1711804562246&n=132&fsh=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v20Transaction&rst=26289&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&st=1711804561961&hr=0&fts=1711804567143&n=243&fsh=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v20Transaction&rst=31615&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&ptid=04169018e8f82e0ba&st=1711804701564&hr=0&fts=1711804713139&n=903&fsh=0
Method	POST
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v20Transaction&rst=31843&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&ptid=04169018e8f82e0ba&st=1711804701564&hr=0&fts=1711804702386&n=11&fsh=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v20Transaction&rst=31848&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&ptid=04169018e8f82e0ba&st=1711804701564&hr=0&fts=1711804733409&n=12&fsh=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v20Transaction&rst=36294&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&st=1711804561961&hr=0&fts=1711804588252&n=295&fsh=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	$\text{https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264\&sa=1\&v201.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=568266a64a6a6a6a6a6a6a6a6a6a6a6a6a6a6a6a6a6$
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v20Transaction&rst=4732&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&ptid=14874018e8f835c3d&st=1711804733318&hr=0&fts=1711804733439&n=88&fsh=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v20Transaction&rst=4771&ck=0&s=ab800cbb51383c01&ref=https://localhost:8885/&ptid=14874018e8f835c3d&st=1711804733318&hr=0&fts=1711804738049&n=3&fsh=0

Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v20Transaction&rst=56358&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&st=1711804561961&hr=0&fts=1711804608302&n=250&fsh=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v20Transaction&rst=6129&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&st=1711804561961&n=26&fsh=1
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v20Transaction&rst=86364&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&st=1711804561961&hr=0&fts=1711804618320&n=235&fsh=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v20Transaction&rst=88798&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&st=1711804561961&hr=0&fts=1711804563585&n=59&fsh=0
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v20Transaction&rst=88805&ck=0&s=12281d24e9ef453d&ref=https://localhost:8885/&ptid=2a0cc018e8f80d279&st=1711804561961&hr=0&fts=1711804650762&n=14&fsh=0
Method	POST
Attack	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type.

Info	this scan rule will not alert on client or server error responses.
URL	https://spocs.getpocket.com/spocs
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8880/api/courses/8
Method	PUT
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
URL	http://localhost:8880/api/customers/5
Method	PUT
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affer in which case there is still concern for browsers sniffing pages away from their actual content type this scan rule will not alert on client or server error responses.
Instances	111
Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it s Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that sniffing at all, or that can be directed by the web application/web server to not perform MIME-sn
Reference	https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/com85) https://owasp.org/www-community/Security_Headers
CWE Id	693
WASC Id	15
Plugin Id	10021
Informational	Authentication Request Identified

Informational	Authentication Request Identified
Description	The given request has been identified as an authentication request. The 'Other Info' field contains a set of key=value lines which identify any relevant fields. If the request is in a context which has an Authentication Method set to "Auto-Detect" then this rule will change the authentication to match the request identified.
URL	http://localhost:8880/api/customers
Method	POST
Attack	
Evidence	password
Other Info	userParam=email userValue=Abigayle.Wolff@yahoo.com passwordParam=password referer=http://localhost:8880/api/customers
URL	http://localhost:8880/api/customers
Method	POST
Attack	

Cuidonas	nagoward
Evidence	password
Other Info	userParam=email userValue=Carol.Mraz@yahoo.com passwordParam=password referer=http://localhost:8880/api/customers
URL	http://localhost:8880/api/customers
Method	POST
Attack	
Evidence	password
Other Info	userParam=email userValue=Isom_Johns@gmail.com passwordParam=password referer=http://localhost:8880/api/customers
URL	http://localhost:8880/api/users/login
Method	POST
Attack	
Evidence	password
Other Info	userParam=email userValue=Abigayle.Wolff@yahoo.com passwordParam=password referer=http://localhost:8880/api/users/login
URL	http://localhost:8880/api/users/login
Method	POST
Attack	
Evidence	password
Other Info	userParam=email userValue=Carol.Mraz@yahoo.com passwordParam=password referer=http://localhost:8880/api/users/login
URL	http://localhost:8880/api/users/login
Method	POST
Attack	
Evidence	password
Other Info	userParam=email userValue=Isom_Johns@gmail.com passwordParam=password referer=http://localhost:8880/api/users/login
Instances	6
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-req-id/
CWE Id	
WASC Id	
Plugin Id	<u>10111</u>
Informational	Information Disclosure - Suspicious Comments

Information Disclosure - Suspicious Comments
The response appears to contain suspicious comments which may help an attacker. Note: Matches made within script blocks or files are against the entire content not only comments.
http://localhost:8885
GET
user
The following pattern was used: \bUSER\b and was detected in the element starting with: " <script type="text/javascript">window.NREUM (NREUM={}),NREUM.init= {distributed_tracing:{enabled:!0},privacy:{cookies_enabled:!0", see evidence field for the suspicious comment/snippet.</td></tr><tr><td></td></tr></tbody></table></script>

URL	http://localhost:8885/
Method	GET
Attack	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in the element starting with: " <script type="text/javascript">window.NREUM (NREUM={}),NREUM.init= {distributed_tracing:{enabled:!0},privacy:{cookies_enabled:!0", see evidence field for the suspicious comment/snippet.</td></tr><tr><td>URL</td><td>http://localhost:8885/static/js/main.fd39a2f5.js</td></tr><tr><td>Method</td><td>GET</td></tr><tr><td>Attack</td><td></td></tr><tr><td>Evidence</td><td>Administrator</td></tr><tr><td>Other Info</td><td>The following pattern was used: $\bADMINISTRATOR\b$ and was detected in the element starting with: "(()=>{var e={5469:(e,t,n)=>{"use strict";n.d(t,{Z:()=>oe});var r=function() {function e(e){var t=this;thisinsertTag=function(e)", see evidence field for the suspicious comment/snippet.</td></tr><tr><td>URL</td><td>https://js-agent.newrelic.com/nr-spa-1.253.0.min.js</td></tr><tr><td>Method</td><td>GET</td></tr><tr><td>Attack</td><td></td></tr><tr><td>Evidence</td><td>query</td></tr><tr><td>Other Info</td><td>The following pattern was used: \bQUERY\b and was detected in the element starting with: ""use strict";(self["webpackChunk:NRBA-1.253.0.PROD"]=self["webpackChunk:NRBA-1.253.0.PROD"] []).push([[111],{9139:(e,t,i)=>{let", see evidence field for the suspicious comment/snippet.</td></tr><tr><td>URL</td><td>http://localhost:8880/api/courses?order_by=id&sort=desc</td></tr><tr><td>Method</td><td>GET</td></tr><tr><td>Attack</td><td></td></tr><tr><td>Evidence</td><td>select</td></tr><tr><td>Other Info</td><td>The following pattern was used: \bSELECT\b and was detected 12 times, the first in the element starting with: "<!","rating":3,"total_enrollments":5,"status":1,"created_at":"2024-03-30T11:52:59.000Z", see evidence field for the suspicious comment/snippet.</td></tr><tr><td>URL</td><td>http://localhost:8880/api/courses?order_by=rating&sort=desc</td></tr><tr><td>Method</td><td>GET</td></tr><tr><td>Attack</td><td></td></tr><tr><td>Evidence</td><td>select</td></tr><tr><td>Other Info</td><td>The following pattern was used: \bSELECT\b and was detected 6 times, the first in the element starting with: "<!","description":"autem","learning_outcomes":"\"Autem mollitia voluptatem et. Nam voluptatem sint. Voluptas impedit omnis sed", see evidence field for the suspicious comment/snippet.</td></tr><tr><td>URL</td><td>http://localhost:8880/api/enrollment</td></tr><tr><td>Method</td><td>GET</td></tr><tr><td>Attack</td><td></td></tr><tr><td>Evidence</td><td>select</td></tr><tr><td>Other Info</td><td>The following pattern was used: \bSELECT\b and was detected 3 times, the first in the element starting with: "<!","payment_status":1,"enrollment_date":null,"created_at":"2024-03-30T11:35:06.000Z","updated_at":"2024-03-30T11:35:06.000Z",", see evidence field for the suspicious comment/snippet.</td></tr><tr><td>Instances</td><td>7</td></tr></tbody></table></script>

Solution	Remove all comments that return information that may help an attacker and fix any underlying problems they refer to.
Reference	
CWE Id	200
WASC Id	13
Plugin Id	<u>10027</u>

Informational	Modern Web Application
Description	The application appears to be a modern web application. If you need to explore it automatically Spider may well be more effective than the standard one.
URL	http://localhost:8885
Method	GET
Attack	

<script type="text/javascript">window.NREUM||(NREUM={}),NREUM.init={distributed_tracing:{e privacy:{cookies_enabled:!0},ajax:{deny_list:["bam.eu01.nr-data.net"]}},NREUM.loader_config={ 4388123",trustKey:"4388123",agentID:"538578264",licenseKey:"NRJS-65820cd5fb121452e7b" 538578264"},NREUM.info={beacon:"bam.eu01.nr-data.net",errorBeacon:"bam.eu01.nr-data.net NRJS-65820cd5fb121452e7b",applicationID:"538578264",sa:1},/*! For license information pleas loader-spa-1.253.0.min.js.LICENSE.txt */ (()=>{var e,t,r={234:(e,t,r)=>{"use strict";r.d(t,{P_:()=>n =>s,DL:()=>x,OP:()=>O,IF:()=>D,Yu:()=>E,Dg:()=>v,CX:()=>c,GE:()=>w,sU:()=>R});var n=r(863: const o={beacon:n.ce.beacon,errorBeacon:n.ce.errorBeacon,licenseKey:void 0,applicationID:vc queueTime:void 0,applicationTime:void 0,ttGuid:void 0,user:void 0,account:void 0,product:void 0 jsAttributes:{},userAttributes:void 0,atts:void 0,transactionName:void 0,tNamePlain:void 0},a={};1 e)throw new Error("All info objects require an agent identifier!");if(!a[e])throw new Error("Info for was never set"));return a[e]}function c(e,t){if(!e)throw new Error("All info objects require an agen [e]=(0,i.D)(t,o); const r=(0,n.ek)(e); r&(r.info=a[e])} const $u=e=>\{if(!e||"string"!=typeof e)$ return! 1; t=(0,n.ek)(e); t=(0,n.ek $createDocumentFragment(). querySelector(e)\} catch \{return!1\} return!0\}; var\ d=r(7056), l=r(50); constant (1), l=r(50); constant (2), l=r(50); constant (3), l=r(50); constant (3), l=r(50); l$ mask]",h=()=>{const e={mask_selector:"*",block_selector:"[data-nr-block]",mask_input_options: 1,"datetime-local":!1,email:!1,month:!1,number:!1,range:!1,search:!1,tel:!1,text:!1,time:!1,url:!1,w textarea:!1,select:!1,password:!0}};return{feature_flags:[],proxy:{assets:void 0,beacon:void 0},pri {cookies_enabled:!0},ajax:{deny_list:void 0,block_internal:!0,enabled:!0,harvestTimeSeconds:10 distributed_tracing:{enabled:void 0,exclude_newrelic_header:void 0,cors_use_newrelic_header cors_use_tracecontext_headers:void 0,allowed_origins:void 0),session:{domain:void 0,expiresN inactiveMs:d.Hb},ssl:void 0,obfuscate:void 0,jserrors:{enabled:!0,harvestTimeSeconds:10,autoS {enabled:!0,autoStart:!0},page_action:{enabled:!0,harvestTimeSeconds:30,autoStart:!0},page_v {enabled:!0,autoStart:!0},page_view_timing:{enabled:!0,harvestTimeSeconds:30,long_task:!1,au session_trace:{enabled:!0,harvestTimeSeconds:10,autoStart:!0},harvest:{tooManyRequestsDelatest session_replay:{autoStart:!0,enabled:!1,harvestTimeSeconds:60,preload:!1,sampling_rate:10, error_sampling_rate:100,collect_fonts:!1,inline_images:!1,inline_stylesheet:!0,mask_all_inputs:! mask_text_selector(){return e.mask_selector},set mask_text_selector(t){u(t)?e.mask_selector=" concat(f):""===t||null===t?e.mask_selector=f:(0,l.Z)("An invalid session_replay.mask_selector w will be used.",t)},get block_class(){return"nr-block"},get ignore_class(){return"nr-ignore"},get mas {return"nr-mask"},get block_selector(){return e.block_selector},set block_selector(t){u(t)?e.block concat(t):""!==t&&(0,I.Z)("An invalid session_replay.block_selector was provided and will not be mask_input_options(){return e.mask_input_options},set mask_input_options(t){t&&"object"==tyr mask_input_options={...t,password:!0}:(0,I.Z)("An invalid session_replay.mask_input_option was will not be used",t)}},spa:{enabled:!0,harvestTimeSeconds:10,autoStart:!0},soft_navigations:{enabled:used="text-align: certain continuous continuous continuous certain certai harvestTimeSeconds:10,autoStart:!0}}},p={},g="All configuration objects require an agent identif (e){if(!e)throw new Error(g);if(!p[e])throw new Error("Configuration for ".concat(e," was never set function v(e,t){if(!e)throw new Error(g);p[e]=(0,i.D)(t,h());const r=(0,n.ek)(e);r&&(r.init=p[e])}function v(e,t){if(!e)throw new Error(g);p[e]=(0,i.D)(t,h());const r=(0,n.ek)(e);r&&(r.init=p[e]);function v(e,t){if(!e)throw new Error(g);p[e]=(0,i.D)(t,h());const r=(0,n.ek)(e);r&&(r.init=p[e]);function v(e,t){if(!e)throw new Error(g);p[e]=(0,i.D)(t,h());const r=(0,n.ek)(e);r&&(r.init=p[e]);function v(e,t){if(!e)throw new Error(g);p[e]=(0,i.D)(t,h());function v(e,t){if(!e)throw new Error(g);p[e]=(0,i.D)(t,h());function v(e,t){if(!e)throw new Error(g);p[e]=(0,i.D)(t,h());function v(e,t){if(!e)throw new Error(g);p[e]=(0,i.D)(throw new Error(g);var r=m(e);if(r){for(var n=t.split("."),i=0;i<n.length-1;i++)if("object"!=typeof(r=r [n[n.length-1]]}return r}const y={accountID:void 0,trustKey:void 0,agentID:void 0,licenseKey:voic applicationID:void 0,xpid:void 0},A={};function x(e){if(!e)throw new Error("All loader-config object agent identifier!");if(!A[e])throw new Error("LoaderConfig for ".concat(e," was never set"));return (e,t){if(!e)throw new Error("All loader-config objects require an agent identifier!");A[e]=(0,i.D)(t,y) ek)(e);r&&(r.loader_config=A[e])}const E=(0,n.mF)().o;var _=r(385),S=r(6818);const T={buildEn customTransaction:void 0,disabled:!1,distMethod:S.gF,isolatedBacklog:!1,loaderType:void 0,ma onerror:void 0,origin:""+_._A.location,ptid:void 0,releaselds:{},session:void 0,xhrWrappable:"fundation.ptid:void 0,releaselds:{} ._A.XMLHttpRequest?.prototype?.addEventListener,version:S.q4,denyList:void 0},N={};functio throw new Error("All runtime objects require an agent identifier!");if(!N[e])throw new Error("Runti (e," was never set"));return N[e]}function R(e,t){if(!e)throw new Error("All runtime objects require

identifier!");N[e]=(0,i.D)(t,T);const r=(0,n.ek)(e);r&&(r.runtime=N[e])}function D(e){return function (e);return!!t.licenseKey&&!!t.errorBeacon&&!!t.applicationID}catch(e){return!1}}(e)}},9567:(e,t,r)= d(t,{D:()=>i});var n=r(50);function i(e,t){try{if(!e||"object"!=typeof e)return(0,n.Z)("Setting a Config an object as input");if(!t||"object"!=typeof t)return(0,n.Z)("Setting a Configurable requires a mode $properties"); const \ r = Object.create (Object.getPrototypeOf(t), Object.getOwnPropertyDescriptors(totypeOf(t), Object.getOwnPropertyDescriptors(totypeOf(t),$ o=0==Object.keys(r).length?e:r;for(let a in o)if(void 0!==e[a])try{Array.isArray(e[a])&&Array.isA =Array.from(new Set([...e[a],...t[a]])):"object"==typeof e[a]&&"object"==typeof t[a]?r[a]=i(e[a],t[a]) (e){(0,n.Z)("An error occurred while setting a property of a Configurable",e)}return r}catch(e){(0,r occured while setting a Configurable",e)}}},6818:(e,t,r)=>{"use strict";r.d(t,{Re:()=>i,gF:()=>o,IF:(const n="1.253.0",i="PROD",o="CDN",a="2.0.0-alpha.11"},385:(e,t,r)=>{"use strict";r.d(t,{FN:()=: $LW:()=>a,Nk:()=>h,Tt:()=>u,_A:()=>o,cv:()=>p,iS:()=>s,il:()=>n,ux:()=>d,v6:()=>i,w1:()=>f\});cons:()=>i,w1:()==i,w1:()==i,w1:()==i,w1:()==i,w1:()==i,w1:()==i,w1:()==i,w1:()==i,w1:()=i,w1:()==i,w1:()$ =typeof window&&!!window.document,i="undefined"!=typeof WorkerGlobalScope&&("undefined self&self instanceof WorkerGlobalScope&self.navigator instanceof WorkerNavigator||"undefin globalThis&&globalThis instanceof WorkerGlobalScope&&globalThis.navigator instanceof Work o=n?window:"undefined"!=typeof WorkerGlobalScope&&("undefined"!=typeof self&&self instance WorkerGlobalScope&&self||"undefined"!=typeof globalThis&&globalThis instanceof WorkerGlobalScope&&globalThis),a="complete"===0?.document?.readyState,s=Boolean("hidd document?.visibilityState),c=""+o?.location,u=/iPad|iPhone|iPod/.test(o.navigator?.userAgent),d undefined"==typeof SharedWorker,l=(()=>{const e=o.navigator?.userAgent?.match(/Firefox[\s](return Array.isArray(e)&&e.length>=2?+e[1]:0})(),f=Boolean(n&&window.document.documentMo navigator?.sendBeacon,p=Math.floor(o?.performance?.timeOrigin||o?.performance?.timing?. navigationStart||Date.now())},9907:(e,t,r)=>{"use strict";r.d(t,{A:()=>n});class n{constructor(e){this contextId=e}},4938:(e,t,r)=>{"use strict";r.d(t,{v:()=>a});var n=r(8632),i=r(3117),o=r(9907);class contextId="nr@context:".concat(i.a);static contextOriginalId="nr@original:".concat(i.a);static contextWrappedId="nr@wrapped:".concat(a.contextId);static getObservationContextByAgentIde t=(0,n.fP)();return Object.keys(t?.initializedAgents||{}}).indexOf(e)>-1?t.initializedAgents[e].obser void 0}#e=new WeakMap;getCreateContext(e){return this.#e.has(e)||this.#e.set(e,new o.A),this. setContext(e,t){return this.#e.set(e,t),this.#e.get(e)}}},1117:(e,t,r)=>{"use strict";r.d(t,{w:()=>o});v const i={agentIdentifier:"",ee:void 0};class o{constructor(e){try{if("object"!=typeof e)return(0,n.Z)(context requires an object as input");this.sharedContext={},Object.assign(this.sharedContext,i),((e).forEach((e=>{let[t,r]=e;Object.keys(i).includes(t)&&(this.sharedContext[t]=r)}))}catch(e){(0,n.2 occured while setting SharedContext",e)}}}},8e3:(e,t,r)=>{"use strict";r.d(t,{L:()=>d,R:()=>c});var $(1284), o=r(4322), a=r(3325); const s={}; function c(e,t){const r={staged:!1,priority:a.p[t]||0}; u(e), s[equal to the constant of the const$ (t,r)function u(e) $\{e\&\&(s[e]||(s[e]=new Map))\}$ function d() $\{let e=arguments.length>0\&\&void 0!==e$ arguments[0]:"",t=arguments.length>1&&void 0!==arguments[1]?arguments[1]:"feature",r=argur length>2&&void 0!==arguments[2]&&arguments[2];if(u(e),!e||!s[e].get(t)||r)return c(t);s[e].get(t).s a=[...s[e]];function c(t){const r=e?n.ee.get(e):n.ee,a=o.X.handlers;if(r.backlog&&a){var s=r.backl $for(var u=0;s\&u<s.length;++u)(s[u],c);(0,i.D)(c,(function(e,t){(0,i.D)(t,(function(t,r){r[0].on(e,r[1].end})}))$ [t],r.backlog[t]=null,r.emit("drain-"+t,[])}}a.every((e=>{let[t,r]=e;return r.staged}))&&(a.sort(((e,t)=> $[1]. priority)), a. for Each((t=>\{let[r]=t; s[e]. delete(r), c(r)\}))) function I(e,t) \{var r=e[1]; (0,i.D)(t[r], (function temperature for the context of the context of$ [0];if(r[0]===n){var i=r[1],o=e[3],a=e[2];i.apply(o,a)}}))}},2177:(e,t,r)=>{"use strict";r.d(t,{ee:()=>c}] $i=r(2210), o=r(234), a=r(9907), s=r(4938); const c=function e(t,r){var n={},u={},l={},f=!1;try{f=16===}$ OP)(r).isolatedBacklog}catch(e){}var h={on:g,addEventListener:g,removeEventListener:function $if(r)for(var i=0;i< r.length;i++)r[i]===t\&r.splice(i,1)\}, emit:function(e,r,n,i,o)\{if(!1!==o\&\&(o=!0),!c.alv.)\}$ $\{t\&o\&t.emit(e,r,n);for(var\ a=p(n),s=m(e),d=s.length,l=0;l< d;l++)s[l].apply(a,r);var\ f=v()[u[e]];reilar = v()[u[e]);reilar = v()[u[e]);reilar$ ([h,e,r,a]),a}},get:function(t){const r=|[t]=|[t]||e(h,t);return!r.observationContextManager&h. observationContextManager&&(r.observationContextManager=h.observationContextManager), context:p,buffer:function(e,t){const r=v();t=t||"feature",h.aborted||Object.entries(e||{}}).forEach((e= =t,t in r||(r[t]=[])))),abort:d,aborted:!1,isBuffering:function(e){return!!v()[u[e]]},debugld:r,backlog:f ==typeof t.backlog?t.backlog:{},observationContextManager:null};return h;function p(e){return e a.A?e:e?(0,i.X)(e,s.v.contextId,(()=>h.observationContextManager?h.observationContextM getCreateContext(e):new a.A(s.v.contextId))):h.observationContextManager?h.observationCont getCreateContext({}):new a.A(s.v.contextId)}function g(e,t){n[e]=m(e).concat(t)}function m(e){ret function v(){return h.backlog}}(void 0,"globalEE"),u=(0,n.fP)();function d(){c.aborted=!0,Object.ke $forEach((e=>\{delete\ c.backlog[e]\}))\}u.ee||(u.ee=c)\},5546:(e,t,r)=>\{"use\ strict";r.d(t,\{E:()=>n,p:()=:n,p:($ (2177).ee.get("handle");function i(e,t,r,i,o){o?(o.buffer([e],i),o.emit(e,t,r)):(n.buffer([e],i),n.emit(e,t r)=>{"use strict";r.d(t, $\{X:()=>0\}$);var n=r(5546);o.on=a;var i=o.handlers={};function o(e,t,r,o){a(o||i|)} $function \ a(e,t,r,i,o) \\ \{o||(o="feature"),e||(e=n.E); var\ a=t[o]=t[o]||\{\};(a[r]=a[r]||[]).push([e,i])\}, \\ 3239:(e,t,r,i,o) \\ \{o||(o=r,r,i,o)\} \\ \{o||(o=r,r,i,o)\}$ strict";r.d(t,{bP:()=>s,iz:()=>c,m\$:()=>a});var n=r(385);let i=!1,o=!1;try{const e={get passive(){retu signal(){return o=!0,!1}};n._A.addEventListener("test",null,e),n._A.removeEventListener("test",nu function a(e,t){return i||o?{capture:!!e,passive:i,signal:t}:!!e}function s(e,t){let r=arguments.length ==arguments[2]&arguments[2],n=arguments.length>3?arguments[3]:void 0;window.addEventl n)))function c(e,t){let r=arguments.length>2&&void 0!==arguments[2]&&arguments[2],n=argume arguments[3]:void 0;document.addEventListener(e,t,a(r,n))}},3117:(e,t,r)=>{"use strict";r.d(t,{a:()} (0,r(4402).RI)(), $4402:(e,t,r)=>{\text{"use strict"}}; r.d(t,{\text{Ht:}}()=>u,M:()=>c,RI:()=>a,ky:()=>s}); var n=r(385); r.d(t,{\text{Ht:}}()=>u,M:()=>c,RI:()=>a,ky:()=>s); var n=r(385); r.d(t,{\text{Ht:}}()=>u,M:()=>a,ky:()=>s); var n=r(385); r.d(t,{\text{Ht:}}()=>u,M:()=>a,ky:()=>s); var n=r(385); r.d(t,{\text{Ht:}}()=>u,M:()=>a,ky:()=>s); var n=r(385); var n=r$ e=n._A?.crypto||n._A?.msCrypto;let t,r=0;return e&&e.getRandomValues&&(t=e.getRandomVal Uint8Array(30)), i.split("").map((e=>"x"===e?o(t,r++).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toStri

function s(e){const t=n. A?.crypto||n. A?.msCrypto;|et r,i=0;t&&t.getRandomValues&&(r=t.getR (new Uint8Array(e)));const a=[];for(var s=0;s<e;s++)a.push(o(r,i++).toString(16));return a.join("") {return s(16)}function u(){return s(32)}},7056:(e,t,r)=>{"use strict";r.d(t,{Bq:()=>n,Hb:()=>a,IK:()=> oD:()=>o,uT:()=>c,wO:()=>s});const n="NRBA",i="SESSION",o=144e5,a=18e5,s={PAUSE:"ses: RESET: "session-reset", RESUME: "session-resume", UPDATE: "session-update", c={SAME_TAE CROSS_TAB:"cross-tab"},u={OFF:0,FULL:1,ERROR:2}},7894:(e,t,r)=>{"use strict";function n(){u floor(performance.now())r.d(t,{z:()=>n})},7243:(e,t,r)=>{"use strict";r.d(t,{e:()=>i});var n=r(385);floor(performance.now())}r.d(t,{z:()=>n})},7243:(e,t,r)=>{"use strict";r.d(t,{e:()=>i});var n=r(385);floor(performance.now())}r.d(t,{z:()=>n})},7243:(e,t,r)=>{"use strict";r.d(t,{e:()=>i});var n=r(385);floor(performance.now())}r.d(t,{z:()=>n})},7243:(e,t,r)=>{"use strict";r.d(t,{e:()=>i});var n=r(385);floor(performance.now())}r.d(t,{z:()=>n})}r.d(t,{z:()=>n})}r.d(t,{z:()=>n})}r.d(t,{z:()=>n})r.d(t,{z:()=>n})}r.d(t,{z:()=>n})r.d(t,{z:() (0===(e||"").indexOf("data:"))return{protocol:"data"};try{const t=new URL(e,location.href),r={port hostname:t.hostname,pathname:t.pathname,search:t.search,protocol:t.protocol.slice(0,t.protoco sameOrigin:t.protocol===n._A?.location?.protocol&&t.host===n._A?.location?.host};return r.por ("http:"===t.protocol&&(r.port="80"),"https:"===t.protocol&&(r.port="443")),r.pathname&&""!==r.f pathname.startsWith("/")||(r.pathname="/".concat(r.pathname)):r.pathname="/",r}catch(e){return{ {"use strict";function n(e,t){"function"==typeof console.warn&&(console.warn("New Relic: ".conc t&&console.warn(t))}r.d(t,{Z:()=>n})},2825:(e,t,r)=>{"use strict";r.d(t,{N:()=>d,T:()=>l});var n=r(217) o=r(3325),a=r(385);const s="newrelic",c={stn:[o.D.sessionTrace],err:[o.D.jserrors,o.D.metrics],ir pageAction],spa:[o.D.spa,o.D.softNav],sr:[o.D.sessionReplay,o.D.sessionTrace]},u=new Set;fun {const r=n.ee.get(t);e&&"object"==typeof e&&(u.has(t)||(Object.entries(e).forEach((e=>{let[t,n]=e forEach((e=>{n?(0,i.p)("feat-"+t,[],void 0,e,r):(0,i.p)("block-"+t,[],void 0,e,r),(0,i.p)("rumresp-"+t,[B [e]?.forEach((t=>(0,i.p)("rumresp-"+e,[!1],void 0,t,r))),l[e]=!1)})),u.add(t),function(){let e=argumen length>0&&void 0!==arguments[0]?arguments[0]:{};try{a._A.dispatchEvent(new CustomEvent(s catch(e){}}({loaded:!0})))}const I={}},2210:(e,t,r)=>{"use strict";r.d(t,{X:()=>i});var n=Object.protot hasOwnProperty;function i(e,t,r){if(n.call(e,t))return e[t];var i=r();if(Object.defineProperty&&Object.definePrope {return Object.defineProperty(e,t,{value:i,writable:!0,enumerable:!1}),i}catch(e){}return e[t]=i,i}},7 use strict";function n(e){var t=this;let r=arguments.length>1&&void 0!==arguments[1]?argumer} n=arguments.length>2&&void 0!==arguments[2]?arguments[2]:{};const i=n?.leading||!1;let o;retu {for(var n=arguments.length,a=new Array(n),s=0;s<n;s++)a[s]=arguments[s];i&&void 0===o&&(i o=setTimeout((()=>{o=clearTimeout(o)}),r)),i||(clearTimeout(o),o=setTimeout((()=>{e.apply(t,a)}) (e){var t=this;let r=!1;return function(){if(!r){r=!0;for(var n=arguments.length,i=new Array(n),o=0;c =arguments[o];e.apply(t,i)}}r.d(t,{D:()=>n,Z:()=>i})},1284:(e,t,r)=>{"use strict";r.d(t,{D:()=>n});cor =>Object.entries(e||{}).map((e=>{let[r,n]=e;return t(r,n)}))},4351:(e,t,r)=>{"use strict";r.d(t,{P:()=>i})} (2177);const i=()=>{const e=new WeakSet;return(t,r)=>{if("object"==typeof r&&null!==r){if(e.hasi (r)}return r}};function o(e){try{return JSON.stringify(e,i())}catch(e){try{n.ee.emit("internal-error",[e 3960:(e,t,r)=>{"use strict";r.d(t,{KB:()=>a,b2:()=>o});var n=r(3239);function i(){return"undefined"= document||"complete"===document.readyState}function o(e,t){if(i())return e();(0,n.bP)("load",e,t) (i())return e();(0,n.iz)("DOMContentLoaded",e)}},8632:(e,t,r)=>{"use strict";r.d(t,{EZ:()=>d,ce:()=> =>a,gG:()=>I,h5:()=>c,mF:()=>s});var n=r(7894),i=r(385);const o={beacon:"bam.nr-data.net",errc nr-data.net"};function a(){return i._A.NREUM||(i._A.NREUM={}),void 0===i._A.newrelic&&(i._A.r NREUM),i._A.NREUM}function s(){let e=a();return e.o||(e.o={ST:i._A.setTimeout,SI:i._A.setImm clearTimeout,XHR:i._A.XMLHttpRequest,REQ:i._A.Request,EV:i._A.Event,PR:i._A.Promise,MC MutationObserver,FETCH:i._A.fetch}),e}function c(e,t){let r=a();r.initializedAgents??={},t.initialize z)(),date:new Date},r.initializedAgents[e]=t}function u(e){let t=a();return t.initializedAgents?.[e]}fu [e]=t}function I(){return function(){let e=a();const t=e.info||{}};e.info={beacon:o.beacon,errorBeacc errorBeacon,...t}}(),function(){let e=a();const t=e.init||{};e.init={...t}}(),s(),function(){let e=a();const $loader_config||\{\}; e.loader_config=\{...t\}\}(), a()\}\}, 7956:(e,t,r)=>\{"use\ strict"; r.d(t,\{N:()=>i\}); var\ n=r(32n)\}, f(s,t)=s($ (e){let t=arguments.length>1&&void 0!==arguments[1]&&arguments[1],r=arguments.length>2?a void 0,i=arguments.length>3?arguments[3]:void 0;(0,n.iz)("visibilitychange",(function(){t?"hidder visibilityState&&e():e(document.visibilityState)}),r,i)}},7806:(e,t,r)=>{"use strict";r.d(t,{em:()=>m,u =>O,_L:()=>C,Gm:()=>P,Lg:()=>M,BV:()=>G,Kf:()=>W});var n=r(2177),i=r(4938),o=Object.proto $has Own Property, a=!1; function \ s(e,t) \{return \ e||(e=n.ee), r.in Place=function(e,t,n,i,o) \{n||(n=""); constant \ e||(e=n.ee), r.in Place=function(e,t,n,i,o) \{n||(e=n.ee), r.i$ $charAt(0); for(let \ s=0; s< t.length; s++) \{const \ c=t[s], d=e[c]; u(d) || (e[c]=r(d,a?c+n:n,i,c,o)) \}\}, r.flag=i.v.$ $contextOriginalId, r; function \ r(t,r,n,a,d) \{ return \ u(t)?t: (r||(r=""),l[i.v.contextOriginalId]=t, function(e,t,l) \} \} (return \ u(t)?t: (r||(r=""),l[i.v.contextOriginalId]=t, function(e,t,l) \} (return \ u(t)?t: (return \ u(t)?$ defineProperty&&Object.keys)try{return Object.keys(e).forEach((function(r){Object.defineProper function(){return e[r]},set:function(t){return e[r]=t,t}}))),t}catch(e){c([e],r)}for(var n in e)o.call(e,n){ $I,e),I); function \ I() \{var\ i,o,u,I; try \{o=this,i=[...arguments],u="function"==typeof\ n?n(i,o):n||\{\}\} catch(t)=[...arguments],u="function"==typeof\ n?n(i,o):n||\{\}\} catch(t)=[...arguments],u="function"=typeof\ n?n(i,o):n||\{\}\} catch(t)=[...arguments],u="fun$ $e) \\ s(r+"start",[i,o,a],u,d); \\ try \\ \{return \ l=t.apply(o,i)\} \\ catch(e) \\ \{throw \ s(r+"err",[i,o,e],u,d),e\} \\ finally \\ \{s(r+"err",[i,o,e],u,d),e\} \\ finally \\ \{s(r+"er$ d))}}function s(r,n,i,o){if(!a||t){var s=a;a=!0;try{e.emit(r,n,i,t,o)}catch(t){c([t,r,n,i],e)}a=s}}}function s(r,n,i,o){catch(t){c([t,r,n,i],e)}a=s}}}function s(r,n,i,o){catch(t){c([t,r,n,i],e)}a=s}}}function s(r,n,i,o){catch(t){c([t,r,n,i],e)}a=s}} try{t.emit("internal-error",e)}catch(e){}}function u(e){return!(e&&"function"==typeof e&&e.apply&& contextOriginalId])}var d=r(2210),l=r(385);const f={},h=l._A.XMLHttpRequest,p="addEventLister removeEventListener";function m(e){var t=function(e){return(e||n.ee).get("events")}(e);if(f[t.debu [t.debugId]=1;var r=s(t,!0);function o(e){r.inPlace(e,[p,g],"-",a)}function a(e,t){return e[1]}return"g in Object&&(l.il&&v(document,o),v(l._A,o),v(h.prototype,o)),t.on(p+"-start",(function(e,t){var n=e[("function"==typeof n||"object"==typeof n)){var o=(0,d.X)(n,i.v.contextWrappedId,(function(){var o function(){if("function"==typeof n.handleEvent)return n.handleEvent.apply(n,arguments)},functio return e?r(e,"fn-",null,e.name||"anonymous"):n}));this.wrapped=e[1]=o}})),t.on(g+"-start",(function $wrapped||e[1]\})), t\} function \ v(e,t) \{let \ r=e; for(;"object"==typeof \ r\&\&!Object.prototype.hasOwnProperty (a.g., a.g., b.g., b.g.,$ r=Object.getPrototypeOf(r);for(var n=arguments.length,i=new Array(n>2?n-2:0),o=2;o<n;o++)i[o $\label{lem:control_c$

A.Response,E="prototype";const ={};function S(e){const t=function(e){return(e||n.ee).get("fetc (x&&w&&l._A.fetch))return t;if(_[t.debugld]++)return t;function r(e,r,n){var o=e[r];"function"==type =function(){var e,r=[...arguments],a={};t.emit(n+"before-start",[r],a),a[i.v.contextld]&&a[i.v.contex v.contextId].dt);var s=o.apply(this,r);return t.emit(n+"start",[r,e],s),s.then((function(e){return t.emit(n+"start",[r,e],s),s.then((funct $e], s), e\}), (function(e) \{throw\ t.emit(n+"end",[e],s),e\}))\}) \} return\ _[t.debugld] = 1, A.forEach((e=>\{r(x[E],s),e\}),e])) \} return\ _[t.debugld] = 1, A.forEach((e=>\{r(x[E],s),e\}),e]) \} return\ _[t.$ y)))),r(l._A,"fetch",b),t.on(b+"end",(function(e,r){var n=this;if(r){var i=r.headers.get("content-lengt (n.rxSize=i),t.emit(b+"done",[null,r],n)}else t.emit(b+"done",[e],n)})),t}const T={},N=["pushState",' inPlace(window.history,N,"-")),t}var R=r(3239);const D={},I=["appendChild","insertBefore","repla function C(e){const t=function(e){return(e||n.ee).get("jsonp")}(e);if(!!.il||D[t.debugld])return t;D[t.d $r=s(t), i=/[?\&](?:callback|cb)=([^\&\#]+)/,o=/(.*)\.([^.]+)/,a=/^(\w+)(..|\$)(.*)\$/; function \ c(e,t)\{if(!e)returned (e,t)\}(if(!e)returned (e,t))(if(!e)returned (e,t))(if(!e)re$ match(a),n=r[1];return c(r[3],t[n])}return r.inPlace(Node.prototype,I,"dom-"),t.on("dom-start",(func function(e){if(e&&"string"==typeof e.nodeName&&"script"===e.nodeName.toLowerCase()&&"fu e.addEventListener){var n,a=(n=e.src.match(i))?n[1]:null;if(a){var s=function(e){var t=e.match(o) length>=3?{key:t[2],parent:c(t[1],window)}:{key:e,parent:window}}(a);if("function"==typeof s.pare u={};r.inPlace(s.parent,[s.key],"cb-",u),e.addEventListener("load",d,(0,R.m\$)(!1)),e.addEventList (0,R.m\$)(!1)),t.emit("new-jsonp",[e.src],u)}}}function d(){t.emit("jsonp-end",[],u),e.removeEventLi (0,R.m\$)(!1)),e.removeEventListener("error",I,(0,R.m\$)(!1))}function I(){t.emit("jsonp-error",[],u),t end",[],u),e.removeEventListener("load",d,(0,R.m\$)(!1)),e.removeEventListener("error",I,(0,R.m\$ debugId]=!0;var r=s(t),i=I._A.MutationObserver;return i&&(window.MutationObserver=function(e instanceof i?new i(r(e, "fn-")):i.apply(this,arguments)}, MutationObserver.prototype=i.prototype),t} function M(e){const t=function(e){return(e||n.ee).get("promise")}(e);if(k[t.debugld])return t;k[t.deb r=t.context,o=s(t),a=l._A.Promise;return a&&function(){function e(r){var n=t.context(),i=o(r,"exec const s=Reflect.construct(a,[i],e);return t.context(s).getCtx=function(){return n},s}l._A.Promise=e defineProperty(e, "name", {value: "Promise"}), e. toString=function(){return a.toString()},Object.setF then(a("all"===r),a(!1))}));const o=n.apply(this,arguments);return o;function a(e){return function(("propagate",[null,!i],o,!1,!1),i=i||!e}}}))),["resolve","reject"].forEach((function(r){const n=a[r];e[r]=fi {const r=n.apply(this,arguments);return e!==r&&t.emit("propagate",[e,!0],r,!1,!1),r}})),e.prototype const n=a.prototype.then;a.prototype.then=function(){var e=this,i=r(e);i.promise=e;for(var a=arg s=new Array(a),c=0;c<a;c++)s[c]=arguments[c];s[0]=o(s[0],"cb-",i,null,!1),s[1]=o(s[1],"cb-",i,null,! apply(this,s);return i.nextPromise=u,t.emit("propagate",[e,!0],u,!1,!1),u},a.prototype.then[i.v.conto =n,t.on("executor-start",(function(e){e[0]=o(e[0],"resolve-",this,null,!1),e[1]=o(e[1],"resolve-",this,null,!1),e[1]=o(("executor-err", (function(e,t,r){e[1](r)})),t.on("cb-end", (function(e,r,n){t.emit("propagate",[n,!0],this 1,!1)})),t.on("propagate",(function(e,r,n){this.getCtx&&!r||(this.getCtx=function(){if(e instanceof P context(e);return r&&r.getCtx?r.getCtx():this}))))(),t}const H={},L="setTimeout",z="setInterval",U clearTimeout",F="-start",B="-",q=[L,"setImmediate",z,U,"clearImmediate"];function G(e){const t= {return(e||n.ee).get("timer")}(e);if(H[t.debugld]++)return t;H[t.debugld]=1;var r=s(t);return r.inPlac (0,2),L+B),r.inPlace(I._A,q.slice(2,3),z+B),r.inPlace(I._A,q.slice(3),U+B),t.on(z+F,(function(e,t,n) null,n)})),t.on(L+F,(function(e,t,n){this.method=n,this.timerDuration=isNaN(e[1])?0:+e[1],e[0]=r(get("xhr")}(t);if(Z[r.debugld]++)return r;Z[r.debugld]=1,m(t);var i=s(r),o=l._A.XMLHttpRequest,a= MutationObserver,c=l._A.Promise,u=l._A.setInterval,d="readystatechange",f=["onload","onerror onloadstart", "onloadend", "onprogress", "ontimeout"], h=[], p=I._A.XMLHttpRequest=function(e){cc $n=r.context(t); try\{r.emit("new-xhr",[t],n),t.addEventListener(d,(a=n,function()\{var\ e=this;e.readyStruction(),try\{r.emit("new-xhr",[t],n),t.addEventListener(d,(a=n,function(),try\{r.emit("new-xhr",[t],n),t.addEventListener(d,(a=n,function(),try\{r.emit("new-xhr",[t],n),t.addEventListener(d,(a=n,function(),try\{r.emit("new-xhr",[t],n),t.addEventListener(d,(a=n,function(),try\{r.emit("new-xhr",[t],n),t.addEventListener(d,(a=n,function(),try\{r.emit("new-xhr",[t],n),t.addEventListener(d,(a=n,function(),try(n),t.addEventListener(d,(a=n,function(),t.addEventListener$ resolved&&(a.resolved=!0,r.emit("xhr-resolved",[],e)),i.inPlace(e,f,"fn-",x)}),(0,R.m\$)(!1))}catch(e error occurred while intercepting XHR",e);try{r.emit("internal-error",[e])}catch(e){}}var a;return t}; $inPlace(t,["onready state change"],"fn-",x)) if(function(e,t)\{for(var\ r\ in\ e)t[r]=e[r]\}(o,p),p.prototype=o(a,r)\} for(var\ r\ in\ e)t[r]=e[r]$ $in Place (p.prototype, K, "-xhr-", x), r. on ("send-xhr-start", (function (e,t) \{g(0,t), function (e) \{h.push(e), a \{h.push(e)$ $u(A):(b=-b,y.data=b))(t)),r.on("open-xhr-start",g),a){var v=c&c.resolve();if(!u&&!c){var b=1, c.t.}}$ createTextNode(b);new a(A).observe(y,{characterData:!0})}}else t.on("fn-end",(function(e){e[0]& $type===d||A()\})); function A()\{for(var e=0;e<h.length;e++)g(0,h[e]);h.length&&(h=[])\}function x(e,t)\}$ return r},7825:(e,t,r)=>{"use strict";r.d(t,{t:()=>n});const n=r(3325).D.ajax},6660:(e,t,r)=>{"use strict";r.d(t,{t:()=>n});const n=r(3325).D.ajax},6660:(e,t,r)=>{"use strict"} =>n);const n=r(3325).D.jserrors},3081:(e,t,r)=>{"use strict";r.d(t,{gF:()=>o,mY:()=>i,t9:()=>n,vz:()=>i,t9:()=>n,vz:()=>i,t9:()==i,t9:()=i,t9:()==i,t9:()=i,t9:()==i,t9:()=i,t9: =>a});const n=r(3325).D.metrics,i="sm",o="cm",a="storeSupportabilityMetrics",s="storeEventMe t,r)=>{"use strict";r.d($t,\{t:()=>n\}$);const n=r(3325).D.pageAction},7633:(e,t,r)=>{"use strict";r.d($t,\{t:()=>n\}$); n=r(3325).D.pageViewEvent, 9251:(e,t,r)=>{"use strict";r.d(t,{t:()=>n});const n=r(3325).D.pageViewEvent}, 9251:(e,t,r)=>{"use strict";r.d(t,{t:()=>n});const n=r(4325).D.pageViewEvent}, 9251:(e,t,r)=>{"use strict";r.d(t,{t:()=>n});r.d(t,{t:()=>n});r.d(t,{t:()=>n});r.d(t,{t:()=>n});r.d(t,{t:()=>n});r.d(t,{ 7144:(e,t,r)=>{"use strict";r.d(t,{Ef:()=>o,J0:()=>f,Mi:()=>l,Vb:()=>a,Ye:()=>c,fm:()=>u,i9:()=>s,t9: var n=r(7056);const i=r(3325).D.sessionReplay,o={RECORD:"recordReplay",PAUSE:"pauseRe {DomContentLoaded:0,Load:1,FullSnapshot:2,IncrementalSnapshot:3,Meta:4,Custom:5},c=1e6 IK.ERROR]:15e3,[n.IK.FULL]:3e5,[n.IK.OFF]:0},I={RESET:{message:"Session was reset",sm:"F IMPORT:{message:"Recorder failed to import",sm:"Import"},TOO_MANY:{message:"429: Too N sm:"Too-Many"},TOO_BIG:{message:"Payload was too large",sm:"Too-Big"},CROSS_TAB:{me Entity was set to OFF on another tab",sm:"Cross-Tab"},ENTITLEMENTS:{message:"Session Re allowed and will not be started",sm:"Entitlement"}},f=5e3},3614:(e,t,r)=>{"use strict";r.d(t,{BST_F =>i,END:()=>s,FEATURE_NAME:()=>n,FN_END:()=>u,FN_START:()=>c,PUSH_STATE:()=>d, =>o,START:()=>a});const n=r(3325).D.sessionTrace,i="bstResource",o="resource",a="-start",s=

=>u});var n=r(3325);const i=["click","keydown","submit"],o="api",a=n.D.softNav,s={INITIAL_PAG ROUTE_CHANGE:1,UNSPECIFIED:2},c={INTERACTION:1,AJAX:2,CUSTOM_END:3,CUSTO u={IP:"in progress",FIN:"finished",CAN:"cancelled"}},7836:(e,t,r)=>{"use strict";r.d(t,{BODY:()=>\ =>E,CB_START:()=>u,END:()=>x,FEATURE_NAME:()=>i,FETCH:()=>S,FETCH_BODY:()=>v, FETCH_DONE:()=>m,FETCH_START:()=>g,FN_END:()=>c,FN_START:()=>s,INTERACTION: INTERACTION_API:()=>d,INTERACTION_EVENTS:()=>o,JSONP_END:()=>b,JSONP_NODE: JS_TIME:()=>_,MAX_TIMER_BUDGET:()=>a,REMAINING:()=>I,SPA_NODE:()=>h,START:()=: originalSetTimeout:()=>y});var n=r(234);const i=r(3325).D.spa,o=["click","submit","keypress","ke keyup","change"],a=999,s="fn-start",c="fn-end",u="cb-start",d="api-ixn-",l="remaining",f="interac spaNode",p="jsonpNode",g="fetch-start",m="fetch-done",v="fetch-body-",b="jsonp-end",y=n.Yu. $x="-end", w="-body", E="cb"+x, ="jsTime", S="fetch"\}, 5938:(e,t,r) => {"use strict"; r.d(t,{W:()=>i}); value for the context of the context$ class i{constructor(e,t,r){this.agentIdentifier=e,this.aggregator=t,this.ee=n.ee.get(e),this.featureN blocked=!1}}},8862:(e,t,r)=>{"use strict";r.d(t,{j:()=>x});var n=r(3325),i=r(234),o=r(5546),a=r(2177 (8e3),u=r(3960),d=r(385),l=r(50),f=r(3081),h=r(8632),p=r(7144);const g=["setErrorHandler","finis add To Trace", "add Release", "add Page Action", "set Current Route Name", "set Page View Name View NasetCustomAttribute", "interaction", "noticeError", "setUserId", "setApplicationVersion", "start", "record pauseReplay",p.Ef.RECORD,p.Ef.PAUSE],m=["setErrorHandler","finished","addToTrace","addF $function \ v() \{const\ e=(0,h.gG)(); g.for Each((t=>\{e[t]=function()\{for(var\ r=arguments.length,n=new\}\})\} \} = (-1)^{-1} (-1$ i++)n[i]=arguments[i];return function(t){for(var r=arguments.length,n=new Array(r>1?r-1:0),i=1;i< =arguments[i];let o=[];return Object.values(e.initializedAgents).forEach((e=>{e.exposed&&e.api[api[t](...n))), o.length>1?o:o[0](t,...n))))var $b=r(2825); const y=e=>\{const t=e.startsWith("http"))$ https://"+e};let A=!1;function x(e){let t=arguments.length>1&&void 0!==arguments[1]?arguments g=arguments.length>2?arguments[2]:void 0,x=arguments.length>3?arguments[3]:void 0,{init:w,i loader_config:_,runtime:S={loaderType:g},exposed:T=!0}=t;const N=(0,h.gG)();E||(w=N.init,E=N loader_config),(0,i.Dg)(e.agentIdentifier,w||{}),(0,i.GE)(e.agentIdentifier,_||{}),E.jsAttributes??={}, jsAttributes.isWorker=!0),(0,i.CX)(e.agentIdentifier,E);const O=(0,i.P_)(e.agentIdentifier),R=[E.b. errorBeacon];A||(O.proxy.assets&&(y(O.proxy.assets),R.push(O.proxy.assets)),O.proxy.beacon proxy.beacon),v(),(0,h.EZ)("activatedFeatures",b.T),e.runSoftNavOverSpa&&=!0===O.soft_nav enabled&&O.feature_flags.includes("soft_nav")),S.denyList=[...O.ajax.deny_list||[],...O.ajax.bloc (0,i.sU)(e.agentIdentifier,S),void 0===e.api&&(e.api=function(e,t){let h=arguments.length>2&&v ==arguments[2]&&arguments[2];t||(0,c.R)(e,"api");const g={};var v=a.ee.get(e),b=v.get("tracer"), ixn-";function x(t,r,n,o){const a=(0,i.C5)(e);return null===r?delete a.jsAttributes[t]:(0,i.CX)(e,{...a, a.jsAttributes, $[t]:r}$),_(y,n,!0,o||null===r?"session":void 0)(t,r)function w(){}m.forEach((e=>{g[e]=} api")})),g.addPageAction=_(y,"addPageAction",!0,n.D.pageAction),g.setPageViewName=functic ==typeof t)return"/"!==t.charAt(0)&&(t="/"+t),(0,i.OP)(e).customTransaction=(r||"http://custom.tra (y,"setPageViewName",!0)()},g.setCustomAttribute=function(e,t){let r=arguments.length>2&&vol ==arguments[2]&&arguments[2];if("string"==typeof e){if(["string","number","boolean"].includes(ty ||null===t)return x(e,t,"setCustomAttribute",r);(0,I.Z)("Failed to execute setCustomAttribute.\nNo must be a string, number or boolean type, but a type of <".concat(typeof t,"> was provided."))}el ("Failed to execute setCustomAttribute.\nName must be a string type, but a type of <".concat(ty) provided."))},g.setUserId=function(e){if("string"==typeof e||null===e)return x("enduser.id",e,"setL Z)("Failed to execute setUserId.\nNon-null value must be a string type, but a type of <".concat(t) provided."))},g.setApplicationVersion=function(e){if("string"==typeof e||null===e)return x("application version versio e,"setApplicationVersion",!1);(0,I.Z)("Failed to execute setApplicationVersion. Expected <String <".concat(typeof e,">."))},g.start=e=>{try{const t=e?"defined":"undefined";(0,o.p)(f.xS,["API/start/") /called")],void 0,n.D.metrics,v);const r=Object.values(n.D);if(void 0===e)e=r;else{if((e=Array.isA length?e:[e]).some((e=>!r.includes(e))))return(0,l.Z)("Invalid feature name supplied. Acceptable are: ".concat(r)); e.includes(n.D.pageViewEvent)|| e.push(n.D.pageViewEvent)|| e.pus $(e, "-opt-in"))\})) \\ catch \\ (e) \\ \{(0, I.Z) \\ ("An unexpected issue occurred", e))\\ \\ \}, \\ g[p.Ef.RECORD] \\ = \\ function() \\ functio$ ["API/recordReplay/called"],void 0,n.D.metrics,v),(0,o.p)(p.Ef.RECORD,[],void 0,n.D.sessionRep PAUSE]=function(){(0,o.p)(f.xS,["API/pauseReplay/called"],void 0,n.D.metrics,v),(0,o.p)(p.Ef.PA D.sessionReplay,v)},g.interaction=function(e){return(new w).get("object"==typeof e?e:{}})};const $\{createTracer: function(e,t) \{var\ r= \{\}, i=this, a="function" == type of\ t; return(0,o.p)(f.xS, ["API/createTracer: function" == type of\ t; return(0,o.p)(f.$ void 0,n.D.metrics,v),h||(0,o.p)(A+"tracer",[(0,s.z)(),e,r],i,n.D.spa,v),function(){if(b.emit((a?"":"nos.z)(),i,a],r),a)try{return t.apply(this,arguments)}catch(e){throw b.emit("fn-err",[arguments,this,e], emit("fn-end",[(0,s.z)()],r)}}};function _(e,t,r,i){return function(){return(0,o.p)(f.xS,["API/"+t+"/calle metrics,v),i&&(0,o.p)(e+t,[(0,s.z)(),...arguments],r?null:this,i,v),r?void 0:this}}function S(){r.e(111) $7438)). then ((t=>\{let\{setAPI:r\}=t; r(e), (0,c.L)(e,"api")\})). catch ((()=>\{(0,l.Z)("Downloading runtime All the context of the context of$ $(0,c.L)(e,"api",!0)\}))\} return ["actionText","setName","setAttribute","save","ignore","onEnd","getContinue (approximately approximately (approximately approximately (approximately approximately (approximately (appr$ get"].forEach((e=>{E[e]=_(A,e,void 0,h?n.D.softNav:n.D.spa)})),g.setCurrentRouteName=h?_(A void 0,n.D.softNav):_(y,"routeName",!0,n.D.spa),g.noticeError=function(e,t){"string"==typeof e& (e)),(0,o.p)(f.xS,["API/noticeError/called"],void 0,n.D.metrics,v),(0,o.p)("err",[e,(0,s.z)(),!1,t],void (v)},d.il?(0,u.b2)((()=>S()),!0):S(),g}(e.agentIdentifier,x,e.runSoftNavOverSpa)),void 0===e.expos $exposed=T), A=!0\}\}, 1926: (e,t,r)=>\{r.nc=(()=>\{try\{return\ document?.currentScript?.nonce\}catch(e,t,r)=>\{r.nc=(()=>\{try\{return\ document?.currentScript?.nonce\}catch(e,t,r)=>\{try\{return\ document.currentScript?.nonce\}catch(e,t,r)=>\{try\{return\ document.currentScript\}.nonce\}catch(e,t,r)=>\{try\{return\ document.curre$ $3325:(e,t,r)=>\{\text{"use strict"};r.d(t,\{D:()=>n,p:()=>i\});const n=\{ajax:\text{"ajax",jserrors:"}]serrors:\text{"metrics:"}\}$ pageAction:"page_action",pageViewEvent:"page_view_event",pageViewTiming:"page_view_tim

sessionReplay:"session_replay",sessionTrace:"session_trace",softNav:"soft_navigations",spa:"s

+a,u="fn"+s,d="pushState"},6216:(e,t,r)=>{"use strict";r.d(t,{K8:()=>s,QZ:()=>c,cS:()=>o,sE:()=>i

Evidence

pageViewEvent]:1,[n.pageViewTiming]:2,[n.metrics]:3,[n.jserrors]:4,[n.ajax]:5,[n.sessionTrace]:6 7,[n.spa]:8,[n.softNav]:9,[n.sessionReplay]:10}}},n={};function i(e){var t=n[e];if(void 0!==t)return t $o=n[e]=\{exports:\{\}\}; return r[e](o,o.exports,i),o.exports\}i.m=r,i.d=(e,t)=>\{for(var r in t)i.o(t,r)&&!i.o(t,$ defineProperty(e,r,{enumerable:!0,get:t[r]})},i.f={},i.e=e=>Promise.all(Object.keys(i.f).reduce(((t,r [])),i.u=e=>({111:"nr-spa",164:"nr-spa-compressor",433:"nr-spa-recorder"}[e]+"-1.253.0.min.js"),i =>Object.prototype.hasOwnProperty.call(e,t),e={},t="NRBA-1.253.0.PROD:",i.l=(r,n,o,a)=>{if(e[r else{var s,c;if(void 0!==o)for(var u=document.getElementsByTagName("script"),d=0;d<u.length; if(l.getAttribute("src")==r||l.getAttribute("data-webpack")==t+o){s=l;break}}if(!s){c=!0;var f={111:": 9q9mF25YixUzOl0h6A+kYg30MKv1nk2a0Fx09kyCfgOxt8ksjOW /9w2tJczXB75fpHty83UGhg16QZYqH5xGUA==",433:"sha512-

XC5+mpqQ2tnT7qrjy10Au+hbjKZi4K7pKsvdzhKOe

/fgoYKm7g9W52e22ufe22D4Fsb1Cq7JOEOPkUh+b8tcHA==",164:"sha512-

nLe65dhs+GISH+tKGdqn9vp9lbVkpOl4OifRjps2BSizmhkjfLxjYISHdBIgnzzk0wNwOFpTdheU81 (s=document.createElement("script")).charset="utf-8",s.timeout=120,i.nc&&s.setAttribute("nonce setAttribute("data-webpack",t+o),s.src=r,0!==s.src.indexOf(window.location.origin+"/")&&(s.cros anonymous"),f[a]&&(s.integrity=f[a])}e[r]=[n];var h=(t,n)=>{s.onerror=s.onload=null,clearTimeout (delete e[r],s.parentNode&s.parentNode.removeChild(s),i&&i.forEach((e=>e(n))),t)return t(n)}, bind(null,void 0,{type:"timeout",target:s}),12e4);s.onerror=h.bind(null,s.onerror),s.onload=h.bind c&&document.head.appendChild(s)}},i.r=e=>{"undefined"!=typeof Symbol&&Symbol.toStringTa defineProperty(e,Symbol.toStringTag,{value:"Module"}),Object.defineProperty(e,"__esModule",{ https://js-agent.newrelic.com/",(()=>{var e={801:0,92:0};i.f.j=(t,r)=>{var n=i.o(e,t)?e[t]:void 0;if(0!= (n[2]); else $\{var o=new Promise(((r,i)=>n=e[t]=[r,i])\}$; r.push(n[2]=o); var a=i.p+i.u(t), s=new Error; i.l &&(0!==(n=e[t])&&(e[t]=void 0),n)){var o=r&&("load"===r.type?"missing":r.type),a=r&&r.target&8 message="Loading chunk "+t+" failed.\n("+o+": "+a+")",s.name="ChunkLoadError",s.type=o,s.re (s)}, "chunk-"+t,t)}; var t=(t,r)=>{var n,o,[a,s,c]=r,u=0;if(a.some((t=>0!==e[t]))){for(n in s)i.o(s,n)}} c&c(i)for(t&&t(r);u<a.length;u++)o=a[u],i.o(e,o)&&e[o]&&e[o][0](),e[o]=0},r=self["webpackChur 1.253.0.PROD"]=self["webpackChunk:NRBA-1.253.0.PROD"]||[];r.forEach(t.bind(null,0)),r.push= push.bind(r))})(),(()=>{"use strict";i(1926);var e=i(50),t=i(7144),r=i(4938),n=i(4402),o=i(2177);cla {agentIdentifier;observationContext=new r.v;constructor(){let e=arguments.length>0&&void 0!== arguments[0]:(0,n.ky)(16);this.agentIdentifier=e,o.ee.get(e).observationContext=this.observatior {for(var r=arguments.length,n=new Array(r>1?r-1:0),i=1;i<r;i++)n[i-1]=arguments[i];if("function"= api?.[t])return this.api[t](...n);(0,e.Z)("Call to agent api ".concat(t," failed. The API is not currently addPageAction(e,t){return this.#t("addPageAction",e,t)}setPageViewName(e,t){return this.#t ("setPageViewName",e,t)}setCustomAttribute(e,t,r){return this.#t("setCustomAttribute",e,t,r)}noti {return this.#t("noticeError",e,t)}setUserId(e){return this.#t("setUserId",e)}setApplicationVersion(("setApplicationVersion",e)}setErrorHandler(e){return this.#t("setErrorHandler",e)}finished(e){ret ("finished",e)}addRelease(e,t){return this.#t("addRelease",e,t)}start(e){return this.#t("start",e)}rec {return this.#t(t.Ef.RECORD)}pauseReplay(){return this.#t(t.Ef.PAUSE)}addToTrace(e){return th ("addToTrace",e)}setCurrentRouteName(e){return this.#t("setCurrentRouteName",e)}interaction ("interaction")}}var s=i(3325),c=i(234);const u=Object.values(s.D);var d=i(8862),l=i(8e3),f=i(5938 (385);const g=e=>p.il&&!0===(0,c.Mt)(e,"privacy.cookies_enabled");function m(e){return c.Yu.W (0,c.Mt)(e,"session_trace.enabled")}class v extends f.W{constructor(e,t,r){let n=!(arguments.leng ==arguments[3])||arguments[3];super(e,t,r),this.auto=n,this.abortHandler=void 0,this.featAggreg onAggregateImported=void 0,!1===(0,c.Mt)(this.agentIdentifier,"".concat(this.featureName,".aut (this.auto=!1),this.auto&&(0,I.R)(e,r)}importAggregator(){let t,r=arguments.length>0&&void 0!== arguments[0]:{};if(this.featAggregate)return;if(!this.auto)return void this.ee.on("".concat(this.feat in"),(()=>{(0,1.R)(this.agentIdentifier,this.featureName),this.auto=!0,this.importAggregator()}));this onAggregateImported=new Promise((e=>{t=e}));const n=async()=>{let n;try{if(g(this.agentIdenti {setupAgentSession:e}=await i.e(111).then(i.bind(i,1656));n=e(this.agentIdentifier)}}catch(t){(0,e occurred when starting up session manager. This page will not start or extend any session.",t),tl featureName===s.D.sessionReplay&&this.abortHandler?.())try{if(!this.#r(this.featureName,n))re agentIdentifier,this.featureName),void t(!1);const{lazyFeatureLoader:e}=await i.e(111).then(i.bin {Aggregate:o}=await e(this.featureName,"aggregate");this.featAggregate=new o(this.agentIdent aggregator,r),t(!0)}catch(r){(0,e.Z)("Downloading and initializing ".concat(this.featureName," faile abortHandler?.(),(0,1.L)(this.agentIdentifier,this.featureName,!0),t(!1)}};p.il?(0,h.b2)((()=>n()),!0):I {return e!==s.D.sessionReplay||(r=t,!(!m(this.agentIdentifier)||!r?.isNew&&!r?.state.sessionRepla var b=i(7633);class y extends v{static featureName=b.t;constructor(e,t){let r=!(arguments.length ==arguments[2])||arguments[2];super(e,t,b.t,r),this.importAggregator()}}var A=i(1117),x=i(1284); extends A.w{constructor(e){super(e),this.aggregatedData={}}store(e,t,r,n,i){var o=this.getBucket $metrics=function(e,t)\{return\ t||(t=\{count:0\}),t.count+=1,(0,x.D)(e,(function(e,r)\{t[e]=E(r,t[e])\})),t\}(n,t)\}$ merge(e,t,r,n,i){var o=this.getBucket(e,t,n,i);if(o.metrics){var a=o.metrics;a.count+=r.count,(0,x.L $t)(if("count"!==e){var n=a[e],i=r[e];i&&!i.c?a[e]=E(i.t,n):a[e]=function(e,t){return t?(t.c||(t=_(t.t)),t.n})}$ min,t.min),t.max=Math.max(e.max,t.max),t.t+=e.t,t.sos+=e.sos,t.c+=e.c,t):e}(i,a[e])}}))}else o.me storeMetric(e,t,r,n){var i=this.getBucket(e,t,r);return i.stats=E(n,i.stats),i}getBucket(e,t,r,n){this.aq [e]||(this.aggregatedData[e]={});var i=this.aggregatedData[e][t];return i||(i=this.aggregatedData[e {}},n&&(i.custom=n)),i}get(e,t){return t?this.aggregatedData[e]&&this.aggregatedData[e][t]:this.a [e]}take(e){for(var t={},r="",n=!1,i=0;i<e.length;i++)t[r=e[i]]=Object.values(this.aggregatedData[r]| length&&(n=!0),delete this.aggregatedData[r];return n?t:null}}function E(e,t){return null==e?func

 $e?e.c++:e=\{c:1\},e\}(t):t?(t.c||(t=(t.t)),t.c+=1,t.t+=e,t.sos+=e*e,e>t.max&&(t.max=e),e<t.min&&(t.t)$ function (e){return{t:e,min:e,max:e,sos:e*e,c:1}}var S=i(8632),T=i(4351),N=i(5546),O=i(7956),F (7894),I=i(9251);class C extends v{static featureName=I.t;constructor(e,t){let r=!(arguments.leng ==arguments[2])||arguments[2];super(e,t,1.t,r),p.il&&((0,O.N)((()=>(0,N.p)("docHidden",[(0,D.z)()" ee)),!0),(0,R.bP)("pagehide",(()=>(0,N.p)("winPagehide",[(0,D.z)()],void 0,I.t,this.ee))),this.import var j=i(3081);class P extends v{static featureName=j.t9;constructor(e,t){let r=!(arguments.length ==arguments[2])||arguments[2];super(e,t,j.t9,r),this.importAggregator()}}var k=i(6660);class M{ca n){this.name="UncaughtError",this.message=e,this.sourceURL=t,this.line=r,this.column=n}}clas {static featureName=k.t;#n=new Set;constructor(e,t){let r=!(arguments.length>2&&void 0!==argu [|arguments[2];super(e,t,k.t,r);try{this.removeOnAbort=new AbortController}catch(e){}this.ee.on(={this.abortHandler&\!this.\#n.has(r)\&\((this.\#n.add(r),(0,N.p)(\"err",[this.\#i(r),(0,D.z)()],void 0,s. ee))})),this.ee.on("internal-error",(e=>{this.abortHandler&&(0,N.p)("ierr",[this.#i(e),(0,D.z)(),!0],vc jserrors,this.ee)})),p._A.addEventListener("unhandledrejection",(e=>{this.abortHandler&&(0,N.p. (e),(0,D.z)(),!1,{unhandledPromiseRejection:1}],void 0,s.D.jserrors,this.ee)}),(0,R.m\$)(!1,this.ren signal)),p._A.addEventListener("error",(e=>{this.abortHandler&&(this.#n.has(e.error)?this.#n.de N.p)("err",[this.#a(e),(0,D.z)()],void 0,s.D.jserrors,this.ee))}),(0,R.m\$)(!1,this.removeOnAbort?.siq abortHandler=this.#s,this.importAggregator()}#s(){this.removeOnAbort?.abort(),this.#n.clear(),th abortHandler=void 0}#i(e){return e instanceof Error?e:void 0!==e?.message?new M(e.message sourceURL,e.lineno||e.line,e.colno||e.col):new M("string"==typeof e?e:(0,T.P)(e))}#o(e){let t="Ur Promise Rejection: ";if(e?.reason instanceof Error)try{return e.reason.message=t+e.reason.mes catch(t){return e.reason}if(void 0===e.reason)return new M(t);const r=this.#i(e.reason);return r.r message,r}#a(e){if(e.error instanceof SyntaxError&&!/:\d+\$/.test(e.error.stack?.trim())){const t=n message,e.filename,e.lineno,e.colno);return t.name=SyntaxError.name,t}return e.error instance new M(e.message,e.filename,e.lineno,e.colno)}}var L=i(2210);let z=1;function U(e){const t=type ==typeof e&&e.length)return e.length;if("object"==typeof e){if("undefined"!=typeof ArrayBuffer&& ArrayBuffer&&e.byteLength)return e.byteLength;if("undefined"!=typeof Blob&&e instanceof Blob return e.size;if(!("undefined"!=typeof FormData&&e instanceof FormData))try{return(0,T.P)(e).le {return}}}var B=i(7806),q=i(7243);class G{constructor(e){this.agentIdentifier=e}generateTracePa shouldGenerateTrace(e))return null;var t=(0,c.DL)(this.agentIdentifier);if(!t)return null;var r=(t.ac toString()||null,i=(t.agentID||"").toString()||null,o=(t.trustKey||"").toString()||null,if(!r||!i)return null; variation (t.trustKey||"").toString()||null,if(!r||!i)return null; variation (t.trustKey||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=(t.agentID||"").toString()||null,i=&& this. use Trace Context Headers For Cors()) && (d.trace Context Parent Header=this.)generateTraceContextParentHeader(a,s),d.traceContextStateHeader=this.generateTraceConte (a,u,r,i,o)),(e.sameOrigin&&!this.excludeNewrelicHeader()||!e.sameOrigin&&this.isAllowedOrigir useNewrelicHeaderForCors())&&(d.newrelicHeader=this.generateTraceHeader(a,s,u,r,i,o)),d} generateTraceContextParentHeader(e,t){return"00-"+t+"-"+e+"-01"}generateTraceContextState {return i+"@nr=0-1-"+r+"-"+n+"-"+e+"---"+t}generateTraceHeader(e,t,r,n,i,o){if("function"!=typec return null;var a={v:[0,1],d:{ty:"Browser",ac:n,ap:i,id:e,tr:t,ti:r}};return o&&n!==o&&(a.d.tk=o),btoa shouldGenerateTrace(e){return this.isDtEnabled()&&this.isAllowedOrigin(e)}isAllowedOrigin(e){isAllowedOrigin(e)} $((0,c.Mt)(this.agentIdentifier,"distributed_tracing") \&\& (r=(0,c.P_)(this.agentIdentifier). distributed_tracing") \&\& (r=(0,c$ sameOrigin)t=!0;else if(r.allowed_origins instanceof Array)for(var n=0;n<r.allowed_origins.length q.e)(r.allowed_origins[n]);if(e.hostname===i.hostname&e.protocol===i.protocol&e.port===i.p return t\isDtEnabled()\{var e=(0,c.Mt)(this.agentIdentifier,"distributed_tracing")\;return!!e&&!!e.ena excludeNewrelicHeader(){var e=(0,c.Mt)(this.agentIdentifier,"distributed_tracing");return!!e&&!!e exclude_newrelic_header}useNewrelicHeaderForCors(){var e=(0,c.Mt)(this.agentIdentifier, distributed_tracing");return!!e&&!1!==e.cors_use_newrelic_header}useTraceContextHeadersFo (0,c.Mt)(this.agentIdentifier,"distributed_tracing");return!!e&&!!e.cors_use_tracecontext_headers (7825),Z=["load","error","abort","timeout"],K=Z.length,W=c.Yu.REQ,X=c.Yu.XHR;class Y extend featureName=V.t;constructor(e,t){let r=!(arguments.length>2&&void 0!==arguments[2])||argume (e,t,V,t,r),(0,c,OP)(e).xhrWrappable){this.dt=new G(e),this.handler=(e,t,r,n)=>(0,N,p)(e,t,r,n,this.{xmlhttprequest:"xhr",fetch:"fetch",beacon:"beacon"};p._A?.performance?.getEntriesByType("re forEach((t=>{if(t.initiatorType in e&&0!==t.responseStatus){const r={status:t.responseStatus},n= transferSize,duration:Math.floor(t.duration),cbTime:0};\$(r,t.name),this.handler("xhr",[r,n,t.startTir responseEnd,e[t.initiatorType]],void 0,s.D.ajax)}}))}catch(e){}(0,B.u5)(this.ee),(0,B.Kf)(this.ee),fu {function i(e){var t=this.params,n=this.metrics;if(!this.ended){this.ended=!0;for(var i=0;i<K;i++)e. removeEventListener(Z[i],this.listener,!1);t.aborted||(n.duration=(0,D.z)()-this.startTime,this. loadCaptureCalled||4!==e.readyState?null==t.status&&(t.status=0):o(this,e),n.cbTime=this.cbTir this.startTime,this.endTime,"xhr"],this,s.D.ajax)))}function o(e,r){e.params.status=r.status;var n= {var r=e.responseType;return"json"===r&&null!==t?t:"arraybuffer"===r||"blob"===r||"json"===r?F text"===r||""===r||void 0===r?F(e.responseText):void 0}(r,e.lastSize);if(n&&(e.metrics.rxSize=n) {var i=r.getResponseHeader("X-NewRelic-App-Data");i&&((0,N.p)(j.mY,["Ajax/CrossApplication" /Seen"],void 0,s.D.metrics,t),e.params.cat=i.split(", ").pop())}e.loadCaptureCalled=!0}t.on("new-> {var t=this;t.totalCbs=0,t.called=0,t.cbTime=0,t.end=i,t.ended=!1,t.xhrGuids={},t.lastSize=null,t. loadCaptureCalled=!1,t.params=this.params||{},t.metrics=this.metrics||{},e.addEventListener("loadCaptureCalled=!1,t.params=this.params||{},t.metrics=this.metrics||{},e.addEventListener("loadCaptureCalled=!1,t.params=this.params||{},t.metrics=this.metrics||{},e.addEventListener("loadCaptureCalled=!1,t.params=this.params||{},t.metrics=this.metrics||{},e.addEventListener("loadCaptureCalled=!1,t.params=this.params||{},t.metrics=this.metrics||{},e.addEventListener("loadCaptureCalled=!1,t.params=this.params||{},t.metrics=this.metrics||{},t.metrics=this.metrics||{},e.addEventListener("loadCaptureCalled=!1,t.params=this.params||{},t.metrics=this.metrics||{},e.addEventListener("loadCaptureCalled=!1,t.params=this.params||{},t.metrics=this.metrics||{},e.addEventListener("loadCaptureCalled=!1,t.params=this.para $\{o(t,e)\},(0,R.m\$)(!1)\}$,p.IF||e.addEventListener("progress",(function(e) $\{t.lastSize=e.loaded\}\}$),(0,R.m.) ("open-xhr-start",(function(e){this.params={method:e[0]},\$(this,e[1]),this.metrics={}})),t.on("open-(function(t,r){var i=(0,c.DL)(e);i.xpid&&this.sameOrigin&&r.setRequestHeader("X-NewRelic-ID",i

generateTracePayload(this.parsedOrigin);if(o){var a=!1;o.newrelicHeader&&(r.setRequestHeader newrelicHeader),a=!0),o.traceContextParentHeader&&(r.setRequestHeader("traceparent",o. traceContextParentHeader),o.traceContextStateHeader&r.setRequestHeader("tracestate",o. traceContextStateHeader),a=!0),a&&(this.dt=o)}})),t.on("send-xhr-start",(function(e,r){var n=this. o=this;if(n&&i){var a=F(i);a&&(n.txSize=a)}this.startTime=(0,D.z)(),this.body=i,this.listener=funct {"abort"!==e.type||o.loadCaptureCalled||(o.params.aborted=!0),("load"!==e.type||o.called===o.tc onloadCalled||"function"!=typeof r.onload)&&"function"==typeof o.end)&&o.end(r)}catch(e){try{t.i error",[e])}catch(e){}}};for(var s=0;s<K;s++)r.addEventListener(Z[s],this.listener,(0,R.m\$)(!1))})),t time",(function(e,t,r){this.cbTime+=e,t?this.onloadCalled=!0:this.called+=1,this.called!==this.tota onloadCalled&&"function"==typeof r.onload||"function"!=typeof this.end||this.end(r)})),t.on("xhr-lc (function(e,t){var r=""+U(e)+!!t;this.xhrGuids&&!this.xhrGuids[r]&&(this.xhrGuids[r]=!0,this.totalC ("xhr-load-removed",(function(e,t){var r=""+U(e)+!!t;this.xhrGuids&&this.xhrGuids[r]&&(delete thi this.totalCbs-=1)})),t.on("xhr-resolved",(function(){this.endTime=(0,D.z)()})),t.on("addEventLister (function(e,r){r instanceof X&&"load"===e[0]&&t.emit("xhr-load-added",[e[1],e[2]],r)})),t.on ("removeEventListener-end",(function(e,r){r instanceof X&&"load"===e[0]&&t.emit("xhr-load-rem [2]],r)})),t.on("fn-end",(function(e,r){this.xhrCbStart&&t.emit("xhr-cb-time",[(0,D.z)()-this.xhrCbStart& $r],r)\}),t.on("fetch-before-start",(function(e){var t,r=e[1]||{};if("string"==typeof e[0]?0===(t=e[0]).lei})),t.on("fetch-before-start",(function(e){var t,r=e[1]||{};if("string"==typeof e[0]?0===(t=e[0]).lei})))$ (t=""+p._A.location.href):e[0]&&e[0].url?t=e[0].url:p._A?.URL&&e[0]&&e[0]instanceof URL?t=e[0 ==typeof e[0].toString&&(t=e[0].toString()),"string"==typeof t&&0!==t.length){t&&(this.parsedOric this.sameOrigin=this.parsedOrigin.sameOrigin);var i=n.generateTracePayload(this.parsedOrigir newrelicHeader||i.traceContextParentHeader))if(e[0]&&e[0].headers)s(e[0].headers,i)&&(this.dt= for(var a in r)o[a]=r[a];o.headers=new Headers(r.headers||{}),s(o.headers,i)&&(this.dt=i),e.length push(o)}}function s(e,t){var r=!1;return t.newrelicHeader&&(e.set("newrelic",t.newrelicHeader),r= traceContextParentHeader&&(e.set("traceparent",t.traceContextParentHeader),t.traceContextSi $set ("tracestate", t.traceContextStateHeader), r= !0), r\})), t.on ("fetch-start", (function(e, t) \{this.params tracestate", t.traceContextStateHeader), r= !0), r\})), t.on ("fetch-start", t.traceContextStateHeader), r= !0), r, r= !0), r=$ metrics={},this.startTime=(0,D.z)(),this.dt=t,e.length>=1&&(this.target=e[0]),e.length>=2&&(th n=this.opts||{},i=this.target;"string"==typeof i?r=i:"object"==typeof i&&i instanceof W?r=i.url:p._A object"==typeof i&&i instanceof URL&&(r=i.href),\$(this,r);var o=(""+(i&&i instanceof W&&i.methc GET")).toUpperCase();this.params.method=o,this.body=n.body,this.txSize=F(n.body)||0})),t.on(' $(function(e,t,r)\{t instanceof X\&\&("onload"===r\&\&(this.onload=!0),("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0,("load"===(e[0]\&\&e[0].type)||this.onload=!0$ (this.xhrCbStart=(0,D.z)())))),t.on("fetch-done",(function(e,t){var n;this.endTime=(0,D.z)(),this.pa params={}),this.params.status=t?t.status:0,"string"==typeof this.rxSize&&this.rxSize.length>0&8 rxSize);var i={txSize:this.txSize,rxSize:n,duration:(0,D.z)()-this.startTime};r("xhr",[this.params,i,tl this.endTime,"fetch"],this,s.D.ajax)}))}(e,this.ee,this.handler,this.dt),this.importAggregator()}}}fun r=(0,q.e)(t),n=e.params||e;n.hostname=r.hostname,n.port=r.port,n.protocol=r.protocol,n.host=r.h port,n.pathname=r.pathname,e.parsedOrigin=r,e.sameOrigin=r.sameOrigin}var J=i(3614);const {BST_RESOURCE:Q,RESOURCE:ee,START:te,END:re,FEATURE_NAME:ne,FN_END:ie,FN_ PUSH_STATE:ae}=J;var se=i(7056);class ce extends v{static featureName=t.t9;constructor(e,r) (arguments.length>2&&void 0!==arguments[2])||arguments[2];super(e,r,t.t9,i);try{n=JSON.parse $getItem("".concat(se.Bq,"_").concat(se.K4)))\} catch(e) \{\} this.\#c(n)? this.\#u(n?.sessionReplayModeller) \} this.\#c(n)? this.#c(n)? this.\#c(n)? this.#c(n)? this.\#c(n)? this.\#$ importAggregator()}#c(e){return e&&(e.sessionReplayMode===se.IK.FULL||e.sessionReplayMo ERROR)||function(e){return!0===(0,c.Mt)(e,"session_replay.preload")&&m(e)}(this.agentIdentific {const{Recorder:t}=await Promise.all([i.e(111),i.e(433)]).then(i.bind(i,4136));this.recorder=new t(agentIdentifier:this.agentIdentifier}),this.recorder.startRecording(),this.abortHandler=this.recorde stopRecording,this.importAggregator({recorder:this.recorder})}}var ue=i(7872),de=i(6216);class {static featureName=de.t9;constructor(e,t){let r=!(arguments.length>2&&void 0!==arguments[2]) ("newURL",[(0,D.z)(),""+window.location],void 0,this.featureName,this.ee);n.on("pushState-end" ("replaceState-end",o);try{this.removeOnAbort=new AbortController}catch(e){}(0,R.bP)("popstat ("newURL",[e.timeStamp,""+window.location],void 0,this.featureName,this.ee)),!0,this.removeOi let a=!1;const s=new c.Yu.MO(((e,t)=>{a||(a=!0,requestAnimationFrame((()=>{(0,N.p)("newDom this.ee),s.observe(document.body,{attributes:!0,childList:!0,subtree:!0,characterData:!0}))),100,{ ("fn-start",(e=>{let[t]=e;de.sE.includes(t?.type)&&u(t)}));for(let e of de.sE)document.addEventLis {}));this.abortHandler=function(){this.removeOnAbort?.abort(),s.disconnect(),this.abortHandler=v importAggregator({domObserver:s})}}var fe=i(7836);const{FEATURE_NAME:he,START:pe,ENI CB_END:ve,JS_TIME:be,FETCH:ye,FN_START:Ae,CB_START:xe,FN_END:we}=fe;var Ee=i(4 extends v{static featureName=Ee.t;constructor(e,t){let r=!(arguments.length>2&&void 0!==argur ||arguments[2];super(e,t,Ee.t,r),this.importAggregator()}}new class extends a{constructor(t,r){super(e,t,Ee.t,r),this.importAggregator()}} (this.sharedAggregator=new w({agentIdentifier:this.agentIdentifier}),this.features={},(0,S.h5)(this agentIdentifier,this),this.desiredFeatures=new Set(t.features||[]),this.desiredFeatures.add(y),this runSoftNavOverSpa=[...this.desiredFeatures].some((e=>e.featureName===s.D.softNav)),(0,d.j) loaderType||"agent"),this.run()):(0,e.Z)("Failed to initial the agent. Could not determine the runtir environment."))get config(){return{info:this.info,init:this.init,loader_config:this.loader_config,runtii runtime}}run(){try{const t=function(e){const t={};return u.forEach((r=>{t[r]=function(e,t){return!0=: concat(e,".enabled"))}(r,e)})),t}(this.agentIdentifier),r=[...this.desiredFeatures];r.sort(((e,t)=>s.p[e s.p[t.featureName])),r.forEach((r=>{if(!t[r.featureName]&&r.featureName!==s.D.pageViewEvent) runSoftNavOverSpa&&r.featureName===s.D.spa)return;if(!this.runSoftNavOverSpa&&r.featurel

softNav)return;const n=function(e){switch(e){case s.D.ajax:return[s.D.jserrors];case s.D.session D.ajax,s.D.pageViewEvent];case s.D.sessionReplay:return[s.D.sessionTrace];case s.D.pageVie [s.D.pageViewEvent];default:return[]}{(r.featureName);n.every((e=>e in this.features))||(0,e.Z)("" featureName," is enabled but one or more dependent features has not been initialized (").conca This may cause unintended consequences or missing data...")),this.features[r.featureName]=ne agentIdentifier,this.sharedAggregator)}))}catch(t){(0,e.Z)("Failed to initialize all enabled instrume (agent aborted) -",t);for(const e in this.features)this.features[e].abortHandler?.();const r=(0,S.fP) r.initializedAgents[this.agentIdentifier]?.api,delete r.initializedAgents[this.agentIdentifier]?.feature sharedAggregator,r.ee?.abort(),delete r.ee?.get(this.agentIdentifier),!1}}}{(features:[Y,y,C,class {static featureName=ne;constructor(e,t){if(super(e,t,ne,!(arguments.length>2&&void 0!==argume ||arguments[2]),!p.il)return;const r=this.ee;let n;(0,B.QU)(r),this.eventsEE=(0,B.em)(r),this.events (function(e,t){this.bstStart=(0,D.z)()})),this.eventsEE.on(ie,(function(e,t){(0,N.p)("bst",[e[0],t,this.t z)()],void 0,s.D.sessionTrace,r)})),r.on(ae+te,(function(e){this.time=(0,D.z)(),this.startPath=locati pathname+location.hash})),r.on(ae+re,(function(e){(0,N.p)("bstHist",[location.pathname+location startPath,this.time],void 0,s.D.sessionTrace,r)}));try{n=new PerformanceObserver((e=>{const t= (0,N.p)(Q,[t],void 0,s.D.sessionTrace,r)})),n.observe({type:ee,buffered:!0})}catch(e){}this.importA ({resourceObserver:n})}},ce,P,_e,H,le,class extends v{static featureName=he;constructor(e,t){if((arguments.length>2&&void 0!==arguments[2])||arguments[2]),!p.il)return;if(!(0,c.OP)(e).xhrWra try{this.removeOnAbort=new AbortController}catch(e){}let r,n=0;const i=this.ee.get("tracer"),o=(i=this $a=(0,B.Lg)(this.ee), \\ s=(0,B.BV)(this.ee), \\ u=(0,B.Kf)(this.ee), \\ d=this.ee.get("events"), \\ l=(0,B.u5)(this.ee), \\ d=this.ee.get("events"), \\ d=(0,B.u5)(this.ee), \\ d=(0,B.u5)(this.ee)$ (this.ee),h=(0,B.Gm)(this.ee);function g(e,t){f.emit("newURL",[""+window.location,t])}function m(r=window.location.hash,this[Ae]=(0,D.z)())function v(){n--,window.location.hash!==r&&g(0,!0);va $this[be]=\sim this[be]+e-this[Ae], this[we]=e]$ function $b(e,t)\{e.on(t,(function()\{this[t]=(0,D.z)()\}))\}$ this. on(xe,m),o.on(xe,m),this.ee.on(we,v),a.on(ve,v),o.on(ve,v),this.ee.buffer([Ae,we,"xhr-resolved"], featureName),d.buffer([Ae],this.featureName),s.buffer(["setTimeout"+ge,"clearTimeout"+pe,Ae], featureName),u.buffer([Ae,"new-xhr","send-xhr"+pe],this.featureName),l.buffer([ye+pe,ye+"-don ye+me+ge],this.featureName),f.buffer(["newURL"],this.featureName),h.buffer([Ae],this.featureName) (["propagate",xe,ve,"executor-err", "resolve"+pe], this.featureName), i.buffer([Ae, "no-"+Ae], this.featureName) buffer(["new-jsonp", "cb-start", "jsonp-error", "jsonp-end"], this.featureName), b(l, ye+pe), b(l, ye+"-dc jsonp"),b(o,"jsonp-end"),b(o,"cb-start"),f.on("pushState-end",g),f.on("replaceState-end",g),windo addEventListener("hashchange",g,(0,R.m\$)(!0,this.removeOnAbort?.signal)),window.addEventL $g,(0,R.m\$)(!0,this.removeOnAbort?.signal)), window.addEventListener("popstate",(function(){g(0,R.m\$)(!0,this.removeOnAbort?.signal)}))$ m\$)(!0,this.removeOnAbort?.signal)),this.abortHandler=this.#s,this.importAggregator()}#s(){this. removeOnAbort?.abort(),this.abortHandler=void 0}}],loaderType:"spa"})})()})()</script>

Other Info

No links have been found while there are scripts, which is an indication that this is a modern we

URL

http://localhost:8885/

Method

GET

Attack

<script type="text/javascript">window.NREUM||(NREUM={}),NREUM.init={distributed_tracing:{e privacy:{cookies_enabled:!0},ajax:{deny_list:["bam.eu01.nr-data.net"]}},NREUM.loader_config={ 4388123",trustKey:"4388123",agentID:"538578264",licenseKey:"NRJS-65820cd5fb121452e7b" 538578264"},NREUM.info={beacon:"bam.eu01.nr-data.net",errorBeacon:"bam.eu01.nr-data.net NRJS-65820cd5fb121452e7b",applicationID:"538578264",sa:1},/*! For license information pleas loader-spa-1.253.0.min.js.LICENSE.txt */ (()=>{var e,t,r={234:(e,t,r)=>{"use strict";r.d(t,{P_:()=>n =>s,DL:()=>x,OP:()=>O,IF:()=>D,Yu:()=>E,Dg:()=>v,CX:()=>c,GE:()=>w,sU:()=>R});var n=r(863: const o={beacon:n.ce.beacon,errorBeacon:n.ce.errorBeacon,licenseKey:void 0,applicationID:vc queueTime:void 0,applicationTime:void 0,ttGuid:void 0,user:void 0,account:void 0,product:void (jsAttributes:{},userAttributes:void 0,atts:void 0,transactionName:void 0,tNamePlain:void 0},a={};1 e)throw new Error("All info objects require an agent identifier!");if(!a[e])throw new Error("Info for was never set"));return a[e]}function c(e,t){if(!e)throw new Error("All info objects require an agen [e]=(0,i.D)(t,o); const r=(0,n.ek)(e); $r_{\infty}(r_{info}=a[e])$ } const $u=e=>\{if(!e]| "string"!=typeof e)$ return! 1; t=typeof ecreateDocumentFragment().querySelector(e)}catch{return!1}return!0};var d=r(7056),l=r(50);cons mask]",h=()=>{const e={mask selector:"*",block selector:"[data-nr-block]",mask input options: 1,"datetime-local":!1,email:!1,month:!1,number:!1,range:!1,search:!1,tel:!1,text:!1,time:!1,url:!1,w textarea:!1,select:!1,password:!0}};return{feature_flags:[],proxy:{assets:void 0,beacon:void 0},pri {cookies enabled:!0},ajax:{deny list:void 0,block internal:!0,enabled:!0,harvestTimeSeconds:1(distributed tracing:{enabled:void 0.exclude newrelic header:void 0.cors use newrelic header cors use tracecontext headers:void 0,allowed origins:void 0,session:{domain:void 0,expiresN inactiveMs:d.Hb},ssl:void 0,obfuscate:void 0,jserrors:{enabled:!0,harvestTimeSeconds:10,autoS {enabled:!0,autoStart:!0},page_action:{enabled:!0,harvestTimeSeconds:30,autoStart:!0},page_v {enabled:!0,autoStart:!0},page_view_timing:{enabled:!0,harvestTimeSeconds:30,long_task:!1,au session_trace:{enabled:!0,harvestTimeSeconds:10,autoStart:!0},harvest:{tooManyRequestsDelications} session_replay:{autoStart:!0,enabled:!1,harvestTimeSeconds:60,preload:!1,sampling_rate:10, error sampling rate:100,collect fonts:!1,inline images:!1,inline stylesheet:!0,mask all inputs:!

mask text selector(){return e.mask selector},set mask text selector(t){u(t)?e.mask selector=" concat(f):""===t||null===t?e.mask_selector=f:(0,l.Z)("An invalid session_replay.mask_selector w will be used.",t)},get block_class(){return"nr-block"},get ignore_class(){return"nr-ignore"},get mas {return"nr-mask"},get block_selector(){return e.block_selector},set block_selector(t){u(t)?e.block concat(t):""!==t&&(0,I.Z)("An invalid session_replay.block_selector was provided and will not be mask_input_options(){return e.mask_input_options},set mask_input_options(t){t&&"object"==tyr mask_input_options={...t,password:!0}:(0,I.Z)("An invalid session_replay.mask_input_option was will not be used",t)}},spa:{enabled:!0,harvestTimeSeconds:10,autoStart:!0},soft_navigations:{enabled: harvestTimeSeconds:10,autoStart:!0}}},p={},g="All configuration objects require an agent identif (e){if(!e)throw new Error(g);if(!p[e])throw new Error("Configuration for ".concat(e," was never set $function \ v(e,t) \{ if (!e) throw \ new \ Error(g); p[e] = (0,i.D)(t,h()); const \ r = (0,n.ek)(e); r\&\&(r.init=p[e]) \} function \ v(e,t) \{ if (!e) throw \ new \ Error(g); p[e] = (0,i.D)(t,h()); const \ r = (0,n.ek)(e); r\&\&(r.init=p[e]) \} function \ v(e,t) \{ if (!e) throw \ new \ Error(g); p[e] = (0,i.D)(t,h()); const \ r = (0,n.ek)(e); r\&\&(r.init=p[e]) \} function \ v(e,t) \{ if (!e) throw \ new \ Error(g); p[e] = (0,i.D)(t,h()); const \ r = (0,n.ek)(e); r\&\&(r.init=p[e]) \} function \ v(e,t) \{ if (!e) throw \ new \ Error(g); p[e] = (0,i.D)(t,h()); const \ r = (0,n.ek)(e); r\&\&(r.init=p[e]) \} function \ v(e,t) \{ if (!e) throw \ new \ Error(g); p[e] = (0,i.D)(t,h()); const \ r = (0,n.ek)(e); r\&\&(r.init=p[e]) \} function \ v(e,t) \{ if (!e) throw \ new \ Error(g); p[e] = (0,i.D)(t,h()); const \ r = (0,n.ek)(e); r\&\&(r.init=p[e]) \} function \ v(e,t) \{ if (!e) throw \ new \ Error(g); p[e] = (0,i.D)(t,h()); const \ r = (0,n.ek)(e); r\&\&(r.init=p[e]) \} function \ v(e,t) \{ if (!e) throw \ new \ Error(g); p[e] = (0,i.D)(t,h()); const \ r = (0,n.ek)(e); r\&\&(r.init=p[e]) \} function \ v(e,t) \{ if (!e) throw \ new \ Error(g); p[e] = (0,i.D)(t,h()); const \ r = (0,n.ek)(e); r\&\&(r.init=p[e]) \} function \ v(e,t) \{ if (!e) throw \ new \ Error(g); p[e] = (0,i.D)(t,h()); const \ r = (0,n.ek)(e); r\&\&(r.init=p[e]) \} function \ v(e,t) \{ if (!e) throw \ new \ Error(g); p[e] = (0,i.D)(t,h()); const \ r = (0,n.ek)(e); r\&\&(r.init=p[e]) \} function \ v(e,t) \{ if (!e) throw \ new \ new$ throw new Error(g);var r=m(e);if(r){for(var n=t.split("."),i=0;i<n.length-1;i++)if("object"!=typeof(r=r [n[n.length-1]]}return r}const y={accountID:void 0,trustKey:void 0,agentID:void 0,licenseKey:voic applicationID:void 0,xpid:void 0},A={};function x(e){if(!e)throw new Error("All loader-config object agent identifier!");if(!A[e])throw new Error("LoaderConfig for ".concat(e," was never set"));return (e,t){if(!e)throw new Error("All loader-config objects require an agent identifier!");A[e]=(0,i.D)(t,y) ek)(e);r&&(r.loader_config=A[e])}const E=(0,n.mF)().o;var _=r(385),S=r(6818);const T={buildEn customTransaction:void 0,disabled:!1,distMethod:S.gF,isolatedBacklog:!1,loaderType:void 0,ma offset:Math.floor(_._A?.performance?.timeOrigin||_._A?.performance?.timing?.navigationStart||I onerror:void 0,origin:""+_._A.location,ptid:void 0,releaselds:{},session:void 0,xhrWrappable:"fundation.ptid:void 0,releaselds:{} ._A.XMLHttpRequest?.prototype?.addEventListener,version:S.q4,denyList:void 0},N={};functio throw new Error("All runtime objects require an agent identifier!");if(!N[e])throw new Error("Runti (e," was never set"));return N[e]}function R(e,t){if(!e)throw new Error("All runtime objects require identifier!");N[e]=(0,i.D)(t,T);const r=(0,n.ek)(e);r&&(r.runtime=N[e])}function D(e){return function (e);return!!t.licenseKey&&!!t.errorBeacon&&!!t.applicationID}catch(e){return!1}}(e)}},9567:(e,t,r)= d(t,{D:()=>i});var n=r(50);function i(e,t){try{if(!e||"object"!=typeof e)return(0,n.Z)("Setting a Config an object as input");if(!t||"object"!=typeof t)return(0,n.Z)("Setting a Configurable requires a mode properties");const r=Object.create(Object.getPrototypeOf(t),Object.getOwnPropertyDescriptors(o=0===Object.keys(r).length?e:r;for(let a in o)if(void 0!==e[a])try{Array.isArray(e[a])&&Array.isA =Array.from(new Set([...e[a],...t[a]])):"object"==typeof e[a]&&"object"==typeof t[a]?r[a]=i(e[a],t[a]) (e){(0,n.Z)("An error occurred while setting a property of a Configurable",e)}return r}catch(e){(0,r occured while setting a Configurable",e)}}},6818:(e,t,r)=>{"use strict";r.d(t,{Re:()=>i,gF:()=>o,IF:(const n="1.253.0",i="PROD",o="CDN",a="2.0.0-alpha.11"},385:(e,t,r)=>{"use strict";r.d(t,{FN:()=: $LW:()=>a,Nk:()=>h,Tt:()=>u,_A:()=>o,cv:()=>p,iS:()=>s,iI:()=>n,ux:()=>d,v6:()=>i,w1:()=>f);cons:()=>i,w1:()==i,w1:()==i,w1:()==i,w1:()==i,w1:()==i,w1:()==i,w1:()==i,w1:()==i,w1:()=i,w1:()==i,w1:()$ =typeof window&&!!window.document,i="undefined"!=typeof WorkerGlobalScope&&("undefined self&self instanceof WorkerGlobalScope&self.navigator instanceof WorkerNavigator||"undefin globalThis&&globalThis instanceof WorkerGlobalScope&&globalThis.navigator instanceof Work o=n?window:"undefined"!=typeof WorkerGlobalScope&&("undefined"!=typeof self&&self instanc WorkerGlobalScope&&self||"undefined"!=typeof globalThis&&globalThis instanceof WorkerGlobalScope&&globalThis),a="complete"===o?.document?.readyState,s=Boolean("hidd document?.visibilityState),c=""+o?.location,u=/iPad|iPhone|iPod/.test(o.navigator?.userAgent),d undefined"==typeof SharedWorker,l=(()=>{const e=o.navigator?.userAgent?.match(/Firefox[\s](return Array.isArray(e)&&e.length>=2?+e[1]:0})(),f=Boolean(n&&window.document.documentMi navigator?.sendBeacon,p=Math.floor(o?.performance?.timeOrigin||o?.performance?.timing?. navigationStart||Date.now())},9907:(e,t,r)=>{"use strict";r.d(t,{A:()=>n});class n{constructor(e){thi: contextId=e}}},4938:(e,t,r)=>{"use strict";r.d(t,{v:()=>a});var n=r(8632),i=r(3117),o=r(9907);class contextId="nr@context:".concat(i.a);static contextOriginalId="nr@original:".concat(i.a);static contextWrappedId="nr@wrapped:".concat(a.contextId);static getObservationContextByAgentIde t=(0,n.fP)();return Object.keys(t?.initializedAgents||{}).indexOf(e)>-1?t.initializedAgents[e].obser void 0}#e=new WeakMap;getCreateContext(e){return this.#e.has(e)||this.#e.set(e,new o.A),this. $setContext(e,t){return this.#e.set(e,t),this.#e.get(e)}},1117:(e,t,r)=>{"use strict";r.d(t,{w:()=>o});v.d($ const i={agentIdentifier:"",ee:void 0};class o{constructor(e){try{if("object"!=typeof e)return(0,n.Z)(context requires an object as input");this.sharedContext={},Object.assign(this.sharedContext,i),((e).forEach((e=>{let[t,r]=e;Object.keys(i).includes(t)&&(this.sharedContext[t]=r)}))}catch(e){(0,n.2)} $(1284), o=r(4322), a=r(3325); const s={}; function c(e,t){const r={staged:!1,priority:a.p[t]||0}; u(e), s[equal to the constant of the const$ (t,r)}function u(e){e&&(s[e]||(s[e]=new Map))}function d(){let e=arguments.length>0&&void 0!== arguments[0]:"",t=arguments.length>1&&void 0!==arguments[1]?arguments[1]:"feature",r=argur length>2&&void 0!==arguments[2]&&arguments[2];if(u(e),!e||!s[e].get(t)||r)return c(t);s[e].get(t).s a=[...s[e]];function c(t){const r=e?n.ee.get(e):n.ee,a=o.X.handlers;if(r.backlog&&a){var s=r.backl {for(var u=0;s&&u<s.length;++u)l(s[u],c);(0,i.D)(c,(function(e,t){(0,i.D)(t,(function(t,r){r[0].on(e,r[1 $[t], r. backlog[t] = null, r. emit("drain-"+t,[])) a. every((e=>\{let[t,r]=e; return\ r. staged\})) \& (a. sort(((e,t)=>t), r. backlog[t]=null, r. emit("drain-"+t,[])) a. every((e=>\{let[t,r]=e; return\ r. staged\})) \& (a. sort(((e,t)=>t), r. backlog[t]=null, r. emit("drain-"+t,[])) a. every((e=>\{let[t,r]=e; return\ r. staged\})) \& (a. sort(((e,t)=>t), r. backlog[t]=null, r. emit("drain-"+t,[])) a. every((e=>\{let[t,r]=e; return\ r. staged\})) \& (a. sort(((e,t)=>t), r. backlog[t]=null, r. emit("drain-"+t,[])) a. every((e=>\{let[t,r]=e; return\ r. staged\})) \& (a. sort(((e,t)=>t), r. backlog[t]=null, r. emit("drain-"+t,[])) a. every((e=>\{let[t,r]=e; return\ r. staged\})) \& (a. sort(((e,t)=>t), r. backlog[t]=null, r. emit("drain-"+t,[])) a. every((e=>\{let[t,r]=e; return\ r. staged\})) \& (a. sort(((e,t)=>t), r. backlog[t]=null, r. emit("drain-"+t,[])) a. every((e=>\{let[t,r]=e; return\ r. staged\})) & (a. sort((e,t)=t), r. backlog[t]=null, r. emit("e,t)=null, r. emit$ $[1]. priority)), a. for Each((t=>\{let[r]=t; s[e]. delete(r), c(r)\}))) function \ l(e,t) \{var\ r=e[1]; (0,i.D)(t[r], (function to the context of the conte$ [0];if(r[0]===n){var i=r[1],o=e[3],a=e[2];i.apply(o,a)}}))},2177:(e,t,r)=>{"use strict";r.d(t,{ee:()=>c}) $i=r(2210),o=r(234),a=r(9907),s=r(4938);const c=function e(t,r){var n={},u={},l={},f=!1;try{f=16===}$ OP)(r).isolatedBacklog}catch(e){}var h={on:g,addEventListener:g,removeEventListener:function $if(r)for(var i=0;i< r.length;i++)r[i]===t\&r.splice(i,1)\}, emit:function(e,r,n,i,o)\{if(!1!==o\&\&(o=!0),!c.alv.splice(i,1)\}, emit:function(e,r,n,i,o)\{if(!1!=o\&\&(o=!0),!c.alv.splice(i,1)\}, emit:function(e,r,n,i,o)\{if(!1!=o\&\&(o=!0),!c.alv.splice(i,1)\}, emit:function(e,r,n,i,o)\{if(!1!=o\&\&(o=!0),!c.alv.splice(i,1)\}, emit:function(e,r,n,i,o)\{if(!1!=o\&\&(o=!0),!c.alv.splice(i,1)\}, emit:function(e,r,n,i,o)\{if(!1!=o\&\&(o=!0),!c.alv.splice(i,1),!c.alv.splice(i,1)\}, emit:function(e,r,n,i,o)\{if(!1!=o\&\&(o=!0),!c.alv.splice(i,1),!c.alv.splice(i,1)\}, emit:function(e,r,n,i,o)\{if(!1!=o\&\&(o=!0),!c.alv.splice(i,1),!c.alv.splice(i,1)\}, emit:function(e,r,n,i,o)\{if(!1!=o\&\&(o=!0),!c.alv.splice(i,1),!c.alv.splice(i,1),!c.alv.splice(i,1),!c.alv.splice(i,1),!c.alv.splice(i,1),!c.alv.splice(i,1),!c.alv.splice(i,1),!c.alv.splice(i,1),!c.alv.splice($ $\{t\&o\&t.emit(e,r,n);for(var a=p(n),s=m(e),d=s.length,l=0;l< d;l++)s[l].apply(a,r);var f=v()[u[e]];reiline (a.s.)$

([h,e,r,a]),a}},get:function(t){const r=|[t]=|[t]||e(h,t);return!r.observationContextManager&&h. observationContextManager&&(r.observationContextManager=h.observationContextManager), context:p,buffer:function(e,t){const r=v();t=t||"feature",h.aborted||Object.entries(e||{}}).forEach((e= =t,t in r||(r[t]=[])))),abort:d,aborted:!1,isBuffering:function(e){return!!v()[u[e]]},debugld:r,backlog:f ==typeof t.backlog?t.backlog:{},observationContextManager:null};return h;function p(e){return e a.A?e:e?(0,i.X)(e,s.v.contextId,(()=>h.observationContextManager?h.observationContextM getCreateContext(e):new a.A(s.v.contextId))):h.observationContextManager?h.observationCont getCreateContext({}):new a.A(s.v.contextId)}function g(e,t){n[e]=m(e).concat(t)}function m(e){ret function v(){return h.backlog}}(void 0,"globalEE"),u=(0,n.fP)();function d(){c.aborted=!0,Object.ke $forEach((e=>\{delete\ c.backlog[e]\}))\}u.ee||(u.ee=c)\},5546:(e,t,r)=>\{"use\ strict";r.d(t,\{E:()=>n,p:()=t,k\})\})\}u.ee||(u.ee=c)\},5546:(e,t,r)=>\{"use\ strict";r.d(t,\{E:()=>n,p:()=t,k\})\})\}u.ee||(u.ee=c)\},5546:(e,t,r)=>\{"use\ strict";r.d(t,\{E:()=>n,p:()=t,k\})\}$ (2177).ee.get("handle");function i(e,t,r,i,o){o?(o.buffer([e],i),o.emit(e,t,r)):(n.buffer([e],i),n.emit(e,t r)=>{"use strict";r.d(t,{X:()=>o});var n=r(5546);o.on=a;var i=o.handlers={};function o(e,t,r,o){a(o||i|)} $function \ a(e,t,r,i,o) \\ \{o||(o="feature"),e||(e=n.E); var\ a=t[o]=t[o]||\{\};(a[r]=a[r]||[]).push([e,i])\}, \\ 3239:(e,t,r,i,o) \\ \{o||(o=r,r,i,o)\} \\ \{o||(o=r,r,i,o)\}$ strict";r.d(t,{bP:()=>s,iz:()=>c,m\$:()=>a});var n=r(385);let i=!1,o=!1;try{const e={get passive(){retu signal(){return o=!0,!1}};n._A.addEventListener("test",null,e),n._A.removeEventListener("test",nu function a(e,t){return i||o?{capture:!!e,passive:i,signal:t}:!!e}function s(e,t){let r=arguments.length ==arguments[2]&&arguments[2],n=arguments.length>3?arguments[3]:void 0;window.addEventl n)))function c(e,t){let r=arguments.length>2&&void 0!==arguments[2]&&arguments[2],n=argume arguments[3]:void 0;document.addEventListener(e,t,a(r,n))}},3117:(e,t,r)=>{"use strict";r.d(t,{a:()} (0,r(4402).RI)(), $4402:(e,t,r)=>{"use strict";r.d(t,{Ht:()=>u,M:()=>c,RI:()=>a,ky:()=>s});var n=r(385)$ e=n._A?.crypto||n._A?.msCrypto;let t,r=0;return e&&e.getRandomValues&&(t=e.getRandomVal Uint8Array(30))),i.split("").map((e=>"x"===e?o(t,r++).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"====e?(3&o()|8).toString(16):"y"====e?(3&o()|8).toString(16):"y"====e?(3&o()|8).toString(16):"y"====e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toString(16):"y"===e?(3&o()|8).toS function s(e){const t=n._A?.crypto||n._A?.msCrypto;let r,i=0;t&&t.getRandomValues&&(r=t.getR (new Uint8Array(e)));const a=[];for(var s=0;s<e;s++)a.push(o(r,i++).toString(16));return a.join("") {return s(16)}function u(){return s(32)}},7056:(e,t,r)=>{"use strict";r.d(t,{Bq:()=>n,Hb:()=>a,IK:()==a,IK:()==a,IK:()==a,IK:()=a,IK: oD:()=>o,uT:()=>c,wO:()=>s});const n="NRBA",i="SESSION",o=144e5,a=18e5,s={PAUSE:"sess RESET: "session-reset", RESUME: "session-resume", UPDATE: "session-update", c={SAME_TAE CROSS_TAB:"cross-tab"},u={OFF:0,FULL:1,ERROR:2}},7894:(e,t,r)=>{"use strict";function n(){u floor(performance.now())r.d(t,{z:()=>n})},7243:(e,t,r)=>{"use strict";r.d(t,{e:()=>i});var n=r(385);floor(performance.now())}r.d(t,{z:()=>n})},7243:(e,t,r)=>{"use strict";r.d(t,{e:()=>i});var n=r(385);floor(performance.now())}r.d(t,{z:()=>n})},7243:(e,t,r)=>{"use strict";r.d(t,{e:()=>i});var n=r(385);floor(performance.now())}r.d(t,{z:()=>n})},7243:(e,t,r)=>{"use strict";r.d(t,{e:()=>i});var n=r(385);floor(performance.now())}r.d(t,{z:()=>n})}r.d(t,{z:()=>n})}r.d(t,{z:()=>n})}r.d(t,{z:()=>n})r.d(t,{z:()=>n})}r.d(t,{z:()=>n})r.d(t,{z:() (0===(e||"").indexOf("data:"))return{protocol:"data"};try{const t=new URL(e,location.href),r={port hostname:t.hostname,pathname:t.pathname,search:t.search,protocol:t.protocol.slice(0,t.protoco sameOrigin:t.protocol===n._A?.location?.protocol&&t.host===n._A?.location?.host};return r.por ("http:"===t.protocol&&(r.port="80"),"https:"===t.protocol&&(r.port="443")),r.pathname&&""!==r.protocol pathname.startsWith("/")||(r.pathname="/".concat(r.pathname)):r.pathname="/",r}catch(e){return{ {"use strict";function n(e,t){"function"==typeof console.warn&&(console.warn("New Relic: ".conc t&&console.warn(t))}r.d(t,{Z:()=>n})},2825:(e,t,r)=>{"use strict";r.d(t,{N:()=>d,T:()=>l});var n=r(217) o=r(3325),a=r(385);const s="newrelic",c={stn:[o.D.sessionTrace],err:[o.D.jserrors,o.D.metrics],ir pageAction],spa:[o.D.spa,o.D.softNav],sr:[o.D.sessionReplay,o.D.sessionTrace]},u=new Set;fur {const r=n.ee.get(t);e&&"object"==typeof e&&(u.has(t)||(Object.entries(e).forEach((e=>{let[t,n]=e forEach((e=>{n?(0,i.p)("feat-"+t,[],void 0,e,r):(0,i.p)("block-"+t,[],void 0,e,r),(0,i.p)("rumresp-"+t,[B 0,e,r)})):n&&(0,i.p)("feat-"+t,[],void 0,void 0,r),l[t]=Boolean(n)})),Object.keys(c).forEach((e=>{voic [e]?.forEach((t=>(0,i.p)("rumresp-"+e,[!1],void 0,t,r))),l[e]=!1)})),u.add(t),function(){let e=argumen length>0&&void 0!==arguments[0]?arguments[0]:{};try{a._A.dispatchEvent(new CustomEvent(s catch(e){}}({loaded:!0})))}const I={}},2210:(e,t,r)=>{"use strict";r.d(t,{X:()=>i});var n=Object.protot hasOwnProperty;function i(e,t,r){if(n.call(e,t))return e[t];var i=r();if(Object.defineProperty&&Objec {return Object.defineProperty(e,t,{value:i,writable:!0,enumerable:!1}),i}catch(e){}return e[t]=i,i}},7 "use strict";function n(e){var t=this;let r=arguments.length>1&&void 0!==arguments[1]?argumer n=arguments.length>2&&void 0!==arguments[2]?arguments[2]:{};const i=n?.leading||!1;let o;retu {for(var n=arguments.length,a=new Array(n),s=0;s<n;s++)a[s]=arguments[s];i&&void 0===o&&(o=setTimeout((()=>{o=clearTimeout(o)}),r)),i||(clearTimeout(o),o=setTimeout((()=>{e.apply(t,a)}) (e){var t=this;let r=!1;return function(){if(!r){r=!0;for(var n=arguments.length,i=new Array(n),o=0;c =arguments[o];e.apply(t,i)}}r.d(t,{D:()=>n,Z:()=>i})},1284:(e,t,r)=>{"use strict";r.d(t,{D:()=>n});cor =>Object.entries(e||{}).map((e=>{let[r,n]=e;return t(r,n)}))},4351:(e,t,r)=>{"use strict";r.d(t,{P:()=>return t(r,n)})}} (2177);const i=()=>{const e=new WeakSet;return(t,r)=>{if("object"==typeof r&&null!==r){if(e.has (r)}return r}};function o(e){try{return JSON.stringify(e,i())}catch(e){try{n.ee.emit("internal-error",[e $3960:(e,t,r)=>\{$ "use strict";r.d(t,{KB:()=>a,b2:()=>o});var n=r(3239);function i(){return}"undefined== document||"complete"===document.readyState}function o(e,t){if(i())return e();(0,n.bP)("load",e,t) (i())return e();(0,n.iz)("DOMContentLoaded",e)}},8632:(e,t,r)=>{"use strict";r.d(t,{EZ:()=>d,ce:()=> =>a,gG:()=>I,h5:()=>c,mF:()=>s});var n=r(7894),i=r(385);const o={beacon:"bam.nr-data.net",erro nr-data.net"};function a(){return i._A.NREUM||(i._A.NREUM={}),void 0===i._A.newrelic&&(i._A.r NREUM),i._A.NREUM}function s(){let e=a();return e.o||(e.o={ST:i._A.setTimeout,SI:i._A.setImm clearTimeout,XHR:i._A.XMLHttpRequest,REQ:i._A.Request,EV:i._A.Event,PR:i._A.Promise,MC MutationObserver,FETCH:i._A.fetch}),e}function c(e,t){let r=a();r.initializedAgents??={},t.initializedAgents? z)(),date:new Date},r.initializedAgents[e]=t}function u(e){let t=a();return t.initializedAgents?.[e]}fu [e]=t}function I(){return function(){let e=a();const t=e.info||{}};e.info={beacon:o.beacon,errorBeacon} $errorBeacon,...t\}\}(), function()\{let\ e=a(); const\ t=e.init||\{\}; e.init=\{...t\}\}(), s(), function()\{l$ $loader_config||{};e.loader_config={...t}}(),a()}{},7956:(e,t,r)=>{"use strict";r.d(t,{N:()=>i});var n=r(32)}{}$

(e){let t=arguments.length>1&&void 0!==arguments[1]&&arguments[1],r=arguments.length>2?a void 0,i=arguments.length>3?arguments[3]:void 0;(0,n.iz)("visibilitychange",(function(){t?"hidder visibilityState&&e():e(document.visibilityState)}),r,i)}},7806:(e,t,r)=>{"use strict";r.d(t,{em:()=>m,u =>O,_L:()=>C,Gm:()=>P,Lg:()=>M,BV:()=>G,Kf:()=>W});var n=r(2177),i=r(4938),o=Object.proto $has Own Property, a=!1; function \ s(e,t) \{return \ e||(e=n.ee), r. in Place=function(e,t,n,i,o) \{n||(n=""); constant \ e||(e=n.ee), r. in Place=function(e,t,n,i,o) \{n||(e=n.ee), r. in P$ $charAt(0); for(let \ s=0; s< t.length; s++) \{const \ c=t[s], d=e[c]; u(d) || (e[c]=r(d,a?c+n:n,i,c,o)) \}\}, r.flag=i.v.$ contextOriginalId,r;function r(t,r,n,a,d){return u(t)?t:(r||(r=""),I[i.v.contextOriginalId]=t,function(e,t,r) defineProperty&&Object.keys)try{return Object.keys(e).forEach((function(r){Object.defineProper function(){return e[r]},set:function(t){return e[r]=t,t}}))),t}catch(e){c([e],r)}for(var n in e)o.call(e,n){ l,e),l);function l(){var i,o,u,l;try{o=this,i=[...arguments],u="function"==typeof n?n(i,o):n||{}}catch(t)e)}s(r+"start",[i,o,a],u,d);try{return l=t.apply(o,i)}catch(e){throw s(r+"err",[i,o,e],u,d),e}finally{s(r+"@indexity in the content of the co $d)\}\}\{function\ s(r,n,i,o)\{if(!a||t)\{var\ s=a;a=!0;try\{e.emit(r,n,i,t,o)\}catch(t)\{c([t,r,n,i],e)\}a=s\}\}\}\{function\ variables\ variab$ try{t.emit("internal-error",e)}catch(e){}}function u(e){return!(e&&"function"==typeof e&&e.apply&{ contextOriginalId])}var d=r(2210),l=r(385);const f={},h=l._A.XMLHttpRequest,p="addEventLister removeEventListener";function m(e){var t=function(e){return(e||n.ee).get("events")}(e);if(f[t.debu [t.debugId]=1;var r=s(t,!0);function o(e){r.inPlace(e,[p,g],"-",a)}function a(e,t){return e[1]}return"g in Object&&(I.il&&v(document,o),v(I._A,o),v(h.prototype,o)),t.on(p+"-start",(function(e,t){var n=e[("function"==typeof n||"object"==typeof n)){var o=(0,d.X)(n,i.v.contextWrappedId,(function(){var o function(){if("function"==typeof n.handleEvent)return n.handleEvent.apply(n,arguments)},functio return e?r(e,"fn-",null,e.name||"anonymous"):n}));this.wrapped=e[1]=o}})),t.on(g+"-start",(function $wrapped||e[1]\})), t\} function \ v(e,t) \{let \ r=e; for(;"object"==typeof \ r\&\&!Object.prototype.hasOwnProperty (a.g., a.g., b.g., b.g.,$ r=Object.getPrototypeOf(r);for(var n=arguments.length,i=new Array(n>2?n-2:0),o=2;o<n;o++)i[o [o];r&&t(r,...i)}var b="fetch-",y=b+"body-",A=["arrayBuffer","blob","json","text","formData"],x=l._A. A.Response,E="prototype";const _={};function S(e){const t=function(e){return(e||n.ee).get("fetc $(x\&\&w\&\&l._A.fetch))$ return t; if ([t.debugld]++) return t; function (e,r,n) fu =function(){var e,r=[...arguments],a={};t.emit(n+"before-start",[r],a),a[i.v.contextld]&&a[i.v.contex v.contextId].dt);var s=o.apply(this,r);return t.emit(n+"start",[r,e],s),s.then((function(e){return t.emi $e],s),e\}),(function(e)\{throw t.emit(n+"end",[e],s),e\}))\})$ return $_[t.debugId]=1,A.forEach((e=>\{r(x[E=x],s),e\})))$ y)))),r(l._A,"fetch",b),t.on(b+"end",(function(e,r){var n=this;if(r){var i=r.headers.get("content-lengt (n.rxSize=i),t.emit(b+"done",[null,r],n)}else t.emit(b+"done",[e],n)})),t}const T={},N=["pushState", $function O(e) \{const t=function(e) \{return(e||n.ee).get("history")\}(e); return!l.il||T[t.debugld]++||(T[t.constant]), return!l.il||T[t.constant]++||(T[t.constant]), return!l.il||T[t.constant]++||(T[t.constant]), return!l.il||T[t.constant]++||(T[t.constant]), return!l.il||T[t.constant]++||(T[t.constant]), return!l.il||T[t.constant]++||(T[t.constant]), return!l.il||T[t.constant]++||(T[t.$ function C(e){const t=function(e){return(e||n.ee).get("jsonp")}(e);if(!!.il||D[t.debugld])return t;D[t.d $r=s(t), i=/[?\&](?:callback|cb)=([^\&\#]+)/,o=/(.*) . ([^.]+)/,a=/^(w+)(.|\$)(.*)\$/; function \ c(e,t) \{if(!e) returned to the context of the c$ match(a),n=r[1];return c(r[3],t[n])}return r.inPlace(Node.prototype,I,"dom-"),t.on("dom-start",(func function(e){if(e&&"string"==typeof e.nodeName&&"script"===e.nodeName.toLowerCase()&&"fu e.addEventListener){var n,a=(n=e.src.match(i))?n[1]:null;if(a){var s=function(e){var t=e.match(o) length>=3?{key:t[2],parent:c(t[1],window)}:{key:e,parent:window}}(a);if("function"==typeof s.pare u={};r.inPlace(s.parent,[s.key],"cb-",u),e.addEventListener("load",d,(0,R.m\$)(!1)),e.addEventList (0,R.m\$)(!1)),t.emit("new-jsonp",[e.src],u)}}}function d(){t.emit("jsonp-end",[],u),e.removeEventLi (0,R.m\$)(!1)),e.removeEventListener("error",I,(0,R.m\$)(!1))}function I(){t.emit("jsonp-error",[],u),t end",[],u),e.removeEventListener("load",d,(0,R.m\$)(!1)),e.removeEventListener("error",I,(0,R.m\$ t}const j={};function P(e){const t=function(e){return(e||n.ee).get("mutation")}(e);if(!!.il||j[t.debugld] debugId]=!0;var r=s(t),i=l._A.MutationObserver;return i&&(window.MutationObserver=function(e instanceof i?new i(r(e, "fn-")):i.apply(this,arguments)},MutationObserver.prototype=i.prototype),t} $function \ M(e) \{ const \ t=function(e) \{ return(e||n.ee).get("promise")\} (e); if(k[t.debugld]) return \ t; k[t.debugld] \} (e) = function(e) \{ return(e||n.ee).get("promise")\} (e); if(k[t.debugld]) return \ t; k[t.debugld] \} (e) = function(e) \{ return(e||n.ee).get("promise")\} (e); if(k[t.debugld]) return \ t; k[t.debugld] \} (e) = function(e) \{ return(e||n.ee).get("promise")\} (e); if(k[t.debugld]) return \ t; k[t.debugld] \} (e) = function(e) \{ return(e||n.ee).get("promise")\} (e); if(k[t.debugld]) return \ t; k[t.debugld] \} (e) = function(e) \{ return(e||n.ee).get("promise")\} (e); if(k[t.debugld]) return \ t; k[t.debugld] \} (e) = function(e) \{ return(e||n.ee).get("promise")\} (e); if(k[t.debugld]) return \ t; k[t.debugld] \} (e) = function(e) \{ return(e) \{$ r=t.context,o=s(t),a=l._A.Promise;return a&&function(){function e(r){var n=t.context(),i=o(r,"exec const s=Reflect.construct(a,[i],e);return t.context(s).getCtx=function(){return n},s}l._A.Promise=e defineProperty(e, "name", {value: "Promise"}), e.toString=function(){return a.toString()},Object.setF a),["all","race"].forEach((function(r){const n=a[r];e[r]=function(e){let i=!1;[...e||[]].forEach((e=>{this})),["all","race"].forEach((e=> $then(a("all"===r),a(!1))\})); const\ o=n.apply(this,arguments); return\ o; function\ a(e)\{return\ function(("propagate",[null,!i],o,!1,!1),i=i||!e}\}\})), ["resolve", "reject"]. for Each((function(r)\{const\ n=a[r];e[r]=fraction(r), a(e), a(e$ {const r=n.apply(this,arguments);return e!==r&&t.emit("propagate",[e,!0],r,!1,!1),r}})),e.prototype const n=a.prototype.then;a.prototype.then=function(){var e=this,i=r(e);i.promise=e;for(var a=arg s=new Array(a),c=0;c<a;c++)s[c]=arguments[c];s[0]=o(s[0],"cb-",i,null,!1),s[1]=o(s[1],"cb-",i,null,! apply(this,s);return i.nextPromise=u,t.emit("propagate",[e,!0],u,!1,!1),u},a.prototype.then[i.v.contents] =n,t.on("executor-start",(function(e){e[0]=o(e[0],"resolve-",this,null,!1),e[1]=o(e[1],"resolve-",this,null,!1),e[1]=o(("executor-err",(function(e,t,r){e[1](r)})),t.on("cb-end",(function(e,r,n){t.emit("propagate",[n,!0],this 1,l1)})),t.on("propagate",(function(e,r,n){this.getCtx&&!r||(this.getCtx=function(){if(e instanceof P context(e);return r&&r.getCtx?r.getCtx():this}))))(),t}const H={},L="setTimeout",z="setInterval",U clearTimeout",F="-start",B="-",q=[L,"setImmediate",z,U,"clearImmediate"];function G(e){const t= {return(e||n.ee).get("timer")}(e);if(H[t.debugId]++)return t;H[t.debugId]=1;var r=s(t);return r.inPlac $(0,2), L+B), r. in Place (I._A,q.slice (2,3),z+B), r. in Place (I._A,q.slice (3),U+B), t. on (z+F, (function (e,t,n)-t, e,t))) \\$ null,n)})),t.on(L+F,(function(e,t,n){this.method=n,this.timerDuration=isNaN(e[1])?0:+e[1],e[0]=r," n)})),t}var V=r(50);const $Z=\{\},K=["open","send"]$;function $W(e)\{var\ t=e||n.ee$;const $r=function(e)\{r,var\}\}$ $get("xhr")\}(t); if(Z[r.debugId]++) return \ r; Z[r.debugId]=1, \\ m(t); var \ i=s(r), o=l._A. XMLHttpRequest, a=line for the context of the$ MutationObserver,c=I._A.Promise,u=I._A.setInterval,d="readystatechange",f=["onload","onerror onloadstart", "onloadend", "onprogress", "ontimeout"], h=[],p=l._A.XMLHttpRequest=function(e){cc

n=r.context(t);try{r.emit("new-xhr",[t],n),t.addEventListener(d,(a=n,function()){var e=this;e.readyS resolved&&(a.resolved=!0,r.emit("xhr-resolved",[],e)),i.inPlace(e,f,"fn-",x)}),(0,R.m\$)(!1))}catch(e error occurred while intercepting XHR",e);try{r.emit("internal-error",[e])}catch(e){}}var a;return t}; $inPlace(t,["onready state change"],"fn-",x)) if(function(e,t)\{for(var\ r\ in\ e)t[r]=e[r]\}(o,p),p.prototype=o(a,t)\} for(var\ r\ in\ e)t[r]=e[r]$ $in Place (p.prototype, K, "-xhr-", x), r. on ("send-xhr-start", (function (e,t) \{g(0,t), function (e) \{h.push(e), a \{h.push(e)$ u?u(A):(b=-b,y.data=b))}(t)})),r.on("open-xhr-start",g),a){var v=c&&c.resolve();if(!u&&!c){var b=1, createTextNode(b);new a(A).observe(y,{characterData:!0}))}else t.on("fn-end",(function(e){e[0]& $type===d||A()\})); function A()\{for(var e=0;e<h.length;e++)g(0,h[e]);h.length\&\&(h=[])\}function x(e,t)\}$ return r},7825:(e,t,r)=>{"use strict";r.d(t,{t:()=>n});const n=r(3325).D.ajax},6660:(e,t,r)=>{"use strict";r.d(t,{t:()=>n});r.d(t,{t:()=>n});const n=r(3325).D.ajax},6660:(e,t,r)=>{"use strict";r.d(t,{t:()=>n});r.d(t,{t:()=> =>n);const n=r(3325).D.jserrors},3081:(e,t,r)=>{"use strict";r.d(t,{gF:()=>o,mY:()=>i,t9:()=>n,vz =>a});const n=r(3325).D.metrics,i="sm",o="cm",a="storeSupportabilityMetrics",s="storeEventMe $t,r) = {\text{"use strict"}; r.d(t,{t:()=>n)}; const n=r(3325).D.pageAction}, 7633:(e,t,r) = {\text{"use strict"}; r.d(t,{t:()=>n)}; const n=r(3325).D.pageAction}, 76$ n=r(3325).D.pageViewEvent, 9251: $(e,t,r)=>{"use strict"}; r.d(t,\{t:()=>n\}); const n=r(3325).D.pageViewEvent$ $7144:(e,t,r) => \{\text{"use strict"}; r.d(t,\{Ef:()=>0,J0:()=>f,Mi:()=>I,Vb:()=>a,Ye:()=>c,fm:()=>u,i9:()=>s,t9:()=>s,t9:()=>b,Mi:()=b,Mi:()$ var n=r(7056);const i=r(3325).D.sessionReplay,o={RECORD:"recordReplay",PAUSE:"pauseRe {DomContentLoaded:0,Load:1,FullSnapshot:2,IncrementalSnapshot:3,Meta:4,Custom:5},c=1e6 IK.ERROR]:15e3,[n.IK.FULL]:3e5,[n.IK.OFF]:0},I={RESET:{message:"Session was reset",sm:"F IMPORT:{message:"Recorder failed to import",sm:"Import"},TOO_MANY:{message:"429: Too N sm:"Too-Many"},TOO_BIG:{message:"Payload was too large",sm:"Too-Big"},CROSS_TAB:{me Entity was set to OFF on another tab",sm:"Cross-Tab"},ENTITLEMENTS:{message:"Session Re allowed and will not be started",sm:"Entitlement"}},f=5e3},3614:(e,t,r)=>{"use strict";r.d(t,{BST_F =>i,END:()=>s,FEATURE_NAME:()=>n,FN_END:()=>u,FN_START:()=>c,PUSH_STATE:()=>d, =>o,START:()=>a});const n=r(3325).D.sessionTrace,i="bstResource",o="resource",a="-start",s= +a,u="fn"+s,d="pushState"},6216:(e,t,r)=>{"use strict";r.d(t,{K8:()=>s,QZ:()=>c,cS:()=>o,sE:()=>i =>u});var n=r(3325);const i=["click","keydown","submit"],o="api",a=n.D.softNav,s={INITIAL_PAG ROUTE_CHANGE:1,UNSPECIFIED:2},c={INTERACTION:1,AJAX:2,CUSTOM_END:3,CUSTO u={IP:"in progress",FIN:"finished",CAN:"cancelled"}},7836:(e,t,r)=>{"use strict";r.d(t,{BODY:()=>\ =>E,CB_START:()=>u,END:()=>x,FEATURE_NAME:()=>i,FETCH:()=>S,FETCH_BODY:()=>v, FETCH_DONE:()=>m,FETCH_START:()=>g,FN_END:()=>c,FN_START:()=>s,INTERACTION: INTERACTION_API:()=>d,INTERACTION_EVENTS:()=>o,JSONP_END:()=>b,JSONP_NODE: JS_TIME:()=>_,MAX_TIMER_BUDGET:()=>a,REMAINING:()=>I,SPA_NODE:()=>h,START:()=: originalSetTimeout:()=>y});var n=r(234);const i=r(3325).D.spa,o=["click", "submit", "keypress", "ke keyup", "change"], a=999, s="fn-start", c="fn-end", u="cb-start", d="api-ixn-", l="remaining", f="interac spaNode",p="jsonpNode",g="fetch-start",m="fetch-done",v="fetch-body-",b="jsonp-end",y=n.Yu. $x="-end", w="-body", E="cb"+x, ="jsTime", S="fetch"\}, 5938:(e,t,r) => {"use strict"; r.d(t,{W:()=>i}); value in the context of the context$ class i{constructor(e,t,r){this.agentIdentifier=e,this.aggregator=t,this.ee=n.ee.get(e),this.featureN blocked=!1}}},8862:(e,t,r)=>{"use strict";r.d(t,{i:()=>x});var n=r(3325),i=r(234),o=r(5546),a=r(2177 (8e3),u=r(3960),d=r(385),l=r(50),f=r(3081),h=r(8632),p=r(7144);const g=["setErrorHandler","finis add To Trace", "add Release", "add Page Action", "set Current Route Name", "set Page View Name", "set Custom Attribute", "interaction", "notice Error", "set User Id", "set Application Version", "start", "record to the contract of the copauseReplay",p.Ef.RECORD,p.Ef.PAUSE],m=["setErrorHandler","finished","addToTrace","addF function v(){const e=(0,h.gG)();g.forEach((t=>{e[t]=function(){for(var r=arguments.length,n=new i++)n[i]=arguments[i];return function(t){for(var r=arguments.length,n=new Array(r>1?r-1:0),i=1;i< =arguments[i];let o=[];return Object.values(e.initializedAgents).forEach((e=>{e.exposed&&e.api[api[t](...n))), o.length>1?o:o[0](t,...n))))var $b=r(2825); const y=e=>\{const t=e.startsWith("http"))$ https://"+e};let A=!1;function x(e){let t=arguments.length>1&&void 0!==arguments[1]?arguments g=arguments.length>2?arguments[2]:void 0,x=arguments.length>3?arguments[3]:void 0,{init:w,i loader_config:_,runtime:S={loaderType:g},exposed:T=!0}=t;const N=(0,h.gG)();E||(w=N.init,E=N $loader_config), (0, i.Dg) (e.agentIdentifier, w||\{\}), (0, i.GE) (e.agentIdentifier, _||\{\}), E.jsAttributes?? = \{\}, (0, i.GE) (e.agentIdentifier, _||\{\}), (0, i.Dg) (e.agentIdentifier, w||\{\}), (0, i.GE) (e.agentIdentifier, _||\{\}), (0, i.Dg) (e.agentIdentifier, w||\{\}), (0, i.GE) (e.agentIdentifier, _||\{\}), (0, i.Dg) (e.agentIdentifier, w||\{\}), (0, i.Dg) (e.agentIdentifier,$ $js Attributes. is Worker = !0), (0, i.CX) (e. agent Identifier, E); const O = (0, i.P_) (e. agent Identifier), R = [E. b. agent Identifier] (e. agent Identifier), R = [E. b$ error Beacon]; A || (O.proxy.assets & & (y (O.proxy.assets), R.push (O.proxy.assets)), O.proxy.beacon || (O.proxy.assets) || $proxy.beacon), v(), (0, h.EZ) ("activated Features", b.T), e.runSoftNavOverSpa\& = !0 === O.soft_navOverSpawa = !0 == O.soft$ enabled&&O.feature_flags.includes("soft_nav")),S.denyList=[...O.ajax.deny_list||[],...O.ajax.bloc (0,i.sU)(e.agentIdentifier,S),void 0===e.api&&(e.api=function(e,t){let h=arguments.length>2&&v ==arguments[2]&&arguments[2];t||(0,c.R)(e,"api");const g={};var v=a.ee.get(e),b=v.get("tracer"), ixn-";function x(t,r,n,o){const a=(0,i.C5)(e);return null===r?delete $a.jsAttributes[t]:(0,i.CX)(e,{...a},$ a.jsAttributes,[t]:r}),_(y,n,!0,o||nul|===r"session":void 0)(t,r)function w(){}m.forEach((e=>{g[e]=} api")})),g.addPageAction=_(y,"addPageAction",!0,n.D.pageAction),g.setPageViewName=functic ==typeof t)return"/"!==t.charAt(0)&&(t="/"+t),(0,i.OP)(e).customTransaction=(r||"http://custom.tra (y,"setPageViewName",!0)()},g.setCustomAttribute=function(e,t){let r=arguments.length>2&&volume=function(e,t)} ==arguments[2]&&arguments[2];if("string"==typeof e){if(["string","number","boolean"].includes(ty ||null===t)return x(e,t,"setCustomAttribute",r);(0,l.Z)("Failed to execute setCustomAttribute.\nNo must be a string, number or boolean type, but a type of <".concat(typeof t,"> was provided."))}el ("Failed to execute setCustomAttribute.\nName must be a string type, but a type of <".concat(ty) provided."))},g.setUserId=function(e){if("string"==typeof e||null===e)return x("enduser.id",e,"setU Z)("Failed to execute setUserId.\nNon-null value must be a string type, but a type of <".concat(ty provided."))},g.setApplicationVersion=function(e){if("string"==typeof e||null===e)return x("applicationVersion=function(e){if("string"==typeof e||null===e)return x("application=function(e){if("string"==typeof e||null===e)return x("application=function(e

e,"setApplicationVersion",!1);(0,I.Z)("Failed to execute setApplicationVersion. Expected <String

Evidence

<".concat(typeof e,">."))},g.start=e=>{try{const t=e?"defined":"undefined":(0,o.p)(f.xS,["API/start /called")],void 0,n.D.metrics,v);const r=Object.values(n.D);if(void 0===e)e=r;else{if((e=Array.isA length?e:[e]).some((e=>!r.includes(e))))return(0,l.Z)("Invalid feature name supplied. Acceptable are: ".concat(r));e.includes(n.D.pageViewEvent)||e.push(n.D.pageViewEvent)}e.forEach((e=>{v. (e,"-opt-in"))}))catch(e){(0,1.Z)("An unexpected issue occurred",e)}},g[p.Ef.RECORD]=function() ["API/recordReplay/called"],void 0,n.D.metrics,v),(0,o.p)(p.Ef.RECORD,[],void 0,n.D.sessionRer PAUSE]=function(){(0,o.p)(f.xS,["API/pauseReplay/called"],void 0,n.D.metrics,v),(0,o.p)(p.Ef.PA D.sessionReplay,v)},g.interaction=function(e){return(new w).get("object"==typeof e?e:{})};const {createTracer:function(e,t){var r={},i=this,a="function"==typeof t;return(0,o.p)(f.xS,["API/createTr void 0,n.D.metrics,v),h||(0,o.p)(A+"tracer",[(0,s.z)(),e,r],i,n.D.spa,v),function(){if(b.emit((a?"":"nos.z)(),i,a],r),a)try{return t.apply(this,arguments)}catch(e){throw b.emit("fn-err",[arguments,this,e], emit("fn-end",[(0,s.z)()],r)))); function (e,t,r,i){return function(){return(0,o.p)(f.xS,["API/"+t+"/calle metrics,v),i&&(0,o.p)(e+t,[(0,s.z)(),...arguments],r?null:this,i,v),r?void 0:this}}function S(){r.e(111) 7438)).then((t=>{let{setAPI:r}=t;r(e),(0,c.L)(e,"api")})).catch((()=>{(0,l.Z)("Downloading runtime A (0,c.L)(e,"api",!0)))return["actionText","setName","setAttribute","save","ignore","onEnd","getCo get"].forEach((e=>{E[e]=_(A,e,void 0,h?n.D.softNav:n.D.spa)})),g.setCurrentRouteName=h?_(A void 0,n.D.softNav):_(y,"routeName",!0,n.D.spa),g.noticeError=function(e,t){"string"==typeof e& (e)),(0,o.p)(f.xS,["API/noticeError/called"],void 0,n.D.metrics,v),(0,o.p)("err",[e,(0,s.z)(),!1,t],void (v)},d.il?(0,u.b2)((()=>S()),!0):S(),g}(e.agentIdentifier,x,e.runSoftNavOverSpa)),void 0===e.expos exposed=T),A=!0}},1926:(e,t,r)=>{r.nc=(()=>{try{return document?.currentScript?.nonce}catch(e $3325:(e,t,r)=>\{\text{"use strict"};r.d(t,\{D:()=>n,p:()=>i\});const n=\{ajax:\text{"ajax",jserrors:"jserrors",metrics:"}\}$ pageAction:"page_action",pageViewEvent:"page_view_event",pageViewTiming:"page_view_tim sessionReplay:"session_replay",sessionTrace:"session_trace",softNav:"soft_navigations",spa:"s pageViewEvent]:1,[n.pageViewTiming]:2,[n.metrics]:3,[n.jserrors]:4,[n.ajax]:5,[n.sessionTrace]:6 7,[n.spa]:8,[n.softNav]:9,[n.sessionReplay]:10}}},n={};function i(e){var t=n[e];if(void 0!==t)return t $o=n[e]=\{exports:\{\}\}; return\ r[e](o,o.exports,i), o.exports\} i.m=r, i.d=(e,t)=>\{for(var\ r\ in\ t)i.o(t,r)\&\&!i.o(t,r)\&\&$ $define Property (e,r, \{enumerable: !0, get: t[r]\})\}, i.f= \{\}, i.e= e= > Promise. all (Object. keys (i.f). reduce (((t,r), fine all the context of the cont$ [])),i.u=e=>({111:"nr-spa",164:"nr-spa-compressor",433:"nr-spa-recorder"}[e]+"-1.253.0.min.js"),i =>Object.prototype.hasOwnProperty.call(e,t),e={},t="NRBA-1.253.0.PROD:",i.l=(r,n,o,a)=>{if(e[r else{var s,c;if(void 0!==o)for(var u=document.getElementsByTagName("script"),d=0;d<u.length; if(l.getAttribute("src")==r||l.getAttribute("data-webpack")==t+o){s=l;break}}if(!s){c=!0;var f={111:": 9q9mF25YixUzOl0h6A+kYg30MKv1nk2a0Fx09kyCfgOxt8ksjOW

/9w2tJczXB75fpHty83UGhg16QZYqH5xGUA==",433:"sha512-

XC5+mpqQ2tnT7qrjy10Au+hbjKZi4K7pKsvdzhKOe

/fgoYKm7g9W52e22ufe22D4Fsb1Cq7JOEOPkUh+b8tcHA==",164:"sha512-

nLe65dhs+GISH+tKGdqn9vp9lbVkpOl4OifRjps2BSizmhkjfLxjYISHdBIgnzzk0wNwOFpTdheU81 (s=document.createElement("script")).charset="utf-8",s.timeout=120,i.nc&&s.setAttribute("nonce setAttribute("data-webpack",t+o),s.src=r,0!==s.src.indexOf(window.location.origin+"/")&&(s.cros anonymous"),f[a]&&(s.integrity=f[a])}e[r]=[n];var h=(t,n)=>{s.onerror=s.onload=null,clearTimeout (delete e[r],s.parentNode&&s.parentNode.removeChild(s),i&&i.forEach((e=>e(n))),t)return t(n)}, bind(null,void 0,{type:"timeout",target:s}),12e4);s.onerror=h.bind(null,s.onerror),s.onload=h.bind c&&document.head.appendChild(s)}},i.r=e=>{"undefined"!=typeof Symbol&&Symbol.toStringTa defineProperty(e,Symbol.toStringTag,{value:"Module"}),Object.defineProperty(e,"__esModule",{ https://js-agent.newrelic.com/",(()=>{var e={801:0,92:0};i.f.j=(t,r)=>{var n=i.o(e,t)?e[t]:void 0;if(0!= (n[2]); else $\{var o=new Promise(((r,i)=>n=e[t]=[r,i])\}$; r.push(n[2]=o); var a=i.p+i.u(t), s=new Error; i.l &&(0!==(n=e[t])&&(e[t]=void 0),n)){var o=r&&("load"===r.type?"missing":r.type),a=r&&r.target&8 message="Loading chunk "+t+" failed.\n("+o+": "+a+")",s.name="ChunkLoadError",s.type=o,s.re (s)}, "chunk-"+t,t)}; var t=(t,r)=>{var n,o,[a,s,c]=r,u=0;if(a.some((t=>0!==e[t]))){for(n in s)i.o(s,n)&t=0}} $c\&\&c(i)\} for(t\&\&t(r); u < a.length; u++)o = a[u], i.o(e,o)\&\&e[o]\&\&e[o][0](), e[o] = 0\}, r = self["webpackChurrengeneens of the context of t$ 1.253.0.PROD"]=self["webpackChunk:NRBA-1.253.0.PROD"]||[];r.forEach(t.bind(null,0)),r.push= $push.bind(r))\})(),(()=>\{"use\ strict"; i(1926); var\ e=i(50), t=i(7144), r=i(4938), n=i(4402), o=i(2177); clange (1926); var\ e=i(50), t=i(50), t=i(50),$ {agentIdentifier;observationContext=new r.v;constructor(){let e=arguments.length>0&&void 0!== arguments[0]:(0,n.ky)(16);this.agentIdentifier=e,o.ee.get(e).observationContext=this.observatior {for(var r=arguments.length,n=new Array(r>1?r-1:0),i=1;i<r;i++)n[i-1]=arguments[i];if("function"= api?.[t])return this.api[t](...n);(0,e.Z)("Call to agent api ".concat(t," failed. The API is not currently $add Page Action (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Page View Name (e,t) \{return\ this. \#t ("add Page Action",e,t)\} set Pag$ ("setPageViewName",e,t)}setCustomAttribute(e,t,r){return this.#t("setCustomAttribute",e,t,r)}noti {return this.#t("noticeError",e,t)}setUserId(e){return this.#t("setUserId",e)}setApplicationVersion(("setApplicationVersion",e))setErrorHandler(e){return this.#t("setErrorHandler",e)}finished(e){ret ("finished",e)}addRelease(e,t){return this.#t("addRelease",e,t)}start(e){return this.#t("start",e)}rec {return this.#t(t.Ef.RECORD)}pauseReplay(){return this.#t(t.Ef.PAUSE)}addToTrace(e){return th ("addToTrace",e)}setCurrentRouteName(e){return this.#t("setCurrentRouteName",e)}interaction ("interaction")}}var s=i(3325),c=i(234);const u=Object.values(s.D);var d=i(8862),l=i(8e3),f=i(5938) (385);const g=e=>p.il&&!0===(0,c.Mt)(e,"privacy.cookies_enabled");function m(e){return c.Yu.N (0,c.Mt)(e,"session_trace.enabled")}class v extends f.W{constructor(e,t,r){let n=!(arguments.lengthered)}. ==arguments[3])||arguments[3];super(e,t,r),this.auto=n,this.abortHandler=void 0,this.featAggreg onAggregateImported=void 0,!1===(0,c.Mt)(this.agentIdentifier,"".concat(this.featureName,".aut (this.auto=!1),this.auto&&(0,I.R)(e,r)}importAggregator(){let t,r=arguments.length>0&&void 0!==

arguments[0]:{};if(this.featAggregate)return;if(!this.auto)return void this.ee.on("".concat(this.featu in"),(()=>{(0,1.R)(this.agentIdentifier,this.featureName),this.auto=!0,this.importAggregator()}));this onAggregateImported=new Promise((e=>{t=e}));const n=async()=>{let n;try{if(g(this.agentIdenti {setupAgentSession:e}=await i.e(111).then(i.bind(i,1656)):n=e(this.agentIdentifier)}}catch(t){(0,e occurred when starting up session manager. This page will not start or extend any session.",t),tl featureName===s.D.sessionReplay&&this.abortHandler?.())try{if(!this.#r(this.featureName,n))re agentIdentifier,this.featureName),void t(!1);const{lazyFeatureLoader:e}=await i.e(111).then(i.bin {Aggregate:o}=await e(this.featureName,"aggregate");this.featAggregate=new o(this.agentIdent aggregator,r),t(!0)}catch(r){(0,e.Z)("Downloading and initializing ".concat(this.featureName," fails abortHandler?.(),(0,I.L)(this.agentIdentifier,this.featureName,I0),t(!1))};p.il?(0,h.b2)((()=>n()),I0):I {return e!==s.D.sessionReplay||(r=t,!(!m(this.agentIdentifier)||!r?.isNew&&!r?.state.sessionRepla var b=i(7633);class y extends v{static featureName=b.t;constructor(e,t){let r=!(arguments.length ==arguments[2])||arguments[2];super(e,t,b.t,r),this.importAggregator()}}var A=i(1117),x=i(1284); extends A.w{constructor(e){super(e),this.aggregatedData={}}store(e,t,r,n,i){var o=this.getBucket $metrics=function(e,t)\{return\ t||(t=\{count:0\}),t.count+=1,(0,x.D)(e,(function(e,r)\{t[e]=E(r,t[e])\})),t\}(n,t)\}$ merge(e,t,r,n,i){var o=this.getBucket(e,t,n,i);if(o.metrics){var a=o.metrics;a.count+=r.count,(0,x.[$t)(if("count"!==e)(var n=a[e],i=r[e];i&&!i.c?a[e]=E(i.t,n):a[e]=function(e,t)(return t?(t.c||(t=_(t.t)),t.n))$ min,t.min),t.max=Math.max(e.max,t.max),t.t+=e.t,t.sos+=e.sos,t.c+=e.c,t):e}(i,a[e])}}))}else o.me $storeMetric(e,t,r,n) \{var \ i=this.getBucket(e,t,r); return \ i.stats=E(n,i.stats), i\} getBucket(e,t,r,n) \{this.aqnatives \ i=this.getBucket(e,t,r), return \ i.stats=E(n,i.stats), i\} getBucket(e,t,r) \{this.aqnatives \ i=this.getBucket(e,t,r), return \ i=this.getBucket(e,t,r), retur$ [e]||(this.aggregatedData[e]={});var i=this.aggregatedData[e][t];return i||(i=this.aggregatedData[e {}},n&&(i.custom=n)),i}get(e,t){return t?this.aggregatedData[e]&&this.aggregatedData[e][t]:this.a [e]}take(e){for(var t={},r="",n=!1,i=0;i<e.length;i++)t[r=e[i]]=Object.values(this.aggregatedData[r]) length&&(n=!0),delete this.aggregatedData[r];return n?t:null}}function E(e,t){return null==e?func $e?e.c++:e=\{c:1\},e\}(t):t?(t.c||(t=_(t.t)),t.c+=1,t.t+=e,t.sos+=e*e,e>t.max&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<t.min&&(t.max=e),e<$ function _(e){return{t:e,min:e,max:e,sos:e*e,c:1}}var S=i(8632),T=i(4351),N=i(5546),O=i(7956),F (7894),I=i(9251);class C extends v{static featureName=I.t;constructor(e,t){let r=!(arguments.leng ==arguments[2])||arguments[2];super(e,t,l.t,r),p.il&&((0,O.N)((()=>(0,N.p)("docHidden",[(0,D.z)() ee)),!0),(0,R.bP)("pagehide",(()=>(0,N.p)("winPagehide",[(0,D.z)()],void~0,I.t,this.ee))),this.importunity (a.g., a.g., b.e., b.e.var j=i(3081);class P extends v{static featureName=j.t9;constructor(e,t){let r=!(arguments.length ==arguments[2])||arguments[2];super(e,t,j.t9,r),this.importAggregator()}}var k=i(6660);class M{cr n){this.name="UncaughtError",this.message=e,this.sourceURL=t,this.line=r,this.column=n}}clas {static featureName=k.t;#n=new Set;constructor(e,t){let r=!(arguments.length>2&&void 0!==argu ||arguments[2];super(e,t,k.t,r);try{this.removeOnAbort=new AbortController}catch(e){}this.ee.on(=>{this.abortHandler&&!this.#n.has(r)&&(this.#n.add(r),(0,N.p)("err",[this.#i(r),(0,D.z)()],void 0,s. ee))})),this.ee.on("internal-error",(e=>{this.abortHandler&&(0,N.p)("ierr",[this.#i(e),(0,D.z)(),!0],vc jserrors,this.ee)})),p._A.addEventListener("unhandledrejection",(e=>{this.abortHandler&&(0,N.p. (e),(0,D.z)(),!1,{unhandledPromiseRejection:1}],void 0,s.D.jserrors,this.ee)}),(0,R.m\$)(!1,this.ren signal)),p._A.addEventListener("error",(e=>{this.abortHandler&&(this.#n.has(e.error)?this.#n.de N.p)("err",[this.#a(e),(0,D.z)()],void 0,s.D.jserrors,this.ee))}),(0,R.m\$)(!1,this.removeOnAbort?.sig abortHandler=this.#s,this.importAggregator()}#s(){this.removeOnAbort?.abort(),this.#n.clear(),th abortHandler=void 0\#i(e){return e instanceof Error?e:void 0!==e?.message?new M(e.message sourceURL,e.lineno||e.line,e.colno||e.col):new M("string"==typeof e?e:(0,T.P)(e))}#o(e){let t="Ur Promise Rejection: ";if(e?.reason instanceof Error)try{return e.reason.message=t+e.reason.mes catch(t){return e.reason}if(void 0===e.reason)return new M(t);const r=this.#i(e.reason);return r.r message,r\#a(e)\fif(e.error instanceof SyntaxError&\!!\d+\\$/.test(e.error.stack\?.trim()))\fonst t=n message,e.filename,e.lineno,e.colno);return t.name=SyntaxError.name,t}return e.error instance new M(e.message,e.filename,e.lineno,e.colno)}}var L=i(2210);let z=1;function U(e){const t=type $object"!==t\&\&"function"!==t?-1:e===p._A?0:(0,L.X)(e,"nr@id",(function()\{return\ z++\}))\}function\ F(e,L.X)(e,"nr@id",(function()\{return\ z++\}))$ ==typeof e&&e.length)return e.length;if("object"==typeof e){if("undefined"!=typeof ArrayBuffer&& ArrayBuffer&&e.byteLength)return e.byteLength;if("undefined"!=typeof Blob&&e instanceof Blob return e.size;if(!("undefined"!=typeof FormData&e instanceof FormData))try{return(0,T.P)(e).le {return}}}var B=i(7806),q=i(7243);class G{constructor(e){this.agentIdentifier=e}generateTracePa shouldGenerateTrace(e))return null;var t=(0,c.DL)(this.agentIdentifier);if(!t)return null;var r=(t.ac toString()||null,i=(t.agentID||"").toString()||null,o=(t.trustKey||"").toString()||null;if(!r||!i)return null;va s=(0,n.Ht)(),u=Date.now(),d={spanId:a,traceId:s,timestamp:u};return(e.sameOrigin||this.isAllowe &&this.useTraceContextHeadersForCors())&&(d.traceContextParentHeader=this. generateTraceContextParentHeader(a,s),d.traceContextStateHeader=this.generateTraceConte (a,u,r,i,o)),(e.sameOrigin&&!this.excludeNewrelicHeader()||!e.sameOrigin&&this.isAllowedOrigir useNewrelicHeaderForCors())&&(d.newrelicHeader=this.generateTraceHeader(a,s,u,r,i,o)),d} generateTraceContextParentHeader(e,t){return"00-"+t+"-"+e+"-01"}generateTraceContextStatel return null;var a={v:[0,1],d:{ty:"Browser",ac:n,ap:i,id:e,tr:t,ti:r}};return o&&n!==o&&(a.d.tk=o),btoa shouldGenerateTrace(e){return this.isDtEnabled()&&this.isAllowedOrigin(e)}isAllowedOrigin(e){isAllowedOrigin(e)}

{return i+"@nr=0-1-"+r+"-"+n+"-"+e+"----"+t}generateTraceHeader(e,t,r,n,i,o){if("function"!=typec ((0,c.Mt)(this.agentIdentifier,"distributed_tracing")&&(r=(0,c.P_)(this.agentIdentifier).distributed_t sameOrigin)t=!0;else if(r.allowed_origins instanceof Array)for(var n=0;n<r.allowed_origins.length q.e)(r.allowed_origins[n]);if(e.hostname===i.hostname&&e.protocol===i.protocol&&e.port===i.p return t}isDtEnabled(){var e=(0,c.Mt)(this.agentIdentifier,"distributed_tracing");return!!e&&!!e.ena excludeNewrelicHeader(){var e=(0,c.Mt)(this.agentIdentifier,"distributed_tracing");return!!e&&!!e

exclude newrelic header luse Newrelic Header For Cors() {var e=(0,c.Mt)(this.agent Identifier," distributed tracing");return!!e&&!1!==e.cors use newrelic header}useTraceContextHeadersFo (0,c.Mt)(this.agentIdentifier,"distributed_tracing");return!!e&&!!e.cors_use_tracecontext_headers (7825),Z=["load","error","abort","timeout"],K=Z.length,W=c.Yu.REQ,X=c.Yu.XHR;class Y extend featureName=V.t;constructor(e,t){let r=!(arguments.length>2&&void 0!==arguments[2])||argume (e,t,V,t,r),(0,c,OP)(e).xhrWrappable){this.dt=new G(e),this.handler=(e,t,r,n)=>(0,N,p)(e,t,r,n,this.{xmlhttprequest:"xhr",fetch:"fetch",beacon:"beacon"};p._A?.performance?.getEntriesByType("re forEach((t=>{if(t.initiatorType in e&&0!==t.responseStatus){const r={status:t.responseStatus},n= transferSize,duration:Math.floor(t.duration),cbTime:0};\$(r,t.name),this.handler("xhr",[r,n,t.startTir responseEnd,e[t.initiatorType]],void 0,s.D.ajax)}}))}catch(e){}(0,B.u5)(this.ee),(0,B.Kf)(this.ee),fu {function i(e){var t=this.params,n=this.metrics;if(!this.ended){this.ended=!0;for(var i=0;i<K;i++)e. removeEventListener(Z[i],this.listener,!1);t.aborted||(n.duration=(0,D.z)()-this.startTime,this. loadCaptureCalled||4!==e.readyState?null==t.status&&(t.status=0):o(this,e),n.cbTime=this.cbTir this.startTime,this.endTime,"xhr"],this,s.D.ajax)))}function o(e,r){e.params.status=r.status;var n= {var r=e.responseType;return"json"===r&&null!==t?t:"arraybuffer"===r||"blob"===r||"json"===r?F text"===r||""===r||void 0===r?F(e.responseText):void 0}(r,e.lastSize);if(n&&(e.metrics.rxSize=n) {var i=r.getResponseHeader("X-NewRelic-App-Data");i&&((0,N.p)(j.mY,["Ajax/CrossApplication") /Seen"],void 0,s.D.metrics,t),e.params.cat=i.split(", ").pop())}e.loadCaptureCalled=!0}t.on("new-> {var t=this;t.totalCbs=0,t.called=0,t.cbTime=0,t.end=i,t.ended=!1,t.xhrGuids={},t.lastSize=null,t. loadCaptureCalled=!1,t.params=this.params||{},t.metrics=this.metrics||{},e.addEventListener("loadCaptureCalled=!1,t.params=this.params|| {o(t,e)}),(0,R.m\$)(!1)),p.IF||e.addEventListener("progress",(function(e){t.lastSize=e.loaded}),(0,R.m.) ("open-xhr-start",(function(e){this.params={method:e[0]},\$(this,e[1]),this.metrics={}})),t.on("open-(function(t,r){var i=(0,c.DL)(e);i.xpid&&this.sameOrigin&&r.setRequestHeader("X-NewRelic-ID",i generateTracePayload(this.parsedOrigin);if(o){var a=!1;o.newrelicHeader&&(r.setRequestHead newrelicHeader),a=!0),o.traceContextParentHeader&&(r.setRequestHeader("traceparent",o. traceContextParentHeader),o.traceContextStateHeader&r.setReguestHeader("tracestate",o. traceContextStateHeader),a=!0),a&&(this.dt=o)}})),t.on("send-xhr-start",(function(e,r){var n=this. o=this;if(n&&i){var a=F(i);a&&(n.txSize=a)}this.startTime=(0,D.z)(),this.body=i,this.listener=funct $\label{lem:condition} $$ $\{ abort"!==e.type | |o.loadCaptureCalled| | (o.params.aborted=!0), ("load"!==e.type | |o.called===o.tcled| | (o.params.aborted===o.tcled=$ onloadCalled||"function"!=typeof r.onload)&&"function"==typeof o.end)&&o.end(r)}catch(e){try{t.i error",[e])}catch(e){}}};for(var s=0;s<K;s++)r.addEventListener(Z[s],this.listener,(0,R.m\$)(!1))})),t time",(function(e,t,r){this.cbTime+=e,t?this.onloadCalled=!0:this.called+=1,this.called!==this.tota onloadCalled&&"function"==typeof r.onload||"function"!=typeof this.end||this.end(r)})),t.on("xhr-lc (function(e,t){var r=""+U(e)+!!t;this.xhrGuids&&!this.xhrGuids[r]&&(this.xhrGuids[r]=!0,this.totalC "xhr-load-removed",(function(e,t){var r=""+U(e)+!!t;this.xhrGuids&&this.xhrGuids[r]&&(delete thi)" this.totalCbs-=1)})),t.on("xhr-resolved",(function(){this.endTime=(0,D.z)()})),t.on("addEventLister (function(e,r){r instanceof X&&"load"===e[0]&&t.emit("xhr-load-added",[e[1],e[2]],r)})),t.on ("removeEventListener-end",(function(e,r){r instanceof X&&"load"===e[0]&&t.emit("xhr-load-rem [2]],r)})),t.on("fn-end",(function(e,r){this.xhrCbStart&&t.emit("xhr-cb-time",[(0,D.z)()-this.xhrCbSta r,r), t.on("fetch-before-start", (function(e){var t,r=e[1]||{};}if("string"==typeof e[0]?0===(t=e[0]).lei (t=""+p._A.location.href):e[0]&&e[0].url?t=e[0].url:p._A?.URL&&e[0]&&e[0]instanceof URL?t=e[0 ==typeof e[0].toString&&(t=e[0].toString()),"string"==typeof t&&0!==t.length){t&&(this.parsedOriç this.sameOrigin=this.parsedOrigin.sameOrigin);var i=n.generateTracePayload(this.parsedOrigir newrelicHeader||i.traceContextParentHeader))if(e[0]&&e[0].headers)s(e[0].headers,i)&&(this.dt= for(var a in r)o[a]=r[a];o.headers=new Headers(r.headers||{}),s(o.headers,i)&&(this.dt=i),e.length push(o)}}function s(e,t){var r=!1;return t.newrelicHeader&&(e.set("newrelic",t.newrelicHeader),r= traceContextParentHeader&&(e.set("traceparent",t.traceContextParentHeader),t.traceContextSi set("tracestate",t.traceContextStateHeader),r=!0),r}})),t.on("fetch-start",(function(e,t){this.params metrics={},this.startTime=(0,D.z)(),this.dt=t,e.length>=1&&(this.target=e[0]),e.length>=2&&(th n=this.opts||{},i=this.target;"string"==typeof i?r=i:"object"==typeof i&&i instanceof W?r=i.url:p._A object"==typeof i&&i instanceof URL&&(r=i.href),\$(this,r);var o=(""+(i&&i instanceof W&&i.methc GET")).toUpperCase();this.params.method=o,this.body=n.body,this.txSize=F(n.body)||0})),t.on((function(e,t,r){t instanceof X&&("onload"===r&&(this.onload=!0),("load"===(e[0]&&e[0].type)||th (this.xhrCbStart=(0,D.z)())))),t.on("fetch-done",(function(e,t){var n;this.endTime=(0,D.z)(),this.pa params={}),this.params.status=t?t.status:0,"string"==typeof this.rxSize&&this.rxSize.length>0&& rxSize);var i={txSize:this.txSize,rxSize:n,duration:(0,D.z)()-this.startTime};r("xhr",[this.params,i,tl this.endTime, "fetch"], this, s.D.ajax)})))(e, this.ee, this.handler, this.dt), this.importAggregator())}}fun r=(0,q.e)(t),n=e.params||e;n.hostname=r.hostname,n.port=r.port,n.protocol=r.protocol,n.host=r.h port,n.pathname=r.pathname,e.parsedOrigin=r,e.sameOrigin=r.sameOrigin}var J=i(3614);const {BST_RESOURCE:Q,RESOURCE:ee,START:te,END:re,FEATURE_NAME:ne,FN_END:ie,FN_ PUSH_STATE:ae}=J;var se=i(7056);class ce extends v{static featureName=t.t9;constructor(e,r) (arguments.length>2&&void 0!==arguments[2])||arguments[2];super(e,r,t.t9,i);try{n=JSON.parse getItem("".concat(se.Bq,"_").concat(se.K4)))}catch(e){}this.#c(n)?this.#u(n?.sessionReplayMode importAggregator()}#c(e){return e&&(e.sessionReplayMode===se.IK.FULL||e.sessionReplayMo ERROR)||function(e){return!0===(0,c.Mt)(e,"session_replay.preload")&&m(e)}(this.agentIdentific {const{Recorder:t}=await Promise.all([i.e(111),i.e(433)]).then(i.bind(i,4136));this.recorder=new t(agentIdentifier:this.agentIdentifier}),this.recorder.startRecording(),this.abortHandler=this.recorder stopRecording,this.importAggregator({recorder:this.recorder})}}var ue=i(7872),de=i(6216);class

{static featureName=de.t9;constructor(e,t){let r=!(arguments.length>2&&void 0!==arguments[2]) if(super(e,t,de.t9,r),!p.i|||!c.Yu.MO)return;const n=(0,B.QU)(this.ee),i=(0,B.em)(this.ee),o=()=>(0,B.QU)(this.ee),i=(0,B.em)(this.ee),o=()=>(0,B.QU)(this.ee),o=()=>(0,B.QU)(this.ee),o=()=>(0,B.QU)(this.ee),o=()=>(0,B.QU)(this.ee),o=()=(0,B.QU)(thi("newURL",[(0,D.z)(),""+window.location],void 0,this.featureName,this.ee);n.on("pushState-end" ("replaceState-end",o);try{this.removeOnAbort=new AbortController}catch(e){}(0,R.bP)("popstat ("newURL",[e.timeStamp,""+window.location],void 0,this.featureName,this.ee)),!0,this.removeOi let a=!1;const s=new c.Yu.MO(((e,t)=>{a||(a=!0,requestAnimationFrame((()=>{(0,N.p)("newDom void 0,this.featureName,this.ee),a=!1})))})),u=(0,ue.D)((e=>{(0,N.p)("newUIEvent",[e],void 0,this this.ee),s.observe(document.body,{attributes:!0,childList:!0,subtree:!0,characterData:!0})}),100,{ ("fn-start",(e=>{let[t]=e;de.sE.includes(t?.type)&&u(t)}));for(let e of de.sE)document.addEventLis {}));this.abortHandler=function(){this.removeOnAbort?.abort(),s.disconnect(),this.abortHandler= importAggregator({domObserver:s})}}var fe=i(7836);const{FEATURE_NAME:he,START:pe,ENI CB_END:ve,JS_TIME:be,FETCH:ye,FN_START:Ae,CB_START:xe,FN_END:we}=fe;var Ee=i(4 extends v{static featureName=Ee.t;constructor(e,t){let r=!(arguments.length>2&&void 0!==argur ||arguments[2];super(e,t,Ee.t,r),this.importAggregator()}}new class extends a{constructor(t,r){super(e,t,Ee.t,r),this.importAggregator()}} (this.sharedAggregator=new w({agentIdentifier:this.agentIdentifier}),this.features={},(0,S.h5)(this agentIdentifier,this),this.desiredFeatures=new Set(t.features||[]),this.desiredFeatures.add(y),this runSoftNavOverSpa=[...this.desiredFeatures].some((e=>e.featureName===s.D.softNav)),(0,d.j) loaderType||"agent"),this.run()):(0,e.Z)("Failed to initial the agent. Could not determine the runtir environment."))get config(){return{info:this.info,init:this.init,loader_config:this.loader_config,runting.config.education.co runtime}}run(){try{const t=function(e){const t={}};return u.forEach((r=>{t[r]=function(e,t){return!0=: s.p[t.featureName])),r.forEach((r=>{if(!t[r.featureName]&&r.featureName!==s.D.pageViewEvent) runSoftNavOverSpa&&r.featureName===s.D.spa)return;if(!this.runSoftNavOverSpa&&r.featurel softNav)return;const n=function(e){switch(e){case s.D.ajax:return[s.D.jserrors];case s.D.session D.ajax,s.D.pageViewEvent];case s.D.sessionReplay:return[s.D.sessionTrace];case s.D.pageVie [s.D.pageViewEvent];default:return[]}{(r.featureName);n.every((e=>e in this.features))||(0,e.Z)("" featureName," is enabled but one or more dependent features has not been initialized (").conca This may cause unintended consequences or missing data...")),this.features[r.featureName]=ne agentIdentifier,this.sharedAggregator)}))}catch(t){(0,e.Z)("Failed to initialize all enabled instrume (agent aborted) -",t);for(const e in this.features)this.features[e].abortHandler?.();const r=(0,S.fP) r.initializedAgents[this.agentIdentifier]?.api,delete r.initializedAgents[this.agentIdentifier]?.feature sharedAggregator,r.ee?.abort(),delete r.ee?.get(this.agentIdentifier),!1}}}{{features:[Y,y,C,class {static featureName=ne;constructor(e,t){if(super(e,t,ne,!(arguments.length>2&&void 0!==argume ||arguments[2]),!p.il)return;const r=this.ee;let n;(0,B.QU)(r),this.eventsEE=(0,B.em)(r),this.events (function(e,t){this.bstStart=(0,D.z)()})),this.eventsEE.on(ie,(function(e,t){(0,N.p)("bst",[e[0],t,this.k z)()],void 0,s.D.sessionTrace,r)})),r.on(ae+te,(function(e){this.time=(0,D.z)(),this.startPath=locati pathname+location.hash})),r.on(ae+re,(function(e){(0,N.p)("bstHist",[location.pathname+location startPath,this.time],void 0,s.D.sessionTrace,r)}));try{n=new PerformanceObserver((e=>{const t= (0,N.p)(Q,[t],void 0,s.D.sessionTrace,r)})),n.observe({type:ee,buffered:!0})}catch(e){}this.importA ({resourceObserver:n})}},ce,P,_e,H,le,class extends v{static featureName=he;constructor(e,t){if((arguments.length>2&&void 0!==arguments[2])||arguments[2]),!p.il)return;if(!(0,c.OP)(e).xhrWra try{this.removeOnAbort=new AbortController}catch(e){}let r,n=0;const i=this.ee.get("tracer"),o=(i a=(0,B.Lg)(this.ee),s=(0,B.BV)(this.ee),u=(0,B.Kf)(this.ee),d=this.ee.get("events"),l=(0,B.u5)(this.ee),d=this.ee.get("events"),l=(0,B.u5)(this.ee) (this.ee),h=(0,B.Gm)(this.ee);function g(e,t){f.emit("newURL",[""+window.location,t])}function m(r=window.location.hash,this[Ae]=(0,D.z)()}function v(){n--,window.location.hash!==r&&g(0,!0);va this[be]=~~this[be]+e-this[Ae],this[we]=e}function b(e,t){e.on(t,(function(){this[t]=(0,D.z)()}))}this. on(xe,m),o.on(xe,m),this.ee.on(we,v),a.on(ve,v),o.on(ve,v),this.ee.buffer([Ae,we,"xhr-resolved"], featureName),d.buffer([Ae],this.featureName),s.buffer(["setTimeout"+ge,"clearTimeout"+pe,Ae], feature Name), u.buffer ([Ae, "new-xhr", "send-xhr" + pe], this. feature Name), l.buffer ([ye+pe, ye+"-done with the period of the period ofye+me+ge],this.featureName),f.buffer(["newURL"],this.featureName),h.buffer([Ae],this.featureNa (["propagate",xe,ve,"executor-err","resolve"+pe],this.featureName),i.buffer([Ae,"no-"+Ae],this.featureName) buffer(["new-jsonp","cb-start","jsonp-error","jsonp-end"],this.featureName),b(l,ye+pe),b(l,ye+"-dc jsonp"),b(o,"jsonp-end"),b(o,"cb-start"),f.on("pushState-end",g),f.on("replaceState-end",g),windo addEventListener("hashchange",g,(0,R.m\$)(!0,this.removeOnAbort?.signal)),window.addEventL g,(0,R.m\$)(!0,this.removeOnAbort?.signal)),window.addEventListener("popstate",(function(){g(0 m\$)(!0,this.removeOnAbort?.signal)),this.abortHandler=this.#s,this.importAggregator()}#s(){this. removeOnAbort?.abort(),this.abortHandler=void 0}},loaderType:"spa"})})()})()</script>

Other Info	No links have been found while there are scripts, which is an indication that this is a modern we
Instances	2
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	
WASC Id	

Plugin Id

Informational	Re-examine Cache-control Directives
Description	The cache-control header has not been set properly or is missing, allowing the browser and procached.
URL	https://content-autofill.googleapis.com/v1/pages/ChRDaHJvbWUvMTIzLjAuNjMxMi44NxIgCVKnXAHvzHGsEgUNg6hbPRIFDc5BTHoh1gCmv3gVCEOaChIgCW6cTvWGnze4EgUNNDfTKxIFDdzkyiwh1mvoFQhDmgoSUQm05qxeQf5lthIFDalt=proto
Method	GET
Attack	
Evidence	private,max-age=604800
Other Info	
URL	https://content-autofill.googleapis.com/v1/pages/ChRDaHJvbWUvMTlzLjAuNjMxMi44NxlgCW6
Method	GET
Attack	
Evidence	private,max-age=604800
Other Info	
URL	https://content-autofill.googleapis.com/v1/pages/ChRDaHJvbWUvMTIzLjAuNjMxMi44NxInCV3idalt=proto
Method	GET
Attack	
Evidence	private,max-age=604800
Other Info	
URL	https://content-autofill.googleapis.com/v1/pages/ChRDaHJvbWUvMTlzLjAuNjMxMi44NxlZCdV6
Method	GET
Attack	
Evidence	private,max-age=604800
Other Info	
URL	https://content-autofill.googleapis.com/v1/pages/ChRDaHJvbWUvMTIzLjAuNjMxMi44NxJmCdghpfjbAUzPEgUNNDfTKxIFDdzkyiwSBQ0G7bvgVCEOaChJRCbTmrF5BmW2EgUNBu27xIFDQbtu8SBQ0G7bvEgUNBu27xIFDQbtu8SQ0G7bvEgUNBu27xIFDQbtu8SQ0G7bvEgUNBu27xIFDQbtu8SQ0G7bvEgUNBu27xIFDQbtu8SQ0G7bvEgUNBu27xIFDQbtu8SQ0G7bvEgUNBu27xI
Method	GET
Attack	
Evidence	private,max-age=604800
Other Info	
URL	https://content-autofill.googleapis.com/v1/pages/ChRDaHJvbWUvMTlzLjAuNjMxMi44NxJRCbT
Method	GET
Attack	
Evidence	private,max-age=604800
Other Info	

URL	https://optimizationguide-pa.googleapis.com/downloads?name=1673999601⌖=OPTIMIZA
Method	GET
Attack	
Evidence	public, max-age=86400
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=1679317318⌖=OPTIMIZA
Method	GET
Attack	
Evidence	public, max-age=86400
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=1689043206⌖=OPTIMIZA
Method	GET
Attack	
Evidence	public, max-age=86400
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=1691042511⌖=OPTIMIZA
Method	GET
Attack	
Evidence	public, max-age=86400
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=1696267841⌖=OPTIMIZA
Method	GET
Attack	
Evidence	public, max-age=86400
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=1709568188⌖=OPTIMIZA
Method	GET
Attack	
Evidence	public, max-age=86400
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=1709568210⌖=OPTIMIZA
Method	GET
Attack	
Evidence	public, max-age=86400
Other Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=1710169458⌖=OPTIMIZA
Method	GET

Attack	
Evidence	public, max-age=86400
Other	pasilo, max ago-outou
Info	
URL	https://optimizationguide-pa.googleapis.com/downloads?name=4⌖=OPTIMIZATION_TAR
Method	GET
Attack	
Evidence	public, max-age=86400
Other Info	
URL	https://bam.eu01.nr-data.net/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.253.0&22timing%22:%7B%22of%22:1711804733318,%22n%22:0,%22u%22:83,%22ue%22:95,%22f922dc%22:1046,%22l%22:1046,%22le%22:1049%7D,%22navigation%22:%7B%7D%7D&fcp=3
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.253.0&22timing%22:%7B%22of%22:1711804701564,%22n%22:0,%22f%22:23,%22dn%22:26,%22dn 1082,%22le%22:1097%7D,%22navigation%22:%7B%7D%7D&fcp=696
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v=1.253.0&22timing%22:%7B%22of%22:1711804561961,%22n%22:0,%22f%22:28,%22dn%22:28,%22dn 22:5546,%22le%22:5575%7D,%22navigation%22:%7B%7D%7D&fp=5182&fcp=5182
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f82e0ba&st=1711804701564&hr=0&fts=1711804701663&n=123&fsh=0
Method	POST
Attack	
Evidence	
Other Info	

URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f80d279&st=1711804561961&hr=0&fts=1711804562246&n=132&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f80d279&st=1711804561961&hr=0&fts=1711804567143&n=243&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f82e0ba&st=1711804701564&hr=0&fts=1711804713139&n=903&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f82e0ba&st=1711804701564&hr=0&fts=1711804702386&n=11&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f82e0ba&st=1711804701564&hr=0&fts=1711804733409&n=12&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f80d279&st=1711804561961&hr=0&fts=1711804588252&n=295&fsh=0
Method	POST
Attack	
Evidence	

Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f80d279&st=1711804561961&hr=0&fts=1711804598256&n=569&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f835c3d&st=1711804733318&hr=0&fts=1711804733439&n=88&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f835c3d&st=1711804733318&hr=0&fts=1711804738049&n=3&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f80d279&st=1711804561961&hr=0&fts=1711804608302&n=250&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f80d279&st=1711804561961&hr=0&fts=1711804618320&n=235&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f80d279&st=1711804561961&hr=0&fts=1711804563585&n=59&fsh=0
Method	POST

Attack	
Evidence	
Other Info	
URL	https://bam.eu01.nr-data.net/resources/1/NRJS-65820cd5fb121452e7b?a=538578264&sa=1&v018e8f80d279&st=1711804561961&hr=0&fts=1711804650762&n=14&fsh=0
Method	POST
Attack	
Evidence	
Other Info	
URL	https://spocs.getpocket.com/spocs
Method	POST
Attack	
Evidence	
Other Info	
Instances	36
Solution	For secure content, ensure the cache-control HTTP header is set with "no-cache, no-store, mus
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#webhttps://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Cache-Controlhttps://grayduck.mn/2021/09/13/cache-control-recommendations/
CWE Id	<u>525</u>
WASC Id	13
Plugin Id	<u>10015</u>
Informational	Retrieved from Cache

Informational	Retrieved from Cache
Description	The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.
URL	https://js-agent.newrelic.com/nr-spa-1.253.0.min.js
Method	GET
Attack	
Evidence	HIT
Other Info	
URL	https://fakeimg.pl/1430x810
Method	GET
Attack	
Evidence	Age: 10131
Other Info	The presence of the 'Age' header indicates that that a HTTP/1.1 compliant caching server is in use.
URL	https://fonts.gstatic.com/s/playfairdisplay/v37/nuFiD- vYSZviVYUb_rj3ijanPXDTzYgEM86xQ.woff2

Method	GET
Attack	
Evidence	Age: 226734
Other Info	The presence of the 'Age' header indicates that that a HTTP/1.1 compliant caching server is in use.
URL	https://fonts.gstatic.com/s/playfairdisplay/v37/nuFiD- vYSZviVYUb_rj3ij_anPXDTzYgEM86xQ.woff2
Method	GET
Attack	
Evidence	Age: 226775
Other Info	The presence of the 'Age' header indicates that that a HTTP/1.1 compliant caching server is in use.
URL	https://fonts.gstatic.com/s/playfairdisplay/v37/nuFiD- vYSZviVYUb_rj3ijanPXDTzYgEM86xQ.woff2
Method	GET
Attack	
Evidence	Age: 226910
Other Info	The presence of the 'Age' header indicates that that a HTTP/1.1 compliant caching server is in use.
Instances	5
	Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user: Cache-Control: no-cache, no-store, must-revalidate, private
Oalestian	
Solution	Pragma: no-cache
	Expires: 0
	This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.
Reference	https://tools.ietf.org/html/rfc7234 https://tools.ietf.org/html/rfc7231 https://www.rfc-editor.org/rfc/rfc9110.html
CWE Id	
WASC Id	
Plugin Id	10050

Informational	Session Management Response Identified
Description	The given response has been identified as containing a session management token. The 'Other
URL	http://localhost:8880/api/users/login
Method	POST
Attack	
Evidence	eyJhbGciOiJIUzI1NilsInR5cCl6lkpXVCJ9. eyJpZCl6NjAsInByb2ZpbGUiOlt7ImlkIjo1OSwidXNlcl9pZCl6NjAsImZ1bGxfbmFtZSl6lk1hcnNo\t6SKAZlnykdldHyppeRbWVX1XMtLNzRYUx5VgoOMXJc
Other Info	json:token
URL	http://localhost:8880/api/users/login

Method	POST
Attack	
Evidence	eyJhbGciOiJIUzI1NilsInR5cCl6lkpXVCJ9. eyJpZCl6NjEsInByb2ZpbGUiOlt7ImlkIjo2MCwidXNlcl9pZCl6NjEsImZ1bGxfbmFtZSl6lldpbGZyzukys0BZDpbrj9oQz56oWeB0Zzuzr1B09XX7sxQB0jwE
Other Info	json:token
URL	http://localhost:8880/api/users/login
Method	POST
Attack	
Evidence	eyJhbGciOiJIUzI1NilsInR5cCl6lkpXVCJ9. eyJpZCl6NjlsInByb2ZpbGUiOlt7Imlkljo2MSwidXNlcl9pZCl6NjlsImZ1bGxfbmFtZSl6lkNoYWQg0zfORegflkE5kxfV4MAS8CYS4oU5vuGAOZR90e8d-F-U
Other Info	json:token
URL	http://localhost:8880/api/users/login
Method	POST
Attack	
Evidence	eyJhbGciOiJIUzI1NilsInR5cCl6lkpXVCJ9. eyJpZCl6NjlsInByb2ZpbGUiOlt7Imlkljo2MSwidXNlcl9pZCl6NjlsImZ1bGxfbmFtZSl6lkNoYWQg0zfORegflkE5kxfV4MAS8CYS4oU5vuGAOZR90e8d-F-U
Other Info	json:token
Instances	4
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/session-mgmt-id
CWE Id	
WASC Id	
Plugin Id	<u>10112</u>

Informational	User Agent Fuzzer
Description	Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.
URL	http://localhost:8885/sitemap.xml
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://localhost:8885/sitemap.xml
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://localhost:8885/sitemap.xml

Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://localhost:8885/sitemap.xml
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://localhost:8885/sitemap.xml
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://localhost:8885/sitemap.xml
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://localhost:8885/sitemap.xml
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
Instances	7
Solution	
Reference	https://owasp.org/wstg
CWE Id	
WASC Id	
Plugin Id	<u>10104</u>