

STANDARD OPERATING PROCEDURE
ELI LILLY AND COMPANY
North American Logistics Operations

Security in and Access to Facilities, SSS, and CS Areas in North American Logistics Operations

USD-SOP-Facility SSS and CS Area Security-001

SUPERSEDES	001-001391
PURPOSE	To define the requirements for security and alarm responses. To provide traceable security of distribution facilities and specifically Lilly-designated Special Security Substances (SSS)/Controlled Substance (CS) area(s).
AREAS INVOLVED	North American Logistics Operations (NALO), and support areas
APPROVALS	Approval of this procedure requires the signature of: Management, NALO Operations Management, NALO Quality Assurance
REFERENCES	For corporate SSS and CS requirements, refer to the Global Auditing and Compliance (GQAAC) website: GQAAC - Home (lilly.com) Global Records Retention Schedule SEC-STD-200: Logistics Security: Warehousing and Trucking Overview Training LQS303, Controlled Substance and Lilly-Designated Special Security Substances LQP303-2, Controlled Substance and Lilly-Designated Special Security Substances Material Diversion Control Strategy GQAAC-PRD-124560-Authorization of Personnel to Handle Controlled Substances (US) CS-SOP-13757-ResponsetoCSStorageAlarmsandAfterHrsEntryUS, CS-FRM-13757-01-AfterHoursEntryForm USD-SOP-CS Inventory, Auth, and Access Control Review-165 USD-SOP-Regions Security and Fire Alarm Response-080 USD-SOP-Loading Temp Controlled Trucks-001 USD-SOP-Temp Reqmnts, Alarm Resp & Eval and MKT-001 USD-SOP-Deviation Mgmt-001 USD-SOP-Emergency Inventory Process-085 USD-SOP-Deleg of Approval-001

**REASONS FOR
REVISION**

All revisions are marked with an (*):

To add DSA and TSA to the Definitions and Acronyms section and update #1 and #2 in the General Rules section.

- Rationale: Clarification for Transportation Security Administration (TSA) requirements.
-

**DEFINITIONS
AND
ACRONYMS**

After-hours alarm: Alarms occurring outside the normal business hours.

Contracted Alarm Service: A contracted company that provides security system hardware and monitoring.

Controlled Substance (CS): Refer to the LQS Glossary.

CT: Connecticut

*Designated Screening Area (DSA)

Enfield Distribution Center (EDC)

Lilly-designated Special Security Substances (SSS): Refer to the LQS Glossary.

Opening/Closing: Process of keying an individual's pass code into the alarm system for an authorization check when opening or closing a secured area.

Plainfield Distribution Center (PDC)

*Transportation Security Administration (TSA)

INTRODUCTION

All areas of product distribution where drug products, packaging materials and/or semi-finished materials are stored maintain a security alarm system to detect unauthorized entry both during and after business hours and to limit entry to approved/authorized personnel. Control and documentation of employee access, visitor access, and after-hours access to distribution centers are required in accordance with the Global Quality Standards, Global Security Standards, and Lilly Quality Standards.

The PDC Escort Policy and the PDC Escort Site Access Request can be found on the NALO collaboration site under NALO Site Policies:

[\(NALO Home\)](#) - [Tools \(lilly.com\)](#)

Print attachments from the electronic document management system each time they are used. This will ensure correct versions are used.

Page numbers must be on all loose-leaf logs at the bottom of the log displaying the year and page number (for example, 2019-1, 2019-2).

**GENERAL
RULES**

1. *Purses/backpacks and personal coats/jackets/hoodies with pockets are not allowed in Designated Screening Areas (DSA). DSAs can include the entire warehouse including office spaces, Maintenance Shops, Controlled Substance Cages, Vaults, etc. All personal items must be kept in lockers.
2. *If there is a need for a coat or jacket to perform work activities, one will be provided by the company. Company-issued jackets/coats/coveralls/vests are not to be worn outside anytime during the workday (including breaks, lunch and misc.) unless performing specific job functions outside (e.g., Dock and Maintenance personnel).
3. Local area management/supervision must approve access for SSS areas. Employees must be authorized to handle controlled substance per GQAAC-PRD-124560.
4. Approval must be given to the site by the local DEA office to store non-controlled substance with controlled substance. Ensure proper documentation is in place prior to comingling for storage.
5. Unauthorized, unapproved, or untrained personnel must be escorted by approved/authorized personnel while in limited access areas.
6. The PDC warehouse area is classified as a Designated Screening Area (DSA). Access to the PDC warehouse area is exclusive. One must obtain special clearance prior to receiving access.
7. All unauthorized individuals must be escorted at all times throughout all warehouse areas. The escort cannot engage in any other duties during escorting.
8. Tour groups touring the warehouses cannot be greater than 10 individuals. The escort of the tour group cannot engage in any other duties during escorting. Escorts must maintain a visual line of sight on each person being escorted.
9. Master security access lists for each facility must be maintained. Access for all contractors to the external gates and entrance to each facility are to be reduced as approved by facility leadership; if access is required outside of these reduced hours, facility leadership will proactively provide a list to security personnel when contractors may have access.

Access lists are maintained within the security software, Genetec, a Lilly corporate security software that allows the site to grant and remove access. These lists must be accurate, current and reviewed at least quarterly by a member of management/supervision in accordance with SEC-STD-200. Lilly Global Security must be contacted for badge activation or deactivation.

Note: The ability to add and delete a badge in Genetec is managed at a corporate administrative level by Fire, Safety, and Security (FSS). No personnel at either center has administrative access.

Continued on next page

**GENERAL
RULES,
CONTINUED**

10. Security passwords and codes used by Eli Lilly employees and contractors must be changed annually (if codes are shared); otherwise, security passwords and codes are changed upon changes to personnel or anytime the passwords or codes are suspected of being compromised.
 11. PIT Security – Forklifts that do not have passcodes must have the key removed. The key must be secured in a locked cabinet or desk at the end of the shift.
 12. EDC Only Requirement: Anytime an employee enters the Enfield CS cage to pick or process orders, the employee must be accompanied by another CS authorized employee the entire time they are inside. These employees must ensure the door is closed and secured when they enter and/or leave the area. The alarm for these areas must be reactivated when the warehouse is secured. If a card reader is present, the employees must badge in and out of the area each time they pass the card reader. For maintenance activities, it is acceptable to have a lone CS authorized employee escort the Contractor / Technician. If they don't have card access, they must sign USD-SOP-Facility SSS and CS Area Security-001 Attachment D, Enfield CS Cage Access Entry Log per LQP303-2.

EDC Only: After-Hours work that requires the Enfield CS cage to be accessed requires the approval of Supervision/Management (or person with delegation of approval authority for Supervision/Management per USD-SOP-Deleg of Approval-001) prior to accessing the area. Refer to CS-SOP-13757 and CS-FRM-13757-01. **Note:** After hours entry is defined as overtime when the work is not an extension of a regular business day (e.g., a Saturday or when called back in after the workday is over).
 13. Trailer and Envirotainer Security Seals – Numbered trailer and envirotainer security seals must remain in a locked cabinet. Only remove seals when needed for a shipment and record the seal numbers according to USD-SOP-Loading Temp Controlled Trucks-001.
-

**FACILITY
SECURITY AND
FIRE
MONITORING**

NALO Management/Supervision follow these steps for the prevention of unauthorized entry or potential to remove product during trash removal into distribution facilities both during and after business hours.

Cameras and security monitoring devices (e.g., door/gate contacts, alarms, motion sensors) for controlled substance storage areas must be evaluated by security personnel and implemented based on risk.

Step	Action
1	Ensure that access to facilities where drug products are held is kept to a minimum.
2	Maintain adequate lighting at the building perimeter such that the security camera images are viewable by monitoring personnel.
3	Maintain a security alarm system to deter entry after hours and provide suitable protection against theft and diversion.
4	Protect against theft and diversion that is facilitated or hidden by tampering with computers or other electronic records.
5	Observe external trash removal from all areas where drug products, packaging materials and/or semi-finished materials are stored. Ensure any external trash pick-up areas are monitored by camera or inspected at the end of each business day to detect and deter theft.
6	Ensure that periodic testing of the security systems is completed. For the Plainfield Distribution Center Lilly Security department maintains the records of this testing. At the Enfield Distribution Center these records are retained on site.
7	Lilly Security monitors fire and security alarms and notifies police and/or fire department and the appropriate Lilly personnel. Note: At EDC, the security alarm system transmits fire and security alarms to the contracted alarm service that notifies the proper parties (police and/or fire department, and Lilly personnel).

**FACILITY
ACCESS – ALL
DISTRIBUTION
CENTERS**

Facility access is dependent upon multiple factors such as which portion of the facility the person is requesting access to (warehouse, office, grounds, etc.), the type of person requesting access (Lilly employee, contractor, visitor, etc.), and the badge/access status of the person.

Facility Access Matrices which detail the requirements for facility access are included in Attachment E (for PDC) and Attachment F (for EDC) within this procedure.

The following steps provide additional information about Facility Access.

Step	Action
1	Ensure that visitors or personnel without badges sign in (see USD-SOP-Facility SSS and CS Area Security-001 Attachment A, Visitor Log) upon entering as detailed in the Facility Access Matrices. A valid government or company ID is required to ensure person is entering their real name on the log. If the visitor is known to the escort, checking the visitor's ID is not necessary after the first visit. Ensure that personnel who were required to sign the facility access log upon entry sign out upon exit and return visitor badge if it was issued. If after hours entry is required, entry must be approved and authorized by NALO Management/Supervision and appropriate notifications to alarm service/security made. Note: All information on USD-SOP-Facility SSS and CS Area Security-001 Attachment A, Visitor Log is required, but different formats and layouts are allowed.
2	Trucks requiring access are required to have the following checked and recorded prior to being given access to the facility grounds: Verify identification of driver/s based on type of carrier: A. Small Package (i.e., UPS, FedEx, etc.) – Driver's license or Company identification B. Inbound Pharma (Lilly product) - Driver's license or Company identification C. Outbound Pharma (Lilly product)– Follow Pre-alert process which requires driver's license D. Non-Pharma - Driver's license or Company identification If a driving team is expected, both drivers must be with the truck and must comply with the verification requirements.

**DESIGNATED
SCREENING
AREAS (DSA)**

PDC is divided into three areas: Office area, Mechanical Rooms, and Warehouse Area. The Warehouse Area is classified as a Designated Screening Area (DSA).

The EDC CS cage and vault areas are classified as Designated Screening Areas (DSA).

Only authorized personnel are allowed unescorted admittance to Designated Screening Areas. An authorized person is an individual who has completed a successful Security Threat Assessment (STA). Contact the Facility Security Coordinator or the NALO Security Coordinator for additional information regarding STAs.

Note: Security officers are provided with a list of TSA-authorized individuals that are used for access purposes. It is the responsibility of the Facility Security Coordinator to keep this list current.

Step	Action										
1	Employee badges are to be worn at all times.										
2	Ensure that only authorized individuals enter the DSA. <table> <tr> <th>If</th><th>Then</th></tr> <tr> <td>Employee has a Lilly ID, Door is being held open (after break) for regular employees,</td><td>Be sure to scan the card reader to open the door. Be sure to scan the card reader to ensure green light appears on the card reader, indicating approved access.</td></tr> <tr> <td>Employee has a temporary ID,</td><td>Look for the unique marking on the ID that indicates approval to the DSA area</td></tr> <tr> <td>Employee's ID badge does not unlock the door or displays a red light on the card reader,</td><td>Do not let the individual into the DSA warehouse without an escort. Individual needs to be escorted at all times throughout the DSA.</td></tr> <tr> <td>Contract Maintenance Personnel,</td><td> If contractor does <u>not</u> have a Lilly ID badge they must be escorted. If contractor has a temporary badge stamped with unique identifier access can be granted during normal business hours. </td></tr> </table>	If	Then	Employee has a Lilly ID, Door is being held open (after break) for regular employees,	Be sure to scan the card reader to open the door. Be sure to scan the card reader to ensure green light appears on the card reader, indicating approved access.	Employee has a temporary ID,	Look for the unique marking on the ID that indicates approval to the DSA area	Employee's ID badge does not unlock the door or displays a red light on the card reader,	Do not let the individual into the DSA warehouse without an escort. Individual needs to be escorted at all times throughout the DSA.	Contract Maintenance Personnel,	If contractor does <u>not</u> have a Lilly ID badge they must be escorted. If contractor has a temporary badge stamped with unique identifier access can be granted during normal business hours.
If	Then										
Employee has a Lilly ID, Door is being held open (after break) for regular employees,	Be sure to scan the card reader to open the door. Be sure to scan the card reader to ensure green light appears on the card reader, indicating approved access.										
Employee has a temporary ID,	Look for the unique marking on the ID that indicates approval to the DSA area										
Employee's ID badge does not unlock the door or displays a red light on the card reader,	Do not let the individual into the DSA warehouse without an escort. Individual needs to be escorted at all times throughout the DSA.										
Contract Maintenance Personnel,	If contractor does <u>not</u> have a Lilly ID badge they must be escorted. If contractor has a temporary badge stamped with unique identifier access can be granted during normal business hours.										
3	Verify the card reader access at various entry points are appropriate. If not, grant or remove access to these various entry points as necessary. Ensure that only Approved and/or Authorized personnel have card access to SSS and CS areas. Note: Local area management/supervision determines which personnel has card reader access to the SSS areas. Note: Access is requested using MyAccess and proof of required training must be provided to the Security Coordinator or Genetec administrator for NALO. Note: SSS area is available for entry (or not) based on the green (or red) light indicator. In accordance with SEC-STD-200, this list of personnel is reviewed at least quarterly with the master security access list and the review is documented on the actual reports provided by the Genetec system. Note: Card access review to SSS and CS areas are required at minimum on a yearly basis in accordance with LQS303.										
4	Review the card access system generated reports for any irregularities or misuse (i.e., multiple unsuccessful attempts, false readings, disabled cards, any evidence of card sharing to allow unauthorized access). In accordance with SEC-STD-200, this system-generated report is reviewed quarterly, and the review is documented on the actual reports provided by the Genetec system.										

Continued on next page

**DESIGNATED
SCREENING
AREAS (DSA)**

Step	Action
5	Challenge any unfamiliar and unauthorized individuals observed in the DSA area. Ask the following challenge questions to the individual: - Show me your identification badge. - Did you complete an STA with the Facility Security Coordinator? - Who is the site's Facility Security Coordinator? - Where is your escort?
6	If an unauthorized individual is found unescorted in the DSA: a) Immediately escort the unauthorized individual to a supervisor, manager, or the Facility Security Coordinator. b) Report the situation to the Facility Security Coordinator c) Ensure cargo currently being screened is free of any unauthorized substances d) Search the DSA to ensure no unauthorized substances were introduced to the screened cargo. If unauthorized persons or devices are found during a search and cannot be resolved, contact the Facility Security Coordinator or the NALO Security Coordinator so that he/she can notify TSA.

**FACILITY
ACCESS –
ENFIELD**

The NALO Security Coordinator or Lead Security (M1) at Enfield follows the steps below for granting or removing card reader access in Genetec.

Note: Only keep active those employees that are a NALO resource or provide repeated support to the facility; otherwise remove access to Enfield.

Note: Corporate Security activates/deactivates badges.

Step	Grant or Remove Access
1	Log into Genetec.
2	Select the Cardholder Management icon.
3	Search for employee by entering their name in the “name” filter field.
4	Find their name in the list and select the modify icon. A new window will appear.
5	Select the “+” icon next to Cardholder Group to add access or the “X” icon to remove access.
6	Select the level of access needed then save changes.
	Note: Level of access at the respective centers will display for the supervisor/designated person of that center.

Step	Monthly Badge Access Review
1	Log into Genetec.
2	Select Security Desk tab at the top of the window.
3	Select Cardholder Configuration.
4	Select the advance search arrow on the left.
5	Select all the Enfield Cardholder group(s) to review, then click Generate Report. Right click on column headers and click on select columns to modify the columns to only show: Cardholder / First Name / Last Name / Picture / Cardholder groups. Delete all remaining columns.
6	Verify the card reader access granted is correct for those listed within that group. If not, complete the steps above as appropriate (i.e., activate or deactivate badge, grant, or remove access within the center).
7	Print, sign and file report with USD-SOP-Facility SSS and CS Area Security-001 Attachment G, Regional Distribution Center Card Access Review Form.

Step	Badge Scan Review
1	Log into Genetec.
2	Select Security Desk tab at the top of the window.
3	Select Door Activities icon.
4	In the left pane of the screen, select criteria to review (for example doors needing review, events, and time frame). Click Generate Report.
5	Right click on column headers and click on select columns to modify the columns to only display: Event / Door / Side / Event Timestamp / First name / Last name / Credential.
6	Review the system-generated card access reports at a minimum monthly for the CS cage and at a minimum quarterly for the rest of the product storage area. Check for any irregularities or misuse (i.e., multiple unsuccessful attempts, false readings, disabled cards, any evidence of card sharing to allow unauthorized access, etc.). Note: Per USD-SOP-CS Inventory, Auth, and Access Control Review-165, the Enfield CS cage access is reviewed monthly . Non-CS area quarterly access review requirement is in accordance with SEC-STD-200. Card access review for SSS and CS areas are required at minimum on a yearly basis in accordance with LQS303.

Continued on next page

**FACILITY
ACCESS – -
ENFIELD,
CONTINUED**

Step	Badge Scan Review
7	Initial and date USD-SOP-Facility SSS and CS Area Security-001 Attachment G, Regional Distribution Center Card Access Review Form. Use Good Documentation Practices to explain any blanks on the form. Due to the size of the file generated, reports are not printed for non-CS areas but are printed for the CS cage. File any printed reports and signed USD-SOP-Facility SSS and CS Area Security-001 Attachment G, Regional Distribution Center Card Access Review Form in GMP files.

**CONTRACTED
ALARM SERVICE
(ENFIELD)**

The contracted alarm service will:

Step	Action
1	Provide maintenance checks of each system as follows: • Intrusion System (including motion detectors): Annually • Surveillance System: Annually • Access Control System: Annually • Fire System: Monthly
2	Upon request, provide facility opening/closing logs to Lilly with dates/times persons responsible for each opening and closing of the facility.

**WAREHOUSE
MANAGEMENT
RESPONSIBILITIES**

Step	Action						
1	Warehouse management/supervision will: <table> <tr> <th>If</th><th>Then</th></tr> <tr> <td>EDC,</td><td> - Provide the contracted alarm service with a list of personnel who are authorized to open/close by area (i.e., warehouse or office) along with assigned level of access for each user. See USD-SOP-Facility SSS and CS Area Security-001 Attachment B, Authorization to Open/Close. - Maintain the initialed and dated facility opening/closing logs. - Update the Contracted Alarm Service call list and the emergency contact call list every time it changes. Verify that call list updates were made accurately. - Review the Contracted Alarm Service call list at least twice annually. Document this review and file in GMP library. - Review visitor log pages regularly to ensure the document is filled out completely. Observe for missing visitor badges. Initial and date pages and file in GMP library. </td></tr> <tr> <td>PDC,</td><td> - Provide Lilly Security with USD-SOP-Facility SSS and CS Area Security-001 Attachment C, NALO Personnel Call List for Engineering and Maintenance, PDC Operations, and PDC Quality Assurance. - Ensure Security visitor logs are reviewed at the security team meetings each week for completeness and notify hosts of incomplete fields, if necessary. </td></tr> </table> Note: All information on USD-SOP-Facility SSS and CS Area Security-001 Attachment B, Authorization to Open/Close and USD-SOP-Facility SSS and CS Area Security-001 Attachment C, NALO Personnel Call List is required, but different formats and layouts are allowed.	If	Then	EDC,	- Provide the contracted alarm service with a list of personnel who are authorized to open/close by area (i.e., warehouse or office) along with assigned level of access for each user. See USD-SOP-Facility SSS and CS Area Security-001 Attachment B, Authorization to Open/Close. - Maintain the initialed and dated facility opening/closing logs. - Update the Contracted Alarm Service call list and the emergency contact call list every time it changes. Verify that call list updates were made accurately. - Review the Contracted Alarm Service call list at least twice annually. Document this review and file in GMP library. - Review visitor log pages regularly to ensure the document is filled out completely. Observe for missing visitor badges. Initial and date pages and file in GMP library.	PDC,	- Provide Lilly Security with USD-SOP-Facility SSS and CS Area Security-001 Attachment C, NALO Personnel Call List for Engineering and Maintenance, PDC Operations, and PDC Quality Assurance. - Ensure Security visitor logs are reviewed at the security team meetings each week for completeness and notify hosts of incomplete fields, if necessary.
If	Then						
EDC,	- Provide the contracted alarm service with a list of personnel who are authorized to open/close by area (i.e., warehouse or office) along with assigned level of access for each user. See USD-SOP-Facility SSS and CS Area Security-001 Attachment B, Authorization to Open/Close. - Maintain the initialed and dated facility opening/closing logs. - Update the Contracted Alarm Service call list and the emergency contact call list every time it changes. Verify that call list updates were made accurately. - Review the Contracted Alarm Service call list at least twice annually. Document this review and file in GMP library. - Review visitor log pages regularly to ensure the document is filled out completely. Observe for missing visitor badges. Initial and date pages and file in GMP library.						
PDC,	- Provide Lilly Security with USD-SOP-Facility SSS and CS Area Security-001 Attachment C, NALO Personnel Call List for Engineering and Maintenance, PDC Operations, and PDC Quality Assurance. - Ensure Security visitor logs are reviewed at the security team meetings each week for completeness and notify hosts of incomplete fields, if necessary.						
2	Review the Open/Close by area list (USD-SOP-Facility SSS and CS Area Security-001 Attachment B, Authorization to Open/Close) and the NALO Personnel Call List (USD-SOP-Facility SSS and CS Area Security-001 Attachment C, NALO Personnel Call List) on at least quarterly basis for accuracy and update accordingly.						
3	Respond to alarms in accordance with USD-SOP-Regions Security and Fire Alarm Response-080. ENFIELD ONLY- Respond to alarms involving the CS cage in accordance with CS-SOP-13757.						

**LILLY
REPRESENTATIVE**

A designated representative from Lilly will:

Step	Action						
1	Determine: <table border="1"> <thead> <tr> <th>If</th><th>Then</th></tr> </thead> <tbody> <tr> <td>EDC,</td><td> - Respond to alarms per USD-SOP-Regions Security and Fire Alarm Response-080 and per CS-SOP-13757 for any alarms involving the CS cage. - DO NOT enter the facility until security has determined it is safe to enter as described in USD-SOP-Regions Security and Fire Alarm Response-080. - If temperature alarm, follow USD-SOP-Temp Reqmnts, Alarm Resp & Eval and MKT-001. </td></tr> <tr> <td>PDC,</td><td> - Immediately respond to investigate an alarm condition when called by the contracted security officer or Lilly Security including alarms during business hours and after hours. Note: If temperature alarm, follow USD-SOP-Temp Reqmnts, Alarm Resp & Eval and MKT-001. - If Police or Fire Department(s) are on-site, wait in parking lot for instructions from them. - For out-of-hours alarms, wait in parking area for Police or Fire department(s). Under their direction, investigate the facility accompanied by them. </td></tr> </tbody> </table>	If	Then	EDC,	- Respond to alarms per USD-SOP-Regions Security and Fire Alarm Response-080 and per CS-SOP-13757 for any alarms involving the CS cage. - DO NOT enter the facility until security has determined it is safe to enter as described in USD-SOP-Regions Security and Fire Alarm Response-080. - If temperature alarm, follow USD-SOP-Temp Reqmnts, Alarm Resp & Eval and MKT-001.	PDC,	- Immediately respond to investigate an alarm condition when called by the contracted security officer or Lilly Security including alarms during business hours and after hours. Note: If temperature alarm, follow USD-SOP-Temp Reqmnts, Alarm Resp & Eval and MKT-001. - If Police or Fire Department(s) are on-site, wait in parking lot for instructions from them. - For out-of-hours alarms, wait in parking area for Police or Fire department(s). Under their direction, investigate the facility accompanied by them.
If	Then						
EDC,	- Respond to alarms per USD-SOP-Regions Security and Fire Alarm Response-080 and per CS-SOP-13757 for any alarms involving the CS cage. - DO NOT enter the facility until security has determined it is safe to enter as described in USD-SOP-Regions Security and Fire Alarm Response-080. - If temperature alarm, follow USD-SOP-Temp Reqmnts, Alarm Resp & Eval and MKT-001.						
PDC,	- Immediately respond to investigate an alarm condition when called by the contracted security officer or Lilly Security including alarms during business hours and after hours. Note: If temperature alarm, follow USD-SOP-Temp Reqmnts, Alarm Resp & Eval and MKT-001. - If Police or Fire Department(s) are on-site, wait in parking lot for instructions from them. - For out-of-hours alarms, wait in parking area for Police or Fire department(s). Under their direction, investigate the facility accompanied by them.						
2	After the all clear has been given by security personnel, investigate for signs of tampering, forced entry, or possible theft. Notify the Center Management/Supervision, Corporate Security and Management of NALO Operations if any of these signs are noticed. If the SSS storage area is involved, the Supervision/Management responsible for that area must be notified immediately. If the CS storage area is involved, follow CS-SOP-13757. If the Designated Screening Area is involved, the Facility Security Coordinator and/or NALO Security Coordinator must be notified. Note: If alarm is false, clear the area and reset alarm. Notify the contracted alarm service/Lilly Security prior to resetting to determine status of system.						
3	Monitor the facility by one or a combination of the following: - Stay until resolved. If area can be re-secured, clear the area and reset the alarm. If area cannot be re-secured, determine if alternate secure storage is available and arrange to move the Lilly-Designated SSS to the alternate secure area. Document quantities transferred to the new storage location. - If the Designated Screening area is involved, a sweep will be conducted to ensure the area is secure. - Contact police to provide extra monitoring, when necessary. - Employ outside security agency, when necessary. - Contact Global Security for additional guidance, if necessary. - Notify the contracted alarm service when situation is cleared prior to resetting to determine status of system. - Reference USD-SOP-Deviation Mgmt-001 to determine if an event needs to be entered to document the issue.						
4	If appropriate, conduct a physical inventory to determine if product is missing and if so, how much. Notify Global Security, NALO QA and GQAAC Compliance/CS as soon as possible during normal business hours if product is missing. Reference USD-SOP-Emergency Inventory Process-085 for conducting the physical inventory after a theft or loss.						

**ACCESS TO SPECIAL
SECURITY SUBSTANCE /
CONTROLLED SUBSTANCE
AREAS**

Entries and exits of personnel into any Special Security Substance / Controlled Substance area at EDC and PDC are documented as follows:

Step	Action	
1	Determine:	
	IF	THEN
	SSS Approved or CS Authorized Individual with card reader access,	Enter cage using card reader. No log entry is required. EDC ONLY- When accessing the CS cage, there must be two (2) authorized personnel at minimum in the cage. Employees must badge out upon leaving the area.
	SSS Approved or CS Authorized Individual without card reader access,	Must be escorted. EDC ONLY - USD-SOP-Facility SSS and CS Area Security-001 Attachment D, Enfield CS Cage Access Entry Log must be completed.
	Not SSS Approved or CS Authorized Individual,	An SSS Approved or CS Authorized employee of the department must escort and observe any non-authorized individuals at all times while in the secure storage areas with limited access. Note: It is the responsibility of the SSS Approved or CS Authorized Individual who allows the non-authorized person entry into this secure storage area with limited access, to accompany the individual(s) and have them under their direct supervision. EDC ONLY - USD-SOP-Facility SSS and CS Area Security-001 Attachment D, Enfield CS Cage Access Entry Log must be completed.

**RECORD
RETENTION**

NALO personnel follow these steps to ensure record retention.

Step	Action
1	Ensure compliance with the Global Records Retention Schedule for all Attachments by filing them in the respective GMP Libraries/Files. Records must be readily retrievable for the past 2 years and 3 years for CS per CT requirement.

Host - Lilly employee or contractor that has badged access to PDC and can assume responsibility for the visiting person in areas where they have authorized access.

Type of Access Requested	Lilly Employee	Lilly Contract Employee (External person supervised by a Lilly Supervisor)	Non-Lilly Visitors	Contractor	Government Agencies (FDA, EPA, IDEM, TSA, DOT, OSHA, DEA, etc.)
Badged with card-reader access	Card reader controls access	Card reader controls access	Card reader controls access	Card reader controls access	N/A
Badged, without card-reader access - requesting office access	Security Officer contacts the host, who proceeds to front lobby or Security Station to request access for visitor. The host identifies themselves (by phone or in person) to Security and requests that the visitor be admitted. The host ensures that the visitor signs in and out on the facility visitor log, and wears a Lilly badge at all times. Once admitted, Lilly employees may be unescorted while in the office area.	Security Officer contacts the host, who proceeds to front lobby or Security Station to request access for visitor. The host identifies themselves (by phone or in person) to Security and requests that the visitor be admitted. The host ensures that the visitor signs in and out of the facility visitor log, and wears a Lilly issued badge at all times. Once admitted, Lilly contract employees may be unescorted while in the office area.	Security Officer contacts the host, who proceeds to front lobby or Security Station to request access for visitor. The host identifies themselves (by phone or in person) to Security and requests that the visitor be admitted. The person requesting access for the visitor will become their responsible host, and will ensure that the person signs in the facility visitor log, wears a visitor badge, is escorted by an authorized person, and signs out when leaving. Person must be escorted at all times, with the exception of restroom, where the escort can remain outside of restroom.	Security Officer contacts the host, who proceeds to front lobby or Security Station to request access for visitor. The host identifies themselves (by phone or in person) to Security and requests that the visitor be admitted. The person requesting access for the visitor will become their responsible host, and will ensure that the person signs in, wears a visitor badge, is escorted by an authorized person, and signs out when leaving. Person must be escorted at all times, with the exception of restroom, where the escort can remain outside of restroom.	N/A

Type of Access Requested	Lilly Employee	Lilly Contract Employee (External person supervised by a Lilly Supervisor)	Non-Lilly Visitors	Contractor	Government Agencies (FDA, EPA, IDEM, TSA, DOT, OSHA, DEA, etc.)
Badged, without card-reader access - requesting warehouse access	Security Officer contacts the host, who proceeds to front lobby or Security Station to request access for visitor. The host identifies themselves (by phone or in person) to Security and requests that the visitor be admitted. The host ensures that the visitor signs in and out of the facility, and wears a Lilly badge at all times. Once admitted, Lilly employees may be unescorted while in the office area. The host must escort at all times.	Security Officer contacts the host, who proceeds to front lobby or Security Station to request access for visitor. The host identifies themselves (by phone or in person) to Security and requests that the visitor be admitted. The host ensures that the visitor signs in and out of the facility, and wears a Lilly issued badge at all times. The host must escort at all times.	Security Officer contacts the host, who proceeds to front lobby or Security Station to request access for visitor. The host identifies themselves (by phone or in person) to Security and requests that the visitor be admitted. The person requesting access for the visitor will become their responsible host, and will ensure that the person signs in, wears a visitor badge, is escorted by an authorized person, and signs out when leaving. The host must escort at all times.	Security Officer contacts the host, who proceeds to front lobby or Security Station to request access for visitor. The host identifies themselves (by phone or in person) to Security and requests that the visitor be admitted. The person requesting access for the visitor will become their responsible host, and will ensure that the person signs in, wears a visitor badge, is escorted by an authorized person, and signs out when leaving. The host must escort at all times.	N/A

Type of Access Requested	Lilly Employee	Lilly Contract Employee (External person supervised by a Lilly Supervisor)	Non-Lilly Visitors	Contractor	Government Agencies (FDA, EPA, IDEM, TSA, DOT, OSHA, DEA, etc.)
Badged, with access, but forgot badge at home, during normal working hours	Employee calls Security Station from front lobby. If the Security Officer can positively identify employee via camera, the Security Officer can allow entry, and direct the employee to come immediately to the Security Station. The Security Officer prepares a temporary badge, logs the employees name in a sign in book, and stamps the badge if the person has passed an STA. If person cannot be identified on camera, they are requested to drive or walk to the Security Station for identification.	Contract employee calls Security Station from front lobby. If the Security Officer can positively identify contract employee via camera, the Security Officer can allow entry, and direct the employee to come immediately to the Security Station. The Security Officer prepares a temporary badge, logs the employees name in a sign in book, and stamps the badge if the person has passed an STA. If person cannot be identified on camera, they are requested to drive or walk to the Security Station for identification.	N/A	Person must report to Security Station. The Security Officer identifies person by appropriate means. If identifiable, the person is granted access according to verified locations privileges. The Security Officer prepares a temporary badge, logs the employees name in a sign in book, and stamps the badge if the person has passed an STA.	N/A

Type of Access Requested	Lilly Employee	Lilly Contract Employee (External person supervised by a Lilly Supervisor)	Non-Lilly Visitors	Contractor	Government Agencies (FDA, EPA, IDEM, TSA, DOT, OSHA, DEA, etc.)
Badged, but lost badge	Employee calls Security Station from front lobby. If the Security Officer can positively identify employee via camera, the Security Officer allows entry, and directs the employee to come immediately to the Security Station. The Security Officer prepares a temporary badge and logs the employee's name in a sign in book (and stamps the badge if the employee has passed STA for warehouse access). If person cannot be identified on camera, they are requested to drive or walk to the Security Station for identification. Security Officer must also call Global Security to have badge deactivated, and give employee instructions on how to obtain new badge.	Contract employee calls Security Station from front lobby or arrives at Security Station. If the Security Officer can positively identify employee, the Security Officer allows entry, and directs the contract employee to come immediately to the Security Station. The Security Officer prepares a temporary badge and logs the employee's name in a sign in book (and stamps the badge if the employee has passed STA for warehouse access). If person cannot be identified on camera, they are requested to drive or walk to the Security Station for identification. Security Officer must also call Global Security to have badge deactivated, and give contract employee instructions on how to obtain new badge.	N/A	Person must come to Security Station. The Security Officer identifies person by appropriate means. If it can be verified through continuum that the person has active status, the person is granted access. The Security Officer prepares a temporary badge and logs the person's name in a sign in book (and stamps the badge if the person has passed an STA). Security Officer must also call Global Security to have badge deactivated and give contractor instructions on how to obtain new badge. The contractor is also told to contact his/her immediate supervisor to explain the situation.	N/A

Type of Access Requested	Lilly Employee	Lilly Contract Employee (External person supervised by a Lilly Supervisor)	Non-Lilly Visitors	Contractor	Government Agencies (FDA, EPA, IDEM, TSA, DOT, OSHA, DEA, etc.)
Vehicle Access - person requesting east entrance drive-in access with vehicle. Note: Any vehicle entering/exiting PDC at the east entrance must be documented per the Plainfield Distribution Security Post Orders.	Parking is permitted on the South/East end of PDC near the guardhouse for the Security Guards and Supervisors/QA assigned within the Operations/QA warehouse office. This is limited to the available painted parking spaces on the South/East end of PDC near the guardhouse. Once the spaces are full no other cars are permitted. This pertains only to the above-mentioned groups. Employees in the Maintenance group may park on the North/East end of PDC next to the shops. Any other employee needing to park on the North/East end may park for a maximum of 2 hours. Both must have permission from the NALO Director or Engineering Manager. Parking is not permitted within 25 meters of the dock doors for any employee/contractor.	Contract Employees must have verbal or written permission from Manager or Director to have vehicle inside facility perimeter.	For access to the drive south of the patio area, Security or host escorts at all times.	Verbal or written approval must be given by a member of Engineering or Maintenance and is reserved only for people that need routine access to their vehicles for tools/parts or for short-durations to drop off or pick up tools/parts.	N/A

Type of Access Requested	Lilly Employee	Lilly Contract Employee (External person supervised by a Lilly Supervisor)	Non-Lilly Visitors	Contractor	Government Agencies (FDA, EPA, IDEM, TSA, DOT, OSHA, DEA, etc.)
Unbadged	N/A	N/A	Security Officer contacts the host, who proceeds to front lobby or Security Station to request access for visitor. The host identifies themselves (by phone or in person) to Security and requests that the visitor be admitted. The person requesting access for the visitor will become their responsible host, and will ensure that the person signs in, wears a visitor badge, is escorted by an authorized person at all times within the PDC facility, and signs out when leaving.	Security Officer contacts the host, who proceeds to front lobby or Security Station to request access for visitor. The host identifies themselves (by phone or in person) to Security and requests that the visitor be admitted. The person requesting access for the visitor will become their responsible host, and will ensure that the person signs in, wears a visitor badge, is escorted by an authorized person at all times within the PDC facility, and signs out when leaving.	PDC Security or host is to ensure that all government personnel present a government-issued identification. Contact appropriate PDC management to escort the government personnel per site contact list. The hosting PDC employee is to ensure that the visitor signs in and out of the facility, and wears visitor badge at all times. The visitor must be escorted at all times within the PDC facility.
Badged, requesting access to the exterior grounds only (groundskeepers, snow removal)	N/A	N/A	N/A	Sign each person in at Security Station, and then allow entry to grounds.	N/A

Type of Access Requested	Lilly Employee	Lilly Contractor Employee (External person supervised by a Lilly Supervisor)	Visitors
Badged with card reader access	Card reader controls access	Card reader controls access	Card reader controls access
Badged without card reader access	Security Officer contacts Regional DC supervision and confirms that Lilly employee is expected. If not, have site supervision meet employee at door to determine if access to the facility should be allowed. Security Officer meets employee at entrance, ensures they sign visitor log, and then as necessary escorts the employee to the regional DC contact. Once admitted, Lilly employees do not require an escort, but it may be required at the discretion of site supervision.	N/A - All regional DC Lilly contractors have badge access.	Security Officer contacts Regional DC supervision and confirms that the visitor is expected. If not, have site supervision meet the visitor at door to determine if access to the facility should be allowed. Security Officer meets visitor at entrance, ensures they sign visitor log, wears a visitor badge and then as necessary escorts the visitor to the regional DC contact or acts as the visitor escort. Once admitted, visitors require escort at all times while in the warehouse area. In the office area the visitor must be supervised but a full time escort is not required.

Type of Access Requested	Lilly Employee	Lilly Contractor Employee (External person supervised by a Lilly Supervisor)	Visitors
Badged but person doesn't have badge with them	Security Officer meets the employee at the entrance, ensures they sign visitor log, and escorts employee to site supervision. Site supervision will issue the employee a temporary badge that allows card access. Note: If badge is lost immediately contact site supervision so the badge can be deactivated and process to obtain a new badge can be started.	Security Officer meets the contractor at the entrance, ensures they sign visitor log, and escorts contract employee to site supervision. Site supervision will issue the contract employee a temporary badge that allows card access. Note: If badge is lost immediately contact site supervision so the badge can be deactivated and process to obtain a new badge can be started.	N/A
Unbadged	N/A - All Lilly employees have badges	N/A - All Lilly contract employees have badges	Security Officer contacts Regional DC supervision and confirms that the visitor is expected. If not, have site supervision meet employee at door to determine if access to the facility should be allowed. Security Officer meets visitor at entrance, ensures they sign visitor log, issues visitor a visitor badge, and then as necessary escorts the visitor to the regional DC contact or acts as the visitor escort. Once admitted, visitors require escort at all times while in the warehouse area. In the office area the visitor must be supervised but a full time escort is not required.

Type of Access Requested	Lilly Employee	Lilly Contractor Employee (External person supervised by a Lilly Supervisor)	Visitors
Personal Vehicle Access to the dock areas	Any need for an employee to park near the dock must be approved by the facility Management. Parking is not permitted within 25 meters of the dock doors.		

Document Approval Signatures

Approved Date: 26 Aug 2025

Approval Verdict: Approve	Sabry Samuel (C039290@lilly.com) Quality Approver 20-Aug-2025 20:10:11 GMT+0000
Approval Verdict: Approve	Brandon Bowler (L004253@lilly.com) Approver 26-Aug-2025 20:47:44 GMT+0000
Reviewer / Approver Additional Details	N/A