
snyk Vulnerability DB

Snyk Vulnerability Database > npm > node-prompt-here

Command Injection

Affecting node-prompt-here package, versions *



PoC


process.env.NM_CLI = 'echo vulnerable > create.txt & nmcli'; var root = require("network-manager"); root.getDevices();

argument of function execSync(), which can be controlled by users without any sanitization.

 ${\tt linux/manager.js}\ , which is required by the \ {\tt index.}\ process.env. {\tt NM_CLI}\ in the file\ "linux/manager.js"\ . This function is used to construct the$

References

Vulnerable Code



Q Search by package name or CVE

PRODUCT

Snyk Open Source

Snyk Code

Snyk Container

Snyk Infrastructure as Code

Test with Github

Test with CLI

RESOURCES

Vulnerability DB

Documentation

Disclosed Vulnerabilities

Blog

FAQs

COMPANY

About

Jobs

Contact

Do Not Sell My Personal Information

CONTACT US

Support

Report a new vuln

Press Kit

Events

FIND US ONLINE

TRACK OUR DEVELOPMENT





© 2022 Snyk Limited

Registered in England and Wales. Company number: 09677925

Registered address: Highlands House, Basingstoke Road, Spencers Wood, Reading, Berkshire, RG7 1NT.