huntr

Cross-site Scripting (XSS) - Stored in livehelperchat/livehelperchat

0



Reported on Jan 26th 2022

Description

Stored XSS is found in Settings>Live help configuration>Departments->Departments groups->edit When a user creates a new webhook under the NAME field and puts a payload {{constructor.constructor('alert(1)')()}}, the input gets stored, at user edit groupname, the payload gets executed.

Proof of Concept

https://drive.google.com/file/d/1V2dbaOS_h5HCab-C0KUaXOmaurZABVeE/view?usp=sharing

Impact

Through this vulnerability, an attacker is capable to execute malicious scripts.

References

lovecppp

CVE

CVE-2022-0387 (Published)

Vulnerability Type

CWE-79: Cross-site Scripting (XSS) - Stored

Severity

Medium (6.3)

Visibility

Public

Chat with us

F	0	u	n	d	bv
	$\overline{}$	\smile		\smile	~ y



This report was seen 327 times.

We are processing your report and will contact the **livehelperchat** team within 24 hours. 10 months ago

Remigijus Kiminas validated this vulnerability 10 months ago

LoveCpp has been awarded the disclosure bounty 🗸

The fix bounty is now up for grabs

Remigijus Kiminas marked this as fixed in 3.93v with commit ff70c7 10 months ago

The fix bounty has been dropped x

This vulnerability will not receive a CVE x

Sign in to join this conversation

2022 @ /18500

huntr

part of 418sec

home

company

Chat with us

hacktivity about leaderboard team
FAQ contact us

terms