

# Cross-site Scripting (XSS) - Stored in livehelperchat/livehelperchat

0



Valid


Reported on Jan 17th 2022

## Description

Stored XSS is found in Settings>Live help configuration>Incoming Webhooks. When a user creates a new webhook under the NAME field and puts a payload **{{constructor.constructor('alert(1'))()}}**, the input gets stored, and every time the user visits, the payload gets executed.

## Proof of Concept

Inline-style:



## Impact

Through this vulnerability, an attacker is capable to execute malicious scripts

Chat with us

CVE

CVE-2022-0253

(Published)

### Vulnerability Type

CWE-79: Cross-site Scripting (XSS) - Stored

### Severity

High (7.1)

### Visibility

Public

### Status

Fixed

### Found by



shubh123-tri

@shubh123-tri

unranked ▼

This report was seen 311 times.

We are processing your report and will contact the **livehelperchat** team within 24 hours.

10 months ago

Remigijus Kiminas validated this vulnerability 10 months ago

shubh123-tri has been awarded the disclosure bounty ✓

The fix bounty is now up for grabs

Remigijus Kiminas marked this as fixed with commit 407d0b 10 months ago

The fix bounty has been dropped ✗

This vulnerability will not receive a CVE ✗

Sign in to join this conversation

Chat with us

## huntr

[home](#)

[hacktivity](#)

[leaderboard](#)

[FAQ](#)

[contact us](#)

[terms](#)

[privacy policy](#)

## part of 418sec

[company](#)

[about](#)

[team](#)

[Chat with us](#)