⟨> Code ○ Issues 118 11 Pull requests 5 ○ Actions ☐ Projects ☐ Wiki

New issue Jump to bottom

A Segmentation fault in xpdf/Stream.cc:598 #98

#67 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253

⊙ Open seviezhou opened this issue on Jul 31, 2020 · 0 comments seviezhou commented on Jul 31, 2020 • edited 🕶 System info Ubuntu X64, gcc (Ubuntu 5.5.0-12ubuntu1), pdf2swf (latest master fad6c2) Command line ./pdf2swf -qq -z -o /dev/null ./stack-overflow-Stream-598 Output Segmentation fault (core dumped) AddressSanitizer output ASAN: STGSEGV ==34903==ERROR: AddressSanitizer: stack-overflow on address 0x7fff90f8fff8 (pc 0x7fbe969a553e bp 0x7fff90f90860 sp 0x7fff90f90000 T0) #0 0x7fbe969a553d in operator new(unsigned long) (/usr/lib/x86_64-linux-gnu/libasan.so.2+0x9953d)
#1 0x5561d4fe12ce in FileStream::makeSubStream(unsigned int, int, unsigned int, Object*) xpdf/Stream.cc:598 #2 0x5561d50328b6 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:810 #2 0x5561d5932doo in XMer:TetCin(int, int, Object*) xpdf/Object.h:253
#4 0x5561d5930df in Object*:dictLookup(char*, Object*) xpdf/Object.h:253
#4 0x5561d5930df in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#5 0x5561d5932de0 in XMer:TetCin(int, Object*) unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#6 0x5561d5932e0 in XMer:TetCin(int, int, Object*) xpdf/XMer.cc:824
#7 0x5561d5939ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253 #8 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156 #9 0x5561d503bdd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94 #10 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#11 0x5561d5039ddf in Object::dictlookup(char*, Object*) xpdf/Object.h:253
#12 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156 #13 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94 #13 0x5561d5932ee0 in XRef::feth(int, int, Object*) xpdf/XRef.cc:824
#15 0x5561d5932ee0 in XRef::retunk(int, int, Object*) xpdf/XRef.cc:824
#16 0x5561d5939ddf in Object::dictLookup(chan*, Object*) xpdf/Object.h:253
#16 0x5561d5939ddf in Parser::makeStream(Object*, unsigned chan*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#17 0x5561d5932bdd in Parser::getObj(Object*, unsigned chan*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#18 0x5561d5932ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824 #19 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#20 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156 #21 0x5561d593bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#22 0x5561d593bed5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#23 0x5561d593ed0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#23 0x5561d593bdd in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#24 0x5561d593bdd in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94
#25 0x5561d593bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94 #26 0x5561d5932ee0 in RRef::fetch(int, int, Object*) xpdf/RRef.cc:824
#27 0x5561d5932ee0 in RRef::fetch(int, int, Object*) xpdf/RRef.cc:824
#27 0x5561d5939ddf in Object::dictLookup(chan*, Object*) xpdf/Object.h:253
#28 0x5561d5930ddf in Parser::makeStream(Object*, unsigned chan*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#29 0x5561d593bdd in Parser::getObj(Object*, unsigned chan*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94 #30 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#31 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253 #32 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156 #33 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94 #34 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824 #35 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#36 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156 #37 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94 #38 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824 #39 0x5561d8939ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#40 0x5561d8939ddf in Parser::makeStream(Object*) xpdf/Object.h:253
#40 0x5561d8939ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#41 0x5561d893bdbd in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#42 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824 #43 0x5561d5039ddf in Object::dictlookup(char*, Object*) xpdf/Object.h:253 #44 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156 #45 0x5561d503bbd5 in Parser::get0bj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94 #46 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824 #47 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253 #48 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156 #49 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94 #50 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#51 0x5561d5032e00 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#52 0x5561d5039ddf in Object::dictiookup(char*, Object*) xpdf/Object.h:253
#52 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156 #53 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94 #54 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824 #55 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253 #56 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156 #57 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94 #58 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824 #59 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253 #60 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156 #61 0x5561d93bdd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#62 0x5561d5932ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#63 0x5561d5939ddf in Object::dictlookup(char*, Object*) xpdf/Object.h:253
#64 0x5561d5930ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#65 0x5561d593bdd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94 #66 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824

```
#68 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#69 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94 #70 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824 #71 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#72 0x5561d9939ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#73 0x5561d993bdd in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#74 0x5561d993e2eel in XRef::fetCh(int, int, Object*) xpdf/Parser.cc:244
#75 0x5561d993ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
 #76 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#77 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94 #78 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#79 0x5561d5930ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#80 0x5561d5930ddf in Parser::makeStream(Object*) xpdf/Object.h:253
#81 0x5561d5930ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#81 0x5561d5932ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#83 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253 #84 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#85 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#86 0x5561d503bdd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#87 0x5561d5039ddf in Object::dictlookup(char*, Object*) xpdf/Object.h:253
#88 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#89 0x5561d503bdd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#90 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#91 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#92 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#93 0x5561d503bdd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#94 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
 #95 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#96 0x5561d50390df in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#97 0x5561d5030def in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#98 0x5561d50302e00 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#99 0x5561d50302e00 in Object::dicttOokup(char*, Object*) xpdf/XDef.cc:323
#100 0x5561d50309ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#101 0x556id503bbd5 in Parser::get0bj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94 #102 0x556id5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#180 8x5561d6939ddf in Object::ddtclookup(char*, Object*) xpdr/Object.h:253
#104 0x5561d5039ddf in Parser::getDbj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#106 0x5561d5039ddf in Parser::getDbj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#106 0x5561d5032ded in XMer::fetChf(int, int, Object*) xpdf/Kef.cc:824
#107 0x5561d5039ddf in Object::dictlookup(char*, Object*) xpdf/Object.h:253
##808 0x555dif58930ddf in Parser::makeStream(Object*, unsigned char*, Crypthlgorithm, int, int) xpdf/Parser.cc:156
##109 0x555dif5893bdf in Parser::getDbj(Object*, unsigned char*, Crypthlgorithm, int, int) xpdf/Parser.cc:94
##110 0x555dif5892ded in XPdf::fetCh(int, int, Object*) xpdf/KRef.cc:824
##11 0x556d5893ddf in Object::dictLookup(char*, Object*) xpdf/KPdf
#110 #X5561d5839ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#113 #X5561d583bd5 in Parser::getDbj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#114 #X5561d583bd5 in Parser::getDbj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#114 #X5561d583bd6 in Aprice the thing the
#117 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94 #118 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
 #119 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#120 #X55616939ddf in Parser::maketkorkup(min , object ) xpdr/object.html.
#120 #X55616939ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#121 0x5561d5030bd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94
#122 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#123 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253 #124 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#125 0x556id503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#126 0x556id5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#127 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#128 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#129 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94
 #130 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824 #131 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
 #132 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
 #133 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94
#134 0x5561d5032e00 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#135 0x5561d5039ddf in Object::dictlookup(char*, Object*) xpdf/Object.h:253
 #136 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#137 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94
#138 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#139 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#140 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#141 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94 #142 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#148 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#149 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#150 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#151 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
 #152 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#153 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94
 #154 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824 #155 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#156 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156 #157 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94 #158 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
 #159 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#160 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156 #161 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94 #162 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#163 0x5561d5039ddf in Object::dictlookup(char*, Object*) xpdf/Object.h:253 #164 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#165 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94 #166 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#167 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#168 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#169 0x5561d503bdd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94
 #170 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#171 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#170 &XX5616939ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#173 &XX561693bdd5 in Parser::getDbj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#174 &XX5616932ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#175 &XX5616939ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
 #176 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#177 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94
#178 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#179 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#180 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
```

```
#181 0x5561d503bbd5 in Parser::get0bj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94
#182 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#183 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#184 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#185 0x556id503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94 #186 0x556id5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#187 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#188 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#189 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#190 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824 #191 0x5561d5039ddf in Object::dictlookup(char*, Object*) xpdf/Object.h:253
##191 8x556id9893ddf in Object::dictLookup(char*, Object*) xpdf/Object.n:253
##192 8x556id5893bddf in Object:*parsen::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
##193 8x556id583bd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
##194 8x556id5832dde in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
##195 8x556id5839ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
##196 8x556id583bd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
##197 8x556id583bd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
##198 &%5561d5932ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
##199 &%5561d5932ee0 in XRef::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
##200 &%5561d5939ddf in Object*:makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
##201 &%5561d593bdd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
##202 &%5561d5932ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#203 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253 #204 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#205 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, xpdf/Parser.cc:94 #206 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
 #207 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
 #208 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#209 0x5561d503bd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#210 0x5561d5032de0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#211 0x5561d5039ddf in Object::dittLookup(char*, Object*) xpdf/Object.h:253
#212 0x5561d5039ddf in Parser::maketream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#213 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94
 #214 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#215 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#210 @X5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#217 @X5561d503bd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#218 @X5561d503bd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#218 @X5561d5039ddf in Object*:dictCokup(char*, Object*) xpdf/XRef.cc:824
#219 @X5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#221 0x556id503bd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#222 0x556id503bd6 in Parser::getCbj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#223 0x556id5032de0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#223 0x556id5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#225 0x556id503bbd5 in Parser::get0bj(0bject*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94 #226 0x556id5032ee0 in XRef::fetch(int, int, 0bject*) xpdf/XRef.cc:824
#227 0x5561d5039ddf in Object::dictlookup(char*, Object*) xpdf/Object.h:253
#228 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#229 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#230 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.c:824
#231 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#231 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.hr:253
#230 0x5561d5039bdf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#233 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#234 0x5561d5032de0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#235 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.hz253
#236 0x5561d503bdd5 in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#237 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#238 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824 #239 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#240 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156 #241 0x5561d503bd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94 #242 0x5561d5032e00 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
 #243 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#244 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#245 0x556id503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94 #246 0x556id5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#247 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253 #248 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
 #249 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, xpdf/Parser.cc:94 #250 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#251 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#252 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
#253 0x5561d503bdd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#254 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#255 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
 #256 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#259 0x556id5939ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#258 0x556id5932de0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#259 0x556id5939ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#260 0x556id5939ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
 #261 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94
 #262 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#263 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
 #264 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
 #265 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94 #266 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
 #267 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#268 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
 #269 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94
 #270 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
 #271 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
 #272 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#278 &X5561d593bdd5 in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#273 &X5561d593bdd5 in Parser:igetObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#274 &X5561d5932de0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#275 &X5561d5939ddf in Object*:dictLookup(char*, Object*) xpdf/Object.h:253
#276 &X5561d593bdd5 in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94
#277 &X5561d593bdd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94
#278 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#279 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#280 0x5561d5039ddf in Parsen::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parsen.cc:156
#281 0x5561d503bd5 in Parsen::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parsen.cc:94
#282 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
 #283 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253
#284 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
#285 0x556id503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94

#286 0x556id5032e00 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824

#287 0x556id5033e00 in Object::dictLookup(char*, Object*) xpdf/Object.h:253
 #288 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156
 #289 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, xpdf/Parser.cc:94 #290 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824
#291 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253 #292 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156
```

#293 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:94

	#294 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824	
	#295 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253	
	#296 @x5561d50399ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156	
	#297 0x555id593bd55 in Parser::getDbj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94	
	#298 0855616932ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824 #299 0855616939df in Object*) dybject*) ypdf/XRef.cc:825	
	#300 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156	
	#301 0x5561d503bbd5 in Parser::get0bj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94	
	#302 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824	
	#303 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253 #304 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156	
	#308 #355(4893bbd5 in Parser::get0bj(0bject*, unsigned char*, Cryptalgorithm, int, int, int) xpdf/Parser.cc:94	
	#306 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824	
	#307 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253	
	#308 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int, int) xpdf/Parser.cc:156	
	#309 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94 #310 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824	
	#311 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253	
	#312 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156	
	#313 0x5561d503bbd5 in Parser::get0bj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94	
	#314 %X5561d5032ee0 in XRef::Fetch(int, int, Object*) xpdf/XRef.cc:824	
	#315 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253 #316 0x5561d5039ddf in Parsen::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parsen.cc:156	
	##310 ANSOLOGOBOROUM In an arrange to the control of the control o	
	#318 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824	
	#319 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253	
	#320 0x556163930df in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156	
	#321 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94 #322 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824	
	#323 0x5561d50393ddf in Object::dictLookup(cha*, Object*) xpdf/Object.h:253	
	#324 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156	
	#325 0x5561d503bbd5 in Parser::get0bj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94	
	#326 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824 #327 0x5561d5039ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253	
	### ### ##############################	
	#329 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94	
	#330 0x5561d5032ee0 in XRef::fetch(int, int, Object*) xpdf/XRef.cc:824	
	#331 0x5561d50399ddf in Object::dictLookup(char*, Object*) xpdf/Object.h:253	
	#332 0x5561d5039ddf in Parser::makeStream(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:156 #333 0x5561d503bbd5 in Parser::getObj(Object*, unsigned char*, CryptAlgorithm, int, int) xpdf/Parser.cc:94	
	#334 #XX5645932ee0 in XARE::fetch(int, int, 0)ipx/XREf.cc:824	
	MARY: AddressSanitizer: stack-overflow ??:0 operator new(unsigned long)	
	4983=ABORTING	
PC	•	
cta	overflow-Stream-598.zip	
510	occinion Steam State	
0	seviezhou changed the title A stack overflow in xpdf/Stream.cc.598 A Segmentation fault in xpdf/Stream.cc.598 on Jul 31, 2020	
C 3	Cyjark mentioned this issue on Jul 3	
~	•	
	ug report swftools-pdf2swf #184	
	⊙open)	

Assignees No one assigned

Labels

None yet

Projects None yet

Milestone

No milestone

Development

No branches or pull requests

1 participant

