



File upload causes getshell in Windows System

Done #118MGD Task c0d1M4x Opened this issue 2020-11-18

Test environment

OS: windows

ERMEB version: 3.1.0+

download time: 2020/11/18

Code analysis

search some keyword like "上传文件非法",and the file path /crmeb/crmeb/services/UploadService.php in line 410.

```
400 /**
401  * 文件上传
402  * @param string $fileName 上传文件名
403  * @return mixed
404  */
405 public function file($fileName)
406 {
407     $file = request()->file($fileName);
408     if (!$file) return self::setError('上传文件不存在!');
409     if (strtolower($file->getOriginalExtension()) === 'php' || !$file->getOriginalExtension())
410         return self::setError('上传文件非法!');
411     if ($this->autoValidate) {
412         try {
413             validate([$fileName => $this->imageValidate])->check([$fileName => $file]);
414         } catch (ValidateException $e) {
415             return self::setError($e->getMessage());
416         }
417     };
418     $fileName = Filesystem::putFile($this->uploadPath, $file);
419     if (!$fileName) return self::setError('图片上传失败!');
420     return self::successfull(str_replace('search', '\\', $replace), $fileName);
421 }
```

In the file() function,it will call getOriginalExtension() in line 409.The getOriginalExtension() is in line 130 with the file /crmeb/vendor/topthink/framework/src/think/file/UploadedFile.php.

```
125
126 /**
127  * 获取上传文件扩展名
128  * @return string
129  */
130 public function getOriginalExtension(): string
131 {
132     return pathinfo($this->originalName, options: PATHINFO_EXTENSION);
133 }
134
```

From the code point of view, it is only compared by obtaining the suffix name, and no filtering is performed.

Vulnerability Test

Step-1

first,you need to add a configuration item about file upload like this.



Watch 1.3K Star 9.9K Fork 3.1K

Gitee

第一

内容

让开



Gitee Pages



Jenkins for Gitee



Tencent Cloud Serverless



PHPDoc



Baidu Efficiency Cloud



悬镜安全



Quality Analysis



Tencent CloudBase

Status

Done

Assignees

Not set

Projects

CRMEB开源商城PHP版

Pull Requests

None yet

Successfully merging a pull request will close this issue.

Duration (hours)

0

Planned to start - Planned to end

Unscheduled - Unscheduled

Top level

Not Top

Priority

Not specified

Labels

Not set

Milestones


No related milestones

Branches


No related branch

参与者 (3)






The contents of the configuration items are as follows.



Step-2

Open the file upload configuration item in settings, and it like this.




In this operation, you can see that there is an option named 'fileUpload', it was created in the step-1. Then you can click it and upload file in this.


Then I upload one file is name 'shell.jpg', and the content is like this.

Payload Content


```
<?php
phpinfo();
?>
```

and modify the file extension to '.php::\$DATA' when uploading was like this. Because the character ':: \$DATA' is automatically ignored in the windows system, it can be bypassed by this character.





it will response a uri address like this.




Shell URL

<http://127.0.0.1/uploads/config/file/20200119/f97d96036a769ae2d3154b591304f1df.php>

Step-3

access this url and you will getshell for this web server.



Solution

filter ::\$DATA .



Sign in to comment



©OSCHINA. All rights reserved

[Git Resources](#)[Learning Git](#)[CopyCat](#)[Downloads](#)[Gitee Reward](#)[Gitee Stars](#)[Featured Projects](#)[Blog](#)[Nonprofit](#)[Gitee Go](#)[OpenAPI](#)[Help Center](#)[Self-services](#)[Updates](#)

Gitee 已支持 CLA 协议签署

- 🔥 第一方功能集成，签署流程更高效
- 📄 内置可自定义的协议模板
- 👉 让开源贡献也能有据可依

[View Details](#)

777320883

git@oschina.cn

Gitee

+86 400-606-0201



Mini Program



WeChat

[OpenAtom Foundation](#) [Cooperative code hosting platform](#)



13号

[简体 / 繁體 / English](#)

