

Bugs Blueprints Translations Answers

# integer overflow in whoopsie 0.2.69

Bug #1872560 reported by Seong-Joong Kim on 2020-04-13

This bug affects 1 person

| Affects |                 | Status       | Importance | Assigned to      | Milestone |
|---------|-----------------|--------------|------------|------------------|-----------|
| wh      | oopsie (Ubuntu) | Fix Released | High       | Marc Deslauriers |           |
|         | Kenial          | Fix Released | High       | Marc Deslauriers |           |
|         |                 | Fix Released | High       | Marc Deslauriers |           |
|         | Eoan            | Won't Fix    | High       | Marc Deslauriers |           |
|         | -ocal           | Fix Released | High       | Marc Deslauriers |           |
|         | Groovy          | Fix Released | High       | Marc Deslauriers |           |

#### **Bug Description**

Ηi,

I have found a security issue on whoopsie 0.2.69 and earlier.

## Vulnerability in whoopsie

whoopsie 0.2.69 and earlier have a heap-based buffer overflow vulnerability.

An attacker can cause a denial of service (memory corruption and application crash) via a crafted .crash file.

format.

When a program has been crashed, Linux system tries to create a '.crash'

file on '/var/crash/' directory with python script located in '/usr/share/

The file contains a series of system crash information including core

dump, syslog, stack trace, memory map info, etc.

After the creation of '.crash' file, whoopsie extracts the above information from the '.crash' file and encodes it into binary json (bson)

Lastly, whoopsie forwards the data to a remotely connected Ubuntu Error Report system.

## Vulnerability

Unfortunately, we have found a heap-based buffer overflow vulnerability during the encoding, when whoopsie attempts to bsonify with crafted crash

The data in '.crash' file is stored in key-value form and the whoopsie separately measures the length of 'key' and 'value' to allocate memory region during the encoding.

A heap-based buffer overflow can occur when an integer overflow happens on variable that contains length of 'key'.

FYI, a issue to that raised by 'value' is well covered by performing exception handling.

@[bson.c:663][https://git.launchpad.net/ubuntu/+source/whoopsie/tree/lib/ bson/bson.c?h=applied/0.2.69#n663]

const uint32\_t len = strlen( name ) + 1;

- Integer overflow occurs when length of 'name' exceeds INT32 MAX value.

- Here, 'name' indicates the 'key' data in '.crash' file.

@[bson.c:627][https://git.launchpad.net/ubuntu/+source/whoopsie/tree/lib/ bson/bson.c?h=applied/0.2.69#n627]

b->data = bson realloc( b->data, new size );

- Unexpected small memory region is allocated due to above integer

@[bson.c:680][https://git.launchpad.net/ubuntu/+source/whoopsie/tree/lib/

bson append( b, name, len );

Memory corruption happens when unexpected small memory region is

## Attack Scenario

1) Create a fake.crash file
- '.crash' file is composed of the following format: 'key : value'.

- To cause the overflow attack, the size of 'key' should be in double amount of INT32 MAX.

- The size of 'value' doesn't matter, but not zero length.

\$ python -c "print('A' \* 0xFFFFFFFF + ' : ' + 'B')" > /var/crash/ fake.crash

\$ cat fake.crash AAA ... AA : B

2) Trigger the whoopsie to read the fake.crash file

- Just create 'fake.upload' file by touch command

- Or launch apport-gtk gui or apport-bug cli application.

- After a while, the whoopsie has been killed by segmentation fault.

Sincerely,

# Related branches

lp:whoopsie

# **CVE References**

Report a bug

This report contains Public Security information

Everyone can see this security related information.

Duplicates of this bug

You are not directly subscribed to this bug's notifications

Edit bug mail

Other bug subscribers

Subscribe someone else

Notified of all changes

Marc Deslauriers

Seong-Joong Kim

Ubuntu Review Team

Ubuntu Security Team

May be notified

Ashani Holland

Brian Murray

Bruno Garcia

CRC

Calub Viem

Cemirtan Igor Gri...

Charlie Smotherman Christina A Reith.

David

Debian PTS

Dmitriev Artem An..

Franko Fang

HaySayCheese

Hidagawa Jader Gabriel

Jesse Jones

José Alfonso

Kshitii Mehrotra

Masoud shokohi

Matt i Matvei Jurbin

Mr. MInhai

Nick

Peter Bullert

Punnsa Richard Barnes

Richard Seguin

Richard Williams

Rob Linc Rudra Saraswal

Rvan Garrett

Simon Ouigley Tom Weiss

Ubuntu Foundation..

Ubuntu Touch seed..

Warren White

ahepas basilisgabri

cornelis stravers

dsfki dfix

dvergspett

eoininmoran ganesh

ginoballering

majid hussain

nikonikic42

#### Seong-Joong Kim (sungjungk) on 2020-04-15

#### Seong-Joong Kim (sungjungk) wrote on 2020-04-16: Re: heap-based buffer overflow in bson.c

bson-fix-overflow.patch (1.3 KiB, text/plain)

It seems that this vulnerability was originally caused by 'bytesNeeded' integer overflow in bson\_ensure\_space(). Sum of 'len' and 'dataSize' that both have a type of 'uint32\_t' can assigned to 'byteNeeded' (see https://git.launchpad.net/ubuntu/+source/whoopsie/tree/lib/bson/bson.c?h=applied/0.2.69#n670). Even though it was already applied a series of exception handling routine for overflow of 'len' and 'dataSize', the flaw lies in improper exception handling of overflow in 'bytesNeeded'. I think it would be better to replace data type of 'bytesNeeded'; from 'uint32\_t' to 'size\_t'.

Please check the attached patch.

#### Seong-Joong Kim (sungjungk) wrote on 2020-04-19:

bson-overflow-fixed.patch (460 bytes, text/plain)

I also suggest a solution to deal with it in a different way.

Motivation

A heap-based buffer overflow can occur when an integer overflow happens on

a 'bytesNeeded' variable.

The followings are required to cause overflow on 'bytesNeeded'.

- length of 'value' in .crash file => 0 < {length of 'value') < 1024 - length of 'key' in .crash file => UINT32\_MAX - {length of 'value'} - 7 <

To deal with it, it is required the following exception handling after line 663 in bson.c

if (len > UINT32\_MAX - dataSize - 1)
 return BSON\_ERROR;

Unfortunately, 'len' variable can also occur an integer overflow and it

leads to unintended consequences.

To correct the above issues, the following exception handling will be better than the above one.

if (len > INT32\_MAX)
 return BSON\_ERROR;

It is reasonable to assume that the length of 'key' in .crash will not exceed  ${\tt INT32\_MAX}.$ 

Modification

Correct the above issue.

Correctly added exception handling against overflow.

#### Seong-Joong Kim (sungjungk) on 2020-04-22

information type:Private Security → Public Security

#### Seong-Joong Kim (sungjungk) wrote on 2020-04-22:

I would like to update the contents of 'Attack Scenario'.

from:
\$ python -c "print('A' \* 0xffffffff + ' : ' + 'B')" > /var/crash/
fake.crash

to:

\$ python -c "print('A' \* 0xFFFFFFFE + ' : ' + 'B')" > /var/crash/
fake.crash

Segfault can arise when the following requirements are met, as I mentioned above.

- length of 'value' in .crash file => 0 < {length of 'value'} < 1024

- length of 'key' in .crash file => UINT32\_MAX - {length of 'value'} - 7 < {length of 'key'} < UINT32\_MAX

{length of 'key'} < UINT32\_MAX Please check this issue.

# Ubuntu Foundations Team Bug Bot (crichton) wrote on 2020-04-22:

The attachment "bson-fix-overflow.patch" seems to be a patch. If it isn't, please remove the "patch" flag from the attachment, remove the "patch" tag, and if you are a member of the ~ubuntu-reviewers, unsubscribe the team.

[This is an automated message performed by a Launchpad user owned by ~brian-murray, for any issues please contact him.]

-brian-murray, for any issues prease contact no

#### Seong-Joong Kim (sungjungk) on 2020-04-23

tags:added: patch

summary:- heap-based buffer overflow in bson.c

+ integer overflow in whoopsie 0.2.69

#### Sebastien Bacher (seb128) on 2020-04-23

Changed in whoopsie (Ubuntu): importance:Undecided → High sankaran ubuntu18

van नेपाली भाषा समायो..

#### Patches

#1

#2

#4

bson-fix-overflow.patch

bson-overflow-fixed.patch

Add patch

#5 Marc Deslauriers (mdeslaur) wrote on 2020-04-23: Нi, Thanks for reporting this issue. We are currently investigating it. Marc Deslauriers (mdeslaur) wrote on 2020-04-23: #6 It looks like bson.c in whoopsie was originally taken from here: https://github.com/10gen-archive/mongo-c-driver-legacy/tree/master/src The upstream repo has seen a lot of security fixes since the code was copied, perhaps we should investigate re-syncing it before attempting to Seth Arnold (seth-arnold) wrote on 2020-04-24: #7 Use CVE-2020-12135. Thanks Sebastien Bacher (seb128) on 2020-04-24 Changed in whoopsie (Ubuntu): status:New - Confirmed Marc Deslauriers (mdeslaur) wrote on 2020-05-05: #8 Ηi, What release did you use to reproduce this? I tried reproducing it in Ubuntu 18.04 LTS, but whoopsie parses the file without segfaulting. I tried both \$ python -c "print('A' \* 0xFFFFFFFF + ' : ' + 'B')" > /var/crash/  $\ python -c \ "print('A' * 0xFFFFFFFE + ' : ' + 'B')" > /var/crash/$ fake.crash Could you give a bit more details on how to reproduce this? Thanks! #9 Seong-Joong Kim (sungjungk) wrote on 2020-05-06: Thank you for your reply. Please check the following video. https://youtu.be/pGf0zcgd5CU It also affects on whoopsie 0.2.69. Marc Deslauriers (mdeslaur) wrote on 2020-05-06: #10 Thanks for the video, but I still can't reproduce the issue. What version of Ubuntu are you running in the video? How much ram do you have in that machine? Are you able to reproduce the issue with the pre-compiled version of Marc Deslauriers (mdeslaur) wrote on 2020-05-06: #11 Sorry, I meant "Are you able to reproduce the issue with the pre-compiled version of Whoopsie that comes with it?" #12 Seong-Joong Kim (sungjungk) wrote on 2020-05-07: Sure. This issue is also reproducible with pre-compiled version of 0.2.62ubuntu0.4. Marc Deslauriers (mdeslaur) wrote on 2020-06-17: #13 I still can't reproduce this issue. #14 Seong-Joong Kim (sungjungk) wrote on 2020-06-18: I am utilizing the 8GB of RAM and pre-compiled version of Ubuntu 18.04. Could you tell me how much ram do you have in that machine? Brian Murray (brian-murray) on 2020-06-25 Changed in whoopsie (Ubuntu): status:Confirmed → Incomplete Marc Deslauriers (mdeslaur) on 2020-07-09

Marc Deslauriers (mdeslaur) wrote on 2020-07-09:

assignee:nobody → Marc Deslauriers (mdeslaur)
status:Incomplete → Confirmed

Changed in whoopsie (Ubuntu):

#15

```
Marc Deslauriers (mdeslaur) on 2020-07-09
Changed in whoopsie (Ubuntu Xenial):
   status:New - Confirmed
Changed in whoopsie (Ubuntu Bionic):
   status:New - Confirmed
Changed in whoopsie (Ubuntu Eoan):
    status:New - Confirmed
Changed in whoopsie (Ubuntu Focal):
Changed in whoopsie (Ubuntu Xenial):
importance:Undecided \rightarrow High
Changed in whoopsie (Ubuntu Bionic):
importance:Undecided → High
Changed in whoopsie (Ubuntu Eoan):
importance:Undecided → High
Changed in whoopsie (Ubuntu Focal):
importance: Undecided → High
Changed in whoopsie (Ubuntu Xenial):
 assignee:nobody - Marc Deslauriers (mdeslaur)
Changed in whoopsie (Ubuntu Bionic):
 assignee:nobody -> Marc Deslauriers (mdeslaur)
Changed in whoopsie (Ubuntu Eoan):
 assignee:nobody → Marc Deslauriers (mdeslaur)
Changed in whoopsie (Ubuntu Focal):
 assignee:nobody → Marc Deslauriers (mdeslaur)
```

#16 Launchpad Janitor (janitor) wrote on 2020-08-04: This bug was fixed in the package whoopsie - 0.2.69ubuntu0.1 whoopsie (0.2.69ubuntu0.1) focal-security; urgency=medium \* SECURITY UPDATE: integer overflow in bson parsing (LP: #1872560) - lib/bson/\*: updated to latest upstream release. - CVE-2020-12135 \* SECURITY UPDATE: resource exhaustion via memory leak (LP: #1881982) - src/whoopsie.c, src/tests/test\_parse\_report.c: properly handle GHashTable. - CVE-2020-11937 \* SECURITY UPDATE: DoS via large data length (LP: #1882180) - src/whoopsie.c, src/whoopsie.h, src/tests/test parse report.c: limit the size of a report file. - CVE-2020-15570 - Marc Deslauriers <email address hidden> Fri, 24 Jul 2020 08:55:26 Changed in whoopsie (Ubuntu Focal): status:Confirmed - Fix Released

#17 Launchpad Janitor (janitor) wrote on 2020-08-04: This bug was fixed in the package whoopsie - 0.2.52.5ubuntu0.5 whoopsie (0.2.52.5ubuntu0.5) xenial-security; urgency=medium \* SECURITY UPDATE: integer overflow in bson parsing (LP: #1872560) - lib/bson/\*: updated to latest upstream release. - CVE-2020-12135 \* SECURITY UPDATE: resource exhaustion via memory leak (LP: #1881982) - src/whoopsie.c, src/tests/test\_parse\_report.c: properly handle GHashTable. - CVE-2020-11937 \* SECURITY UPDATE: DoS via large data length (LP: #1882180) - src/whoopsie.c, src/whoopsie.h, src/tests/test\_parse\_report.c: limit the size of a report file. - CVE-2020-15570 -- Marc Deslauriers <email address hidden> Fri, 24 Jul 2020 08:55:26 -0400 Changed in whoopsie (Ubuntu Xenial): status:Confirmed - Fix Released

# #18 Launchpad Janitor (janitor) wrote on 2020-08-04: This bug was fixed in the package whoopsie - 0.2.62ubuntu0.5 whoopsie (0.2.62ubuntu0.5) bionic-security; urgency=medium \* SECURITY UPDATE: integer overflow in bson parsing (LP: #1872560) - lib/bson/\*: updated to latest upstream release. \* SECURITY UPDATE: resource exhaustion via memory leak (LP: #1881982) - src/whoopsie.c, src/tests/test\_parse\_report.c: properly handle GHachTahlo - CVE-2020-11937 \* SECURITY UPDATE: DoS via large data length (LP: #1882180) - src/whoopsie.c, src/whoopsie.h, src/tests/test parse report.c: limit the size of a report file. - CVE-2020-15570 -- Marc Deslauriers <email address hidden> Fri, 24 Jul 2020 08:55:26 Changed in whoopsie (Ubuntu Bionic): status:Confirmed → Fix Released

#### Brian Murray (brian-murray) on 2020-08-06

```
tags:removed: rls-ff-incoming
Changed in whoopsie (Ubuntu Eoan):
status:Confirmed - Won't Fix
Changed in whoopsie (Ubuntu Groovy):
status:Confirmed - Fix Committed
```

See full activity log

To post a comment you must log in.

Launchpad • Take the tour • Read the guide

© 2004-2022 Canonical Ltd. • Terms of use • Data privacy • Contact Launchpad Support • Blog • Careers • System status • 31c7876 (Get the code!)