New issue Jump to bottom

## Heap overflow in mp4info, ReadPartial, Ap4StdCFileByteStream.cpp:341 #812

} else if (feof(m\_File)) {

Open

5hadowblad3 opened this issue 15 days ago · 0 comments

```
5hadowblad3 commented 15 days ago • edited ▼
Hi, there.
There is an heap overflow in ReadPartial, Ap4StdCFileByteStream.cpp:341, in the newest master branch
5e7bb34, which seems to be incomplete fix of issue #510.
Here is the reproducing command:
  mp42info poc
POC:
mp4info_overflow_ReadPartial341.zip
(unzip first)
The reason of this overflow can causes arbitrary code execution by memory manipulation since user can
control the content parsed by the program.
        AP4_StdcFileByteStream::ReadPartial
334 AP4_Result
335 AP4_StdcFileByteStream::ReadPartial(void*
                                                      buffer,
                                           AP4_Size bytesToRead,
337
                                           AP4_Size& bytesRead)
338 {
339
        size_t nbRead;
341
342
343
344
         nbRead = fread(buffer, 1, bytesToRead, m_File);
        if (nbRead > 0) {
             bytesRead = (AP4_Size)nbRead;
             m_Position += nbRead;
             return AP4_SUCCESS;
```

```
==1448318==ERROR: AddressSanitizer: heap-buffer-overflow on address 0x602000000171 at pc
0x000000471d71 bp 0x7ffd4dd08e80 sp 0x7ffd4dd08630
WRITE of size 30 at 0x602000000171 thread T0
     #0 0x471d70 in interceptor fread.part.0 /dependence/llvm11/llvm-
11.0.0.src/projects/compiler-
rt/lib/asan/../sanitizer common/sanitizer common interceptors.inc:1027:16
     #1 0x66f795 in AP4_StdcFileByteStream::ReadPartial(void*, unsigned int, unsigned int&)
/benchmark/Bento4/Source/C++/System/StdC/Ap4StdCFileByteStream.cpp:341:14
     #2 0x549ce9 in AP4 ByteStream::Read(void*, unsigned int)
/benchmark/Bento4/Source/C++/Core/Ap4ByteStream.cpp:54:29
     #3 0x6601bb in AP4_MetaDataStringAtom::AP4_MetaDataStringAtom(unsigned int, unsigned int,
AP4 ByteStream&) /benchmark/Bento4/Source/C++/MetaData/Ap4MetaData.cpp:1637:12
     #4 0x6601bb in AP4 MetaDataAtomTypeHandler::CreateAtom(unsigned int, unsigned int,
AP4_ByteStream&, unsigned int, AP4_Atom*&)
/benchmark/Bento4/Source/C++/MetaData/Ap4MetaData.cpp:428:24
     #5 0x53d50b in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned int, unsigned
int, unsigned long long, AP4_Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:844:21
     #6 0x53bbf1 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned long long&,
AP4_Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:234:14
     #7 0x553677 in AP4_ContainerAtom::ReadChildren(AP4_AtomFactory&, AP4_ByteStream&, unsigned
long long) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:194:12
     #8 0x5529a3 in AP4 ContainerAtom::AP4 ContainerAtom(unsigned int, unsigned long long, bool,
AP4_ByteStream&, AP4_AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:139:5
     #9 0x5529a3 in AP4_ContainerAtom::Create(unsigned int, unsigned long long, bool, bool,
AP4_ByteStream&, AP4_AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:88:20
     #10 0x660634 in AP4_MetaDataAtomTypeHandler::CreateAtom(unsigned int, unsigned int,
AP4_ByteStream&, unsigned int, AP4_Atom*&)
/benchmark/Bento4/Source/C++/MetaData/Ap4MetaData.cpp:419:20
     #11 0x53d50b in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned int, unsigned
int, unsigned long long, AP4_Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:844:21
    #12 0x53bbf1 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned long long&,
AP4 Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:234:14
     #13 0x553677 in AP4 ContainerAtom::ReadChildren(AP4 AtomFactory&, AP4 ByteStream&, unsigned
long long) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:194:12
     #14 0x5529a3 in AP4_ContainerAtom::AP4_ContainerAtom(unsigned int, unsigned long long, bool,
AP4_ByteStream&, AP4_AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:139:5
     #15 0x5529a3 in AP4_ContainerAtom::Create(unsigned int, unsigned long long, bool, bool,
AP4_ByteStream&, AP4_AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:88:20
     #16 0x53def3 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned int, unsigned
int, unsigned long long, AP4_Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:816:20
     #17 0x53bbf1 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned long long&,
AP4 Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:234:14
     #18 0x55389e in AP4 ContainerAtom::ReadChildren(AP4 AtomFactory&, AP4 ByteStream&, unsigned
long long) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:194:12
     #19 0x552c6e in AP4_ContainerAtom::AP4_ContainerAtom(unsigned int, unsigned long long, bool,
unsigned char, unsigned int, AP4 ByteStream&, AP4 AtomFactory&)
/benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:154:5
     #20 0x552c6e in AP4_ContainerAtom::Create(unsigned int, unsigned long long, bool, bool,
AP4_ByteStream&, AP4_AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:86:20
     #21 0x53dd0d in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned int, unsigned
int, unsigned long long, AP4_Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:830:20
     #22 0x53bbf1 in AP4 AtomFactory::CreateAtomFromStream(AP4 ByteStream&, unsigned long long&,
AP4_Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:234:14
```

```
#23 0x553677 in AP4 ContainerAtom::ReadChildren(AP4 AtomFactory&, AP4 ByteStream&, unsigned
long long) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:194:12
     #24 0x5529a3 in AP4_ContainerAtom::AP4_ContainerAtom(unsigned int, unsigned long long, bool,
AP4 ByteStream&, AP4 AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:139:5
     #25 0x5529a3 in AP4_ContainerAtom::Create(unsigned int, unsigned long long, bool, bool,
AP4_ByteStream&, AP4_AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:88:20
     #26 0x53def3 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned int, unsigned
int, unsigned long long, AP4_Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:816:20
     #27 0x53bbf1 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned long long&,
AP4 Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:234:14
     #28 0x5746a6 in AP4_DrefAtom::AP4_DrefAtom(unsigned int, unsigned char, unsigned int,
AP4 ByteStream&, AP4 AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4DrefAtom.cpp:84:16
     #29 0x573f60 in AP4 DrefAtom::Create(unsigned int, AP4 ByteStream&, AP4 AtomFactory&)
/benchmark/Bento4/Source/C++/Core/Ap4DrefAtom.cpp:50:16
     #30 0x53ed78 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned int, unsigned
int, unsigned long long, AP4 Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:580:20
     #31 0x53bbf1 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned long long&,
AP4 Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:234:14
     #32 0x553677 in AP4 ContainerAtom::ReadChildren(AP4 AtomFactory&, AP4 ByteStream&, unsigned
long long) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:194:12
     #33 0x5529a3 in AP4 ContainerAtom::AP4 ContainerAtom(unsigned int, unsigned long long, bool,
AP4 ByteStream&, AP4 AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:139:5
     #34 0x5529a3 in AP4_ContainerAtom::Create(unsigned int, unsigned long long, bool, bool,
AP4 ByteStream&, AP4 AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:88:20
     #35 0x53def3 in AP4 AtomFactory::CreateAtomFromStream(AP4 ByteStream&, unsigned int, unsigned
int, unsigned long long, AP4_Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:816:20
     #36 0x53bbf1 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned long long&,
AP4_Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:234:14
     #37 0x53b237 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, AP4_Atom*&)
/benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:154:12
     #38 0x579c4b in AP4_File::ParseStream(AP4_ByteStream&, AP4_AtomFactory&, bool)
/benchmark/Bento4/Source/C++/Core/Ap4File.cpp:104:12
     #39 0x57a2ff in AP4 File::AP4 File(AP4 ByteStream&, bool)
/benchmark/Bento4/Source/C++/Core/Ap4File.cpp:78:5
     #40 0x4fb236 in main /benchmark/Bento4/Source/C++/Apps/Mp4Info/Mp4Info.cpp:1852:26
     #41 0x7f2c774ff082 in __libc_start_main /build/glibc-SzIz7B/glibc-2.31/csu/../csu/libc-
start.c:308:16
     #42 0x41d89d in _start (/benchmark/Bento4/build-a/mp4info+0x41d89d)
 0x602000000171 is located 0 bytes to the right of 1-byte region [0x602000000170,0x602000000171)
 allocated by thread T0 here:
     #0 0x4f7fc7 in operator new[](unsigned long) /dependence/llvm11/llvm-
11.0.0.src/projects/compiler-rt/lib/asan/asan_new_delete.cpp:102:3
     #1 0x60b04d in AP4_String::AP4_String(unsigned int)
/benchmark/Bento4/Source/C++/Core/Ap4String.cpp:85:15
     #2 0x53d50b in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned int, unsigned
int, unsigned long long, AP4_Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:844:21
     #3 0x53bbf1 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned long long&,
AP4_Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:234:14
     #4 0x553677 in AP4 ContainerAtom::ReadChildren(AP4 AtomFactory&, AP4 ByteStream&, unsigned
long long) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:194:12
     #5 0x5529a3 in AP4_ContainerAtom::AP4_ContainerAtom(unsigned int, unsigned long long, bool,
AP4_ByteStream&, AP4_AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:139:5
     #6 0x5529a3 in AP4_ContainerAtom::Create(unsigned int, unsigned long long, bool, bool,
AP4 ByteStream&, AP4 AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:88:20
     #7 0x660634 in AP4_MetaDataAtomTypeHandler::CreateAtom(unsigned int, unsigned int,
```

```
AP4 ByteStream&, unsigned int, AP4 Atom*&)
/benchmark/Bento4/Source/C++/MetaData/Ap4MetaData.cpp:419:20
     #8 0x53d50b in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned int, unsigned
int, unsigned long long, AP4 Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:844:21
     #9 0x53bbf1 in AP4 AtomFactory::CreateAtomFromStream(AP4 ByteStream&, unsigned long long&,
AP4_Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:234:14
     #10 0x553677 in AP4_ContainerAtom::ReadChildren(AP4_AtomFactory&, AP4_ByteStream&, unsigned
long long) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:194:12
     #11 0x5529a3 in AP4_ContainerAtom::AP4_ContainerAtom(unsigned int, unsigned long long, bool,
AP4 ByteStream&, AP4 AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:139:5
     #12 0x5529a3 in AP4 ContainerAtom::Create(unsigned int, unsigned long long, bool, bool,
AP4 ByteStream&, AP4 AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:88:20
     #13 0x53def3 in AP4 AtomFactory::CreateAtomFromStream(AP4 ByteStream&, unsigned int, unsigned
int, unsigned long long, AP4_Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:816:20
     #14 0x53bbf1 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned long long&,
AP4 Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:234:14
     #15 0x55389e in AP4_ContainerAtom::ReadChildren(AP4_AtomFactory&, AP4_ByteStream&, unsigned
long long) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:194:12
     #16 0x552c6e in AP4 ContainerAtom::AP4 ContainerAtom(unsigned int, unsigned long long, bool,
unsigned char, unsigned int, AP4_ByteStream&, AP4_AtomFactory&)
/benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:154:5
     #17 0x552c6e in AP4 ContainerAtom::Create(unsigned int, unsigned long long, bool, bool,
AP4_ByteStream&, AP4_AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:86:20
     #18 0x53dd0d in AP4 AtomFactory::CreateAtomFromStream(AP4 ByteStream&, unsigned int, unsigned
int, unsigned long long, AP4 Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:830:20
     #19 0x53bbf1 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned long long&,
AP4_Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:234:14
     #20 0x553677 in AP4_ContainerAtom::ReadChildren(AP4_AtomFactory&, AP4_ByteStream&, unsigned
long long) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:194:12
     #21 0x5529a3 in AP4_ContainerAtom::AP4_ContainerAtom(unsigned int, unsigned long long, bool,
AP4_ByteStream&, AP4_AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:139:5
     #22 0x5529a3 in AP4_ContainerAtom::Create(unsigned int, unsigned long long, bool, bool,
AP4 ByteStream&, AP4 AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:88:20
     #23 0x53def3 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned int, unsigned
int, unsigned long long, AP4 Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:816:20
     #24 0x53bbf1 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned long long&,
AP4_Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:234:14
     #25 0x5746a6 in AP4_DrefAtom::AP4_DrefAtom(unsigned int, unsigned char, unsigned int,
AP4_ByteStream&, AP4_AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4DrefAtom.cpp:84:16
     #26 0x573f60 in AP4_DrefAtom::Create(unsigned int, AP4_ByteStream&, AP4_AtomFactory&)
/benchmark/Bento4/Source/C++/Core/Ap4DrefAtom.cpp:50:16
     #27 0x53ed78 in AP4 AtomFactory::CreateAtomFromStream(AP4 ByteStream&, unsigned int, unsigned
int, unsigned long long, AP4_Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:580:20
     #28 0x53bbf1 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned long long&,
AP4_Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:234:14
     #29 0x553677 in AP4_ContainerAtom::ReadChildren(AP4_AtomFactory&, AP4_ByteStream&, unsigned
long long) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:194:12
     #30 0x5529a3 in AP4_ContainerAtom::AP4_ContainerAtom(unsigned int, unsigned long long, bool,
AP4_ByteStream&, AP4_AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:139:5
     #31 0x5529a3 in AP4_ContainerAtom::Create(unsigned int, unsigned long long, bool, bool,
AP4 ByteStream&, AP4 AtomFactory&) /benchmark/Bento4/Source/C++/Core/Ap4ContainerAtom.cpp:88:20
     #32 0x53def3 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned int, unsigned
int, unsigned long long, AP4_Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:816:20
     #33 0x53bbf1 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, unsigned long long&,
AP4 Atom*&) /benchmark/Bento4/Source/C++/Core/Ap4AtomFactory.cpp:234:14
     #34 0x53b237 in AP4_AtomFactory::CreateAtomFromStream(AP4_ByteStream&, AP4_Atom*&)
```

## **Assignees**

No one assigned

Labels

None yet

**Projects** 

None yet

Milestone		
No milestone		
Development		
No branches or pull requests		

1 participant

