

# Improper Neutralization of Directives in Dynamically Evaluated Code ('Eval Injection') in xwiki-platform-tag-ui

Critical
 surli published GHSA-2g5c-228j-p52x on Sep 8

## Package


**org.xwiki.platform:xwiki-application-tag** (Maven)

### Affected versions

>= 1.7

### Patched versions

None


**org.xwiki.platform:xwiki-platform-tag-ui** (Maven)

< 13.10.6, < 14.4

13.10.6,14.4

## Description

### Impact

The tags document `Main.Tags` in XWiki didn't sanitize user inputs properly, allowing users with view rights on the document (default in a public wiki or for authenticated users on private wikis) to execute arbitrary Groovy, Python and Velocity code with programming rights. This allows bypassing all rights checks and thus both modification and disclosure of all content stored in the XWiki installation. Also, this could be used to impact the availability of the wiki. Some versions of XWiki XML-escaped the tag (e.g., version 3.1) but this isn't a serious limitation as string literals can be delimited by `/` in Groovy and `<` and `>` aren't necessary, e.g., to elevate privileges of the current user.

On XWiki versions before 13.10.4 and 14.2, this can be combined with the [authentication bypass using the login action](#), meaning that no rights are required to perform the attack. The following URL demonstrates the attack: `<server>/xwiki/bin/login/Main/Tags?`

`xpage=view&do=viewTag&tag=%7B%7Basync+async%3D%22true%22+cached%3D%22false%22+context%3D%22doc.reference%22%7D%7B%7Bgroovy%7D%7Dprintln%28%22hello+from+groovy%21%22%29%7B%7B%2Fgroovy%7D%7D%7B%7B%2Fasync%7D%7D`, where `<server>` is the URL of the XWiki installations.

<server>/xwiki/bin/view/Main/Tags?

do=viewTag&tag=%7B%7Basync%20async%3D%22true%22%20cached%3D%22false%22%20context%3D%22doc.reference%22%7D%7D%7B%7Bgroovy%7D%7Dprintln(%22hello%20from%20groovy!%22)%7B%7B%2Fgroovy%7D%7D%7B%7B%2Fasync%7D%7D , where <server> is the URL of the server. On XWiki 2.0 (that contains version 1.7 of the tag application), the URL <server>/xwiki/bin/view/Main/Tags?do=viewTag&tag={{/html}}

{{groovy}}println(%2Fhello from groovy!%2F){{%2Fgroovy}}

 demonstrates the exploit while on XWiki 3.1 the following URL demonstrates the exploit: <server>/xwiki/bin/view/Main/Tags?do=viewTag&tag={{/html}}{{footnote}}{{groovy}}println(%2Fhello%20from%20groovy!%2F){{%2Fgroovy}}{{/footnote}} .

This has been patched in the supported versions 13.10.6 and 14.4.

The [patch that fixes the issue](#) can be manually applied to the document `Main.Tags` or the updated version of that document can be imported from [version 14.4 of xwiki-platform-tag-ui](#) using [the import feature in the administration UI](#) on XWiki 10.9 and later (earlier versions might not be compatible with the current version of the document).

- 6048680
- <https://jira.xwiki.org/browse/XWIKI-19747>

If you have any questions or comments about this advisory:

- Open an issue in [Jira XWiki.org](#)
- Email us at [Security Mailing List](#)

**Critical** 9.9 / 10

CVSS base metrics	
Attack vector	Network
Attack complexity	Low
Privileges required	Low
User interaction	None
Scope	Changed
Confidentiality	High

<u>Confidentiality</u>	High
<u>Integrity</u>	High
<u>Availability</u>	High

CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:H/A:H

CVE ID

CVE-2022-36100

Weaknesses

CWE-95