



CVE-2020-35338

Use of Default Credentials to Unauthorised Remote Access of Internal Panel of WMT



Title: Use of Default Credentials to Unauthorised Remote Access of Internal Panel of WMT

L Discovered by Jeya Seelan S

Published on 14/12/2020.

√ CVE-2020-35338

Vulnerable version ≤ 20.2.8

CVE Link: https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2020-35338

https://vuldb.com/?id.166154

Bug Description:

A vulnerability in the WMT Playout Server's Web Administrative Interface on Version 20.2.8 and Below Could allow an Unauthenticated Remote User to access a sensitive part of the system with a high privileged account.

This Vulnerability is Due to the Presence of Default Account that has a default Password "pokon" in it. An attacker could exploit this vulnerability by using this default account to connect to the affected system. A successful exploit could allow the attacker to obtain read and write access to system data, including the configuration of the affected devices. The attacker would gain access to a sensitive portion of the system and have full administrative rights to control the device. Leading to Increase in the Severity of the Vulnerability.

Attack Vector:

A Malicious attacker could exploit this vulnerability by remotely Logging in to an affected system by using the Default Credentials.

Steps to Reproduce:


1. Go to The Playout Server Login page





- 2. Leave the Username Field blank
- 3. Enter "pokon" on Password Field and Click Sign in
- 4. Now You are Redirected to the Administrative Panel Where You can Able to Read and Control the Device and also Able to change the device's Configuration Remotely.

Proof Of Concept:



Dorks to Find

You Can Use the Below Dorks to Find the Devic Affected By this CVE. Be Responsible Before Exploiting this Bug.

Shodan - http.title:WMT

Google — intitle:"WMT" inurl:7071

Cencys: 80.http.get.title: WMT

Get the Medium app

