

Generation of Error Message Containing Sensitive Information in microweber/microweber

0



Reported on Jan 19th 2022

Description

Sensitive information as part of the error is getting disclosed during the upload of an unrestricted file.

Steps to Reproduce

Instance 1

Log in to the application <https://demo.microweber.org>

Add a new post and upload an SVG file and you will see an error message getting Popped on the screen

Request

```
POST /demo/plupload HTTP/1.1
```

```
Host: demo.microweber.org
```

```
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:96.0) Gecko/201001
```

```
Accept: application/json, text/javascript, */*; q=0.01
```

```
Accept-Language: en-US,en;q=0.5
```

```
Accept-Encoding: gzip, deflate
```

```
X-Requested-With: XMLHttpRequest
```

```
Content-Type: multipart/form-data; boundary=-----1872
```

```
Content-Length: 212649
```

```
Origin: https://demo.microweber.org
```

```
Connection: close
```

```
Referer: https://demo.microweber.org/demo/admin/post/25/edit
```

```
Cookie: laravel_session=yDq2fxz1F6K7BQePQdMXN9ypYMr6lXG16W4
```

```
Sec-Fetch-Dest: empty
```

```
Sec-Fetch-Mode: cors
```

Chat with us

— — — — —

-----18722948012327188599867727395

Content-Disposition: form-data; name="name"

SVG_XSS.svg

-----18722948012327188599867727395

```
Content-Disposition: form-data; name="chunk"
```

0

-----18722948012327188599867727395

```
Content-Disposition: form-data; name="chunks"
```

1

-----18722948012327188599867727395

```
Content-Disposition: form-data; name="file"; filename="blob"
```

Content-Type: application/octet-stream

```
<!DOCTYPE html>
```

```
<html lang="en" data-color-mode="auto" data-light-theme="light" data-dark-t
```

<head>

```
<meta charset="utf-8">
```

```
<link rel="dns-prefetch" href="https://github.githubassets.com">
```

```
<link rel="dns-prefetch" href="https://avatars.githubusercontent.com">
```

```
<link rel="dns-prefetch" href="https://github-cloud.s3.amazonaws.com">
```

```
<link rel="dns-prefetch" href="https://user-images.githubusercontent.com/
```

```
<link rel="preconnect" href="https://github.githubassets.com" crossorigin
```

```
<link rel="preconnect" href="https://avatars.githubusercontent.com">
```

```
<link crossorigin="anonymous" media="all" integrity="sha512-VV9DDUq3H293gH93y2s65/ZnE7U9UE6YRbbWYuzRLuF9YYuL0/X+Arw2Oh8kjgU4WYTnCh
```

<link crossorigin="anonymous" media="all" integrity="sha5

```
<link crossorigin="anonymous" media="all" integrity="sha512-u9yxjphx/h/3f
```

[illegible]

Chat with us

<link crossorigin="anonymous" media="all" integrity="sha512-MCJFY+bQOI4E)

<link crossorigin="anonymous" media="all" integrity="sha512-45t+0/nYF4PCr

<script crossorigin="anonymous" defer="defer" integrity="sha512-xL/TCqX+4

<script crossorigin="anonymous" defer="defer" integrity="sha512-fShHRuq

<script crossorigin="anonymous" defer="defer" integrity="sha512-EJrMWrr2

<script crossorigin="anonymous" defer="defer" integrity="sha512-7vf6jzXUC

<script crossorigin="anonymous" defer="defer" integrity="sha512-ODZJzC1

<script crossorigin="anonymous" defer="defer" integrity="sha512-emPgUb9

<script crossorigin="anonymous" defer="defer" integrity="sha512-ocfEAp6

<script crossorigin="anonymous" defer="defer" integrity="sha512-NTOP4z6

<script crossorigin="anonymous" defer="defer" integrity="sha512-cvCTxU9

<script crossorigin="anonymous" defer="defer" integrity="sha512-ynV5nM8

<script crossorigin="anonymous" defer="defer" integrity="sha512-WaNkRh,

<script crossorigin="anonymous" defer="defer" integrity="sha512-gmw7obk

<script crossorigin="anonymous" defer="defer" integrity="sha512-Ao911F1

<script crossorigin="anonymous" defer="defer" integrity="sha512-SPWd3rz

<script crossorigin="anonymous" defer="defer" integrity="sha512-hjey7b6

<script crossorigin="anonymous" defer="defer" integrity="sha512-tw9SApi

<script crossorigin="anonymous" defer="defer" integrity="sha512-D576Cjz

<script crossorigin="anonymous" defer="defer" integrity="sha512-x8vIlh;

<script crossorigin="anonymous" defer="defer" integrity="sha512-xhSA00k

<script crossorigin="anonymous" defer="defer" integrity="sha512-jitxouu

<script crossorigin="anonymous" defer="defer" integrity="sha512-gwuBCP6

<script crossorigin="anonymous" defer="defer" integrity="sha512-HDsLJf6

<script crossorigin="anonymous" defer="defer" integrity="sha512-vAs99bz

<script crossorigin="anonymous" defer="defer" integrity="sha512-Gr3ZcJ1

<script crossorigin="anonymous" defer="defer" integrity="sha512-EdQvlnJ

<script crossorigin="anonymous" defer="defer" integrity="sha512-4zSHP29

<script crossorigin="anonymous" defer="defer" integrity="sha512-g8fb6U7

<script crossorigin="anonymous" defer="defer" integrity="sha512-ts+QjR6

<script crossorigin="anonymous" defer="defer" integrity="sha512-4GJz2wy

<script crossorigin="anonymous" defer="defer" integrity="sha512-771

<script crossorigin="anonymous" defer="defer" integrity="sha512-qwKKUUC

<script crossorigin="anonymous" defer="defer" integrity="sha512-5F8T7

Chat with us

<script crossorigin="anonymous" defer="defer" integrity="sha512-vFR+1qI
<script crossorigin="anonymous" defer="defer" integrity="sha512-W3TfrSr
<script crossorigin="anonymous" defer="defer" integrity="sha512-pTTrav4

<script crossorigin="anonymous" defer="defer" integrity="sha512-vaGnAx5
<script crossorigin="anonymous" defer="defer" integrity="sha512-5H5N/3C
<script crossorigin="anonymous" defer="defer" integrity="sha512-6WJL+zy
<script crossorigin="anonymous" defer="defer" integrity="sha512-EvJ2Fif
<script crossorigin="anonymous" defer="defer" integrity="sha512-91JzWtf
<script crossorigin="anonymous" defer="defer" integrity="sha512-A4+sPdu
<script crossorigin="anonymous" defer="defer" integrity="sha512-eO/r0W5
<script crossorigin="anonymous" defer="defer" integrity="sha512-eCSMVL1
<script crossorigin="anonymous" defer="defer" integrity="sha512-rZhcZvs
<script crossorigin="anonymous" defer="defer" integrity="sha512-/QP5yDc
<script crossorigin="anonymous" defer="defer" integrity="sha512-vpoUvgt
<script crossorigin="anonymous" defer="defer" integrity="sha512-TpHTIXf
<script crossorigin="anonymous" defer="defer" integrity="sha512-aNAcFMJ
<script crossorigin="anonymous" defer="defer" integrity="sha512-bbW4T9/
<script crossorigin="anonymous" defer="defer" integrity="sha512-Kpqa6s8
<script crossorigin="anonymous" defer="defer" integrity="sha512-+EMrCb8
<script crossorigin="anonymous" defer="defer" integrity="sha512-JF1BSiL
<script crossorigin="anonymous" defer="defer" integrity="sha512-TLQillr
<script crossorigin="anonymous" defer="defer" integrity="sha512-n/Dsfzc
<script crossorigin="anonymous" defer="defer" integrity="sha512-XDr8QWJ
<script crossorigin="anonymous" defer="defer" integrity="sha512-L2jxBD9
<script crossorigin="anonymous" defer="defer" integrity="sha512-cvjyIYf
<script crossorigin="anonymous" defer="defer" integrity="sha512-/20ezn
<script crossorigin="anonymous" defer="defer" integrity="sha512-qyKiiHc
<script crossorigin="anonymous" defer="defer" integrity="sha512-7tuVhi/
<script crossorigin="anonymous" defer="defer" integrity="sha512-4Dvmms6
<script crossorigin="anonymous" defer="defer" integrity="sha512-aGaoVKI
<script crossorigin="anonymous" defer="defer" integrity="sha512-qNDdxgf
<script crossorigin="anonymous" defer="defer" integrity="sha512-+aCVCMC
<script crossorigin="anonymous" defer="defer" integrity="sha512-VgXsf/(
<script crossorigin="anonymous" defer="defer" integrity="sha512-ooYcnNL
<script crossorigin="anonymous" defer="defer" integrity="sha512-YYzSijL
<script crossorigin="anonymous" defer="defer" integrity="sha512-6JUQHgf
<script crossorigin="anonymous" defer="defer" integrity="sha512-3W46fSE
<script crossorigin="anonymous" defer="defer" integrity="sha512-VG8-6N

Chat with us

<script crossorigin="anonymous" defer="defer" integrity="sha512-BJqv3ogfA

<script crossorigin="anonymous" defer="defer" integrity="sha512-77/4702750

```
<script crossorigin="anonymous" defer="defer" integrity="sha512-LL/HJJQDZ5C>

<meta name="viewport" content="width=device-width">

<title>PayloadsAllTheThings/SVG_XSS.svg at master · swisskyrepo/Payloads
  <meta name="description" content="A list of useful payloads and bypass
  <link rel="search" type="application/opensearchdescription+xml" href="/
<link rel="fluid-icon" href="https://github.com/fluidicon.png" title="Git
<meta property="fb:app_id" content="1401488693436528">
<meta name="apple-itunes-app" content="app-id=1477376905" />
  <meta name="twitter:image:src" content="https://repository-images.githu
  <meta property="og:image" content="https://repository-images.githubuser

<link rel="assets" href="https://github.githubassets.com/">
  <link rel="shared-web-socket" href="wss://alive.github.com/_sockets/u/7
  <link rel="shared-web-socket-src" href="/assets-cdn/worker/socket-worke
<link rel="sudo-modal" href="/sessions/sudo_modal">

<meta name="request-id" content="D27E:5B83:8B2F2A:9C8043:61E7ECC6" data-p
  <meta name="hovercard-subject-tag" content="repository:71220757" data-p

<meta name="github-keyboard-shortcuts" content="repository,source-code" c

<meta name="selected-link" value="repo_source" data-pjax-transient>

  <meta name="google-site-verification" content="c1kuD-K2HIVF635lypcswPoI
<meta name="google-site-verification" content="KT5gs8h0wvaagLKAVWq8bbeNwr
<meta name="google-site-verification" content="ZzhVyEFwb7w3e0-uOTltm8Jsck
<meta name="google-site-verification" content="GXs5KoUUkNCc=47-7-5N1-01D-

<meta name="octolytics-url" content="https://collector.githubapp.com/g1tnur
```

Chat with us

```
<meta name="analytics-location" content="/&lt;user-name&gt;/&lt;repo-name
```

```
<meta name="optimizely-datafile" content="{&quot;version&quot;: &quot;4&
<!-- To prevent page flashing, the optimizely JS needs to be loaded in th
  <head> tag before the DOM renders -->
<script crossorigin="anonymous" defer="defer" integrity="sha512-ftehb12i-
```

```
  <meta name="hostname" content="github.com">
<meta name="user-login" content="shubh123-tri">
```

```
<meta name="expected-hostname" content="github.com">
```

```
<meta name="js-proxy-site-detection-payload" content="M2M1ZmFlMjY3OD\
<meta name="keyboard-shortcuts-preference" content="all">
<script type="application/json" id="memex_keyboard_shortcuts_preferer
```

```
<meta name="enabled-features" content="ACTIONS_CALLABLE_WORKFLOWS,MARKE
```

```
<meta http-equiv="x-pjax-version" content="9bf76e3222ad0fb94b275a409ef7cc
<meta http-equiv="x-pjax-csp-version" content="9ea82e8060ac9d44365bfa1939
<meta http-equiv="x-pjax-css-version" content="e9cf6d68e51d6efb45ed9c6104
<meta http-equiv="x-pjax-js-version" content="08b05f872939e0caa00aa39b377
```

```
<meta name="octolytics-dimension-user_id" content="121525
```

Chat with us

```

<link rel="canonical" href="https://github.com/swisskyrepo/PayloadsAll11

<meta name="browser-stats-url" content="https://api.github.com/_private/t

<meta name="browser-errors-url" content="https://api.github.com/_private/

<meta name="browser-optimizely-client-errors-url" content="https://api.gi

<link rel="mask-icon" href="https://github.githubassets.com/pinned-octoca
<link rel="alternate icon" class="js-site-favicon" type="image/png" href=
<link rel="icon" class="js-site-favicon" type="image/svg+xml" href="http:

<meta name="theme-color" content="#1e2327">
<meta name="color-scheme" content="light dark" />

<link rel="manifest" href="/manifest.json" crossOrigin="use-credentials">

</head>

<body class="logged-in env-production page-responsive page-blob" style="v

    <div class="position-relative js-header-wrapper ">
      <a href="#start-of-content" class="p-3 color-bg-accent-emphasis color
      <span data-view-component="true" class="progress-pjax-loader js-pjax-
      <span style="width: 0%;" data-view-component="true" class="Progress-ite
    </span>

    <script crossorigin="anonymous" defer="defer" integrity="sha512-t94

      <header class="Header js-details-container Details px-3 px-md-4
    <div class="Header-item mt-n1 mb-n1 d-none d-md-flex">
      <a
class="Header-link "
  <div class="Header-item mt-n1 mb-n1 d-none d-md-flex">
    <a href="https://github.com/swisskyrepo/PayloadsAll11"

```

Chat with us


```

aria-autocomplete="list"
aria-controls="jump-to-results"
aria-label="Search or jump to"

data-jump-to-suggestions-path="/_graphql/GetSuggestedNavigationDe
spellcheck="false"
autocomplete="off"
>
<input type="hidden" value="tkzaeEWXVNLEZKriy91ajER3gwWg_Int2n035B9
<input type="hidden" class="js-site-search-type-field" name="type"
    <svg xmlns="http://www.w3.org/2000/svg" width="22" height="20"

    <div class="Box position-absolute overflow-hidden d-none jump-to-

<ul class="d-none js-jump-to-suggestions-template-container">

<li class="d-flex flex-justify-start flex-items-center p-0 f5 navigation-it
    <a tabindex="-1" class="no-underline d-flex flex-auto flex-items-center j
        <div class="jump-to-octicon js-jump-to-octicon flex-shrink-0 mr-2 text-f
            <svg title="Repository" aria-label="Repository" role="img" height="16
            <path fill-rule="evenodd" d="M2 2.5A2.5 2.5 0 014.5 0h8.75a.75.75 0 01.
        </svg>
            <svg title="Project" aria-label="Project" role="img" height="16" view
            <path fill-rule="evenodd" d="M1.75 0A1.75 1.75 0 000 1.75v12.5C0 15.216
        </svg>
            <svg title="Search" aria-label="Search" role="img" height="16" viewBc
            <path fill-rule="evenodd" d="M11.5 7a4.499 4.499 0 11-8.998 0A4.499 4.4
        </svg>
        </div>

    <img class="avatar mr-2 flex-shrink-0 js-jump-to-suggestion-avatar d-ne

    <div class="jump-to-suggestion-name js-jump-to-suggestion-name flex-aut
    </div>

    <div class="border rounded-1 flex-shrink-0 color-bg-subtle px-1 color-f
        <span class="js-jump-to-badge-search-text-default d-none" style="display: inline-block; width: 100px; height: 1.2em; vertical-align: middle; background-color: #f0f0f0; border: 1px solid #ccc; border-radius: 3px; padding: 2px 5px; font-size: 0.8em; font-weight: normal; color: #666; text-align: center; line-height: 1;">
            In this repository
        </span>

```

Chat with us

```

    <span class="js-jump-to-badge-search-text-global d-none" aria-label="
      All GitHub
    </span>

    <span aria-hidden="true" class="d-inline-block ml-1 v-align-middle">
  </div>

  <div aria-hidden="true" class="border rounded-1 flex-shrink-0 color-bg-
    Jump to
    <span class="d-inline-block ml-1 v-align-middle">
  </div>
</a>
</li>

</ul>

<ul class="d-none js-jump-to-no-results-template-container">
  <li class="d-flex flex-justify-center flex-items-center f5 d-none js-jump
    <span class="color-fg-muted">No suggested jump to results</span>
  </li>
</ul>

<ul id="jump-to-results" role="listbox" class="p-0 m-0 js-navigation-contai

<li class="d-flex flex-justify-start flex-items-center p-0 f5 navigation-it
  <a tabindex="-1" class="no-underline d-flex flex-auto flex-items-center j
    <div class="jump-to-octicon js-jump-to-octicon flex-shrink-0 mr-2 text-
      <svg title="Repository" aria-label="Repository" role="img" height="16"
      <path fill-rule="evenodd" d="M2 2.5A2.5 2.5 0 014.5 0h8.75a.75.75 0 01.
    </svg>
      <svg title="Project" aria-label="Project" role="img" height="16" view
      <path fill-rule="evenodd" d="M1.75 0A1.75 1.75 0 000 1.75v12.5C0 15.216
    </svg>
      <svg title="Search" aria-label="Search" role="img" height="16" viewBc
      <path fill-rule="evenodd" d="M11.5 7a4.499 4.499 0 11-8.998 0A4.499 4.4
    </svg>
    </div>

    <img class="avatar mr-2 flex-shrink-0 js-jump-to-sugges

```

Chat with us

```

<div class="jump-to-suggestion-name js-jump-to-suggestion-name flex-aut
</div>

<div class="border rounded-1 flex-shrink-0 color-bg-subtle px-1 color-f
  <span class="js-jump-to-badge-search-text-default d-none" aria-label=
    In this repository
  </span>
  <span class="js-jump-to-badge-search-text-global d-none" aria-label='
    All GitHub
  </span>
  <span aria-hidden="true" class="d-inline-block ml-1 v-align-middle">
</div>

<div aria-hidden="true" class="border rounded-1 flex-shrink-0 color-bg-
  Jump to
  <span class="d-inline-block ml-1 v-align-middle">µ</span>
</div>
</a>
</li>

<li class="d-flex flex-justify-start flex-items-center p-0 f5 navigation-it
  <a tabindex="-1" class="no-underline d-flex flex-auto flex-items-center j
    <div class="jump-to-octicon js-jump-to-octicon flex-shrink-0 mr-2 text-
      <svg title="Repository" aria-label="Repository" role="img" height="16"
      <path fill-rule="evenodd" d="M2 2.5A2.5 2.5 0 014.5 0h8.75a.75.75 0 01.
    </svg>
      <svg title="Project" aria-label="Project" role="img" height="16" view
      <path fill-rule="evenodd" d="M1.75 0A1.75 1.75 0 000 1.75v12.5C0 15.216
    </svg>
      <svg title="Search" aria-label="Search" role="img" height="16" viewBc
      <path fill-rule="evenodd" d="M11.5 7a4.499 4.499 0 11-8.998 0A4.499 4.4
    </svg>
  </div>

  <img class="avatar mr-2 flex-shrink-0 js-jump-to-suggestion-avatar d-nc

  <div class="jump-to-suggestion-name js-jump-to-suggesti
  </div>

```

Chat with us

Chat with us

```

    <div class="d-flex position-relative">
      <a class="js-selected-navigation-item Header-link flex-auto mt-md-r
        Marketplace
    </a>    </div>

    <a class="js-selected-navigation-item Header-link mt-md-n3 mb-md-n3 py-
      Explore
    </a>
    <a class="js-selected-navigation-item Header-link d-block d-md-none py-
      Codespaces
    </a>
    <a class="js-selected-navigation-item Header-link d-block d-md-none p

    <a class="Header-link d-block d-md-none mr-0 mr-md-3 py-2 py-md-3 borde
      Settings
    </a>
    <a class="Header-link d-block d-md-none mr-0 mr-md-3 py-2 py-md-3 borde
      <img class="avatar avatar-user" loading="lazy" decoding="async" src='
        shubh123-tri
    </a>
    <!-- '"` --><!-- </textarea></xmp> --></option></form><form action="/lc
      <button
        type="submit"
        class="Header-link mr-0 mr-md-3 py-2 py-md-3 border-top border-md-t
        style="padding-left: 2px;"
        data-hydro-click="{&quot;event_type&quot;;&quot;analytics.event&qu
      >
        <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.
        <path fill-rule="evenodd" d="M2 2.75C2 1.784 2.784 1 3.75 1h2.5a.75.75
    </svg>
      Sign out
    </button>
    </form></nav>

    </div>

    <div class="Header-item Header-item--full flex-justify-center d-md-none
      <a
        class="Header-link "
        href="https://github.com/"
        data-hydro-click="{&quot;event_type&quot;;&quot;analytics.event&qu

```

Chat with us

```

data-hotkey="g d"
aria-label="Homepage "
data-hydro-click="{&quot;event_type&quot;:&quot;analytics.event&quot;,&quot;
>
<svg height="32" aria-hidden="true" viewBox="0 0 16 16" version="1.1" wic
  <path fill-rule="evenodd" d="M8 0C3.58 0 0 3.58 0 8c0 3.54 2.29 6.53 5.
</svg>
</a>

</div>

<div class="Header-item mr-0 mr-md-3 flex-order-1 flex-md-order-none">

  <notification-indicator
    class="js-socket-channel"
    data-test-selector="notifications-indicator"
    data-channel="eyJjIjoibm90aWZpY2F0aW9uLWNoYW5nZWQ6Nzc4ODMwOTkiLCJ0I
    <a href="/notifications"
      class="Header-link notification-indicator position-relative toolt

      aria-label="You have no unread notifications"
      data-hotkey="g n"
      data-ga-click="Header, go to notifications, icon:read"
      data-target="notification-indicator.link">
        <span class="mail-status " data-target="notification-indicator.n
          <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version='
        <path d="M8 16a2 2 0 01.985-1.75c.017-.137-.097-.25-.235-.25h-3.5c-.13
</svg>
      </a>
    </notification-indicator>

</div>

<div class="Header-item position-relative d-none d-md-flex">
  <details class="details-overlay details-reset">
<summary
  class="Header-link"
  data-hotkey="g n" data-ga-click="Header, go to notifications, icon:read"

```

Chat with us

```

    aria-label="Create new a ;"
    data-hydro-click="{&quot;event_type&quot;:&quot;analytics.event&quot;,&
>

    <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.1"
    <path fill-rule="evenodd" d="M7.75 2a.75.75 0 01.75.75V7h4.25a.75.75 0
</svg> <span class="dropdown-caret"></span>
</summary>
<details-menu class="dropdown-menu dropdown-menu-sw">

<a role="menuitem" class="dropdown-item" href="/new" data-ga-click="Header,
New repository
</a>

<a role="menuitem" class="dropdown-item" href="/new/import" data-ga-click
Import repository
</a>

<a role="menuitem" class="dropdown-item" href="https://gist.github.com/" da
New gist
</a>

<a role="menuitem" class="dropdown-item" href="/organizations/new" data-g
New organization
</a>

</details-menu>
</details>

</div>

<div class="Header-item position-relative mr-0 d-none d-md-flex">

<details class="details-overlay details-reset js-feature-preview-indicator

<summary
class="Header-link"
aria-label="View profile and more"
data-hydro-click="{&quot;event_type&quot;:&quot;analytics.event&quot;,&

```

Chat with us


```

>

<span class="feature-preview-indicator js-feature-preview-indicator">
  <span class="dropdown-caret"></span>
</summary>
<details-menu class="dropdown-menu dropdown-menu-sw" style="width: 180px"
  src="/users/77883099/menu" preload>
  <include-fragment>
    <p class="text-center mt-3" data-hide-on-error>
      <svg style="box-sizing: content-box; color: var(--color-icon-primary)" data-bbox="150 255 200 275">
        <circle cx="8" cy="8" r="7" stroke="currentColor" stroke-opacity="0.25" stroke-width="1">
        <path d="M15 8a7.002 7.002 0 00-7-7" stroke="currentColor" stroke-width="1">
      </svg>
    </p>
    <p class="ml-1 mb-2 mt-2 color-fg-default" data-show-on-error>
      <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.1" data-bbox="150 395 200 415">
        <path fill-rule="evenodd" d="M8.22 1.754a.25.25 0 00-.44 0L1.698 13.132a.25.25 0 000 .44l6.522 6.522a.25.25 0 00.44 0L8.22 1.754z" data-bbox="150 395 200 415">
      </svg>
      Sorry, something went wrong.
    </p>
  </include-fragment>
</details-menu>
</details>

</div>
</header>

</div>

<div id="start-of-content" class="show-on-focus"></div>

```

```
<div data-pjax-replace id="js-flash-container">
```

Chat with us

```

<template class="js-flash-template">
  <div class="flash flash-full {{ className }}">

  <div class=" px-2" >
    <button class="flash-close js-flash-close" type="button" aria-label="Di
      <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.1"
      <path fill-rule="evenodd" d="M3.72 3.72a.75.75 0 011.06 0L8 6.9413.22-3
</svg>
    </button>

    <div>{{ message }}</div>

  </div>
</div>
</template>
</div>

```

```

<include-fragment class="js-notification-shelf-include-fragment" data-bas

```

```

  <details class="details-reset details-overlay details-overlay-dark js
<summary class="command-palette-details-summary" aria-label="command pale
</summary>
<details-dialog class="command-palette-details-dialog d-flex flex-column
  <command-palette
    class="command-palette color-bg-default rounded-3"
    data-return-to=/swisskyrepo/PayloadsAllTheThings/blob/master/XSS%20Ir
    data-user-id="77883099"
  >
    <input type="hidden" name="color-mode-path" id="color-mode-path" valu
    <input type="hidden" value="vawdxzlsWY8tzeEGQNshKCwx-6c03yIdWZIJp_Weu

```

```

  <command-palette-mode
    data-char="#"
    data-scope-types="[&quot;&quot;]"

```

Chat with us

```

        data-placeholder="Search issues and pull requests"
></command-palette-mode>
<command-palette-mode
    data-char="#"
    data-scope-types="['<owner>,<repository>']"
    data-placeholder="Search issues, pull requests, discussions, ar
></command-palette-mode>
<command-palette-mode
    data-char="!"
    data-scope-types="['<owner>,<repository>']"
    data-placeholder="Search projects"
></command-palette-mode>
<command-palette-mode
    data-char="@"
    data-scope-types="['<>']"
    data-placeholder="Search or jump to a user, organization, or re
></command-palette-mode>
<command-palette-mode
    data-char="@"
    data-scope-types="['<owner>']"
    data-placeholder="Search or jump to a repository"
></command-palette-mode>
<command-palette-mode
    data-char="/"
    data-scope-types="['<repository>']"
    data-placeholder="Search files"
></command-palette-mode>
<command-palette-mode
    data-char="?"
></command-palette-mode>
<command-palette-mode
    data-char=">"
    data-placeholder="Run a command"
></command-palette-mode>
<command-palette-mode
    data-char=""
    data-scope-types="['<owner>']"
    data-placeholder="Search or jump to..."
></command-palette-mode>
<command-palette-mode
    data-char="."
    data-scope-types="['<repository>']"
    data-placeholder="Search files"
></command-palette-mode>

```

Chat with us

```

class="js-command-palette-default-mode"
data-char=""
data-placeholder="Search or jump to..."

></command-palette-mode>

<command-palette-input placeholder="Search or jump to..."
>
  <div class="js-search-icon d-flex flex-items-center mr-2" style="height: 16px; width: 16px; border: 1px solid #ccc; border-radius: 4px; display: flex; align-items: center; justify-content: center; background-color: #fff; margin-bottom: 5px;">
    <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.1" style="width: 100%; height: 100%; fill: #ccc;">
      <path fill-rule="evenodd" d="M11.5 7a4.499 4.499 0 1 0 0 8.998 4.499 4.499 0 1 0 0-8.998z" style="width: 100%; height: 100%; fill: #ccc;">
    </svg>
  </div>
  <div class="js-spinner d-flex flex-items-center mr-2 color-fg-muted" style="margin-bottom: 5px;">
    <svg aria-label="Loading" class="anim-rotate" viewBox="0 0 16 16" style="width: 16px; height: 16px; margin-right: 5px;">
      <circle
        cx="8"
        cy="8"
        r="7"
        stroke="currentColor"
        stroke-opacity="0.25"
        stroke-width="2"
        vector-effect="non-scaling-stroke"
      ></circle>
      <path
        d="M15 8a7.002 7.002 0 0 0-7-7"
        stroke="currentColor"
        stroke-width="2"
        stroke-linecap="round"
        vector-effect="non-scaling-stroke"
      ></path>
    </svg>
  </div>
  <command-palette-scope >
    <div data-target="command-palette-scope.placeholder" hidden class="js-command-palette-scope" style="border: 1px solid #ccc; border-radius: 4px; padding: 5px; margin-top: 5px;">
      <command-palette-token
        data-text="swisskyrepo"
        data-id="MDQ6VXNlcjEyMTUyNTgz"
        data-type="owner"
        data-value="swisskyrepo"
        data-targets="command-palette-scope.tokens"
      >
    </command-palette-token>
  </div>
</command-palette-scope>

```

Chat with us


```

data-group-id="top"
data-group-title="Top result"
data-group-hint=""

data-group-limits="{}"
data-targets="command-palette-item-stack.groups"
>
</command-palette-item-group>
<command-palette-item-group
  data-group-id="commands"
  data-group-title="Commands"
  data-group-hint="Type &gt; to filter"
  data-group-limits="{}"
  data-targets="command-palette-item-stack.groups"
>
</command-palette-item-group>
<command-palette-item-group
  data-group-id="files"
  data-group-title="Files"
  data-group-hint=""
  data-group-limits="{}"
  data-targets="command-palette-item-stack.groups"
>
</command-palette-item-group>
<command-palette-item-group
  data-group-id="pages"
  data-group-title="Pages"
  data-group-hint=""
  data-group-limits="{&quot;repository&quot;;10}"
  data-targets="command-palette-item-stack.groups"
>
</command-palette-item-group>
<command-palette-item-group
  data-group-id="access_policies"
  data-group-title="Access Policies"
  data-group-hint=""
  data-group-limits="{}"
  data-targets="command-palette-item-stack.groups"
>
</command-palette-item-group>
<command-palette-item-group
  data-group-id="repositories"
  data-group-title="Repositories"
  data-group-hint=""
  data-group-limits="{}"
  data-targets="command-palette-item-stack.groups"
>
</command-palette-item-group>

```

Chat with us

```

data-group-id="organizations"
data-group-title="Organizations"
data-group-hint=""

data-group-limits="{}"
data-targets="command-palette-item-stack.groups"
>
</command-palette-item-group>
<command-palette-item-group
  data-group-id="repositories"
  data-group-title="Repositories"
  data-group-hint=""
  data-group-limits="{}"
  data-targets="command-palette-item-stack.groups"
>
</command-palette-item-group>
<command-palette-item-group
  data-group-id="references"
  data-group-title="Issues, pull requests, and discussions"
  data-group-hint="Type # to filter"
  data-group-limits="{}"
  data-targets="command-palette-item-stack.groups"
>
</command-palette-item-group>
<command-palette-item-group
  data-group-id="teams"
  data-group-title="Teams"
  data-group-hint=""
  data-group-limits="{}"
  data-targets="command-palette-item-stack.groups"
>
</command-palette-item-group>
<command-palette-item-group
  data-group-id="users"
  data-group-title="Users"
  data-group-hint=""
  data-group-limits="{}"
  data-targets="command-palette-item-stack.groups"
>
</command-palette-item-group>
<command-palette-item-group
  data-group-id="repositories"
  data-group-title="Repositories"
  data-group-hint=""
  data-group-limits="{}"
  data-targets="command-palette-item-stack.groups"
>
</command-palette-item-group>
<command-palette-item-group
  data-group-id="references"
  data-group-title="Issues, pull requests, and discussions"
  data-group-hint="Type # to filter"
  data-group-limits="{}"
  data-targets="command-palette-item-stack.groups"
>
</command-palette-item-group>
<command-palette-item-group
  data-group-id="teams"
  data-group-title="Teams"
  data-group-hint=""
  data-group-limits="{}"
  data-targets="command-palette-item-stack.groups"
>
</command-palette-item-group>
<command-palette-item-group
  data-group-id="users"
  data-group-title="Users"
  data-group-hint=""
  data-group-limits="{}"
  data-targets="command-palette-item-stack.groups"
>
</command-palette-item-group>

```

Chat with us

```

        data-group-id="projects"
        data-group-title="Projects"
        data-group-hint=""

        data-group-limits="{}"
        data-targets="command-palette-item-stack.groups"
    >
</command-palette-item-group>
<command-palette-item-group
    data-group-id="footer"
    data-group-title="Footer"
    data-group-hint=""
    data-group-limits="{}"
    data-targets="command-palette-item-stack.groups"
>
</command-palette-item-group>
<command-palette-item-group
    data-group-id="modes_help"
    data-group-title="Modes"
    data-group-hint=""
    data-group-limits="{}"
    data-targets="command-palette-item-stack.groups"
>
</command-palette-item-group>
<command-palette-item-group
    data-group-id="filters_help"
    data-group-title="Use filters in issues, pull requests, disc
    data-group-hint=""
    data-group-limits="{}"
    data-targets="command-palette-item-stack.groups"
>
</command-palette-item-group>
</command-palette-item-stack>

<div class="js-command-local-provider-octicons" hidden>
    <div data-local-provider-octicon-id="arrow-right-color-fg-muted">
        <svg height="16" class="octicon octicon-arrow-right color-fg-mu
    </div>
    <div data-local-provider-octicon-id="arrow-right-color-fg-muted">
        <svg height="16" class="octicon octicon-arrow-r
    </div>

```

Chat with us


```
<div data-local-provider-octicon-id="codespaces-color-fg-muted">
  <svg height="16" class="octicon octicon-codespaces color-fg-mut
</div>

<div data-local-provider-octicon-id="copy-color-fg-muted">
  <svg height="16" class="octicon octicon-copy color-fg-muted" vi
</div>
<div data-local-provider-octicon-id="dash-color-fg-muted">
  <svg height="16" class="octicon octicon-dash color-fg-muted" vi
</div>
<div data-local-provider-octicon-id="file-color-fg-muted">
  <svg height="16" class="octicon octicon-file color-fg-muted" vi
</div>
<div data-local-provider-octicon-id="lock-color-fg-muted">
  <svg height="16" class="octicon octicon-lock color-fg-muted" vi
</div>
<div data-local-provider-octicon-id="moon-color-fg-muted">
  <svg height="16" class="octicon octicon-moon color-fg-muted" vi
</div>
<div data-local-provider-octicon-id="person-color-fg-muted">
  <svg height="16" class="octicon octicon-person color-fg-muted"
</div>
<div data-local-provider-octicon-id="pencil-color-fg-muted">
  <svg height="16" class="octicon octicon-pencil color-fg-muted"
</div>
<div data-local-provider-octicon-id="issue-opened-open">
  <svg height="16" class="octicon octicon-issue-opened open" view
</div>
<div data-local-provider-octicon-id="git-pull-request-draft-color
  <svg height="16" class="octicon octicon-git-pull-request-draft
</div>
<div data-local-provider-octicon-id="search-color-fg-muted">
  <svg height="16" class="octicon octicon-search color-fg-muted"
</div>
<div data-local-provider-octicon-id="sun-color-fg-muted">
  <svg height="16" class="octicon octicon-sun color-fg-muted" vie
</div>
<div data-local-provider-octicon-id="sync-color-fg-muted">
  <svg height="16" class="octicon octicon-sync color-fg-muted"
</div>
<div data-local-provider-octicon-id="trash-color-fg-muted">
  <svg height="16" class="octicon octicon-trash color-fg-muted">
```

Chat with us


```

data-prefix=""@""
data-scope-types="["&quot;&quot;]"
>

<span data-target="command-palette-help.titleElement">Search for
  <span data-target="command-palette-help.hintElement">
    <kbd class="hx_kbd">@</kbd>
  </span>
</command-palette-help>
<command-palette-help
  data-group="modes_help"
  data-prefix="!"
  data-scope-types="["&quot;owner&quot;;&quot;repository&quot;]"
>

  <span data-target="command-palette-help.titleElement">Search for
    <span data-target="command-palette-help.hintElement">
      <kbd class="hx_kbd">!</kbd>
    </span>
  </command-palette-help>
  <command-palette-help
    data-group="modes_help"
    data-prefix="/"
    data-scope-types="["&quot;repository&quot;]"
  >

    <span data-target="command-palette-help.titleElement">Search for
      <span data-target="command-palette-help.hintElement">
        <kbd class="hx_kbd">/</kbd>
      </span>
    </command-palette-help>
    <command-palette-help
      data-group="modes_help"
      data-prefix="&gt;"
    >

      <span data-target="command-palette-help.titleElement">Activate
        <span data-target="command-palette-help.hintElement">
          <kbd class="hx_kbd">&gt;</kbd>
        </span>
      </command-palette-help>
      <command-palette-help
        data-group="filters_help"
        data-prefix="# author:@me"

```

Chat with us

```

>
<span data-target="command-palette-help.titleElement">Search yc
  <span data-target="command-palette-help.hintElement">

    <kbd class="hx_kbd"># author:@me</kbd>
  </span>
</command-palette-help>
<command-palette-help
  data-group="filters_help"
  data-prefix="# author:@me"
>
  <span data-target="command-palette-help.titleElement">Search yc
    <span data-target="command-palette-help.hintElement">
      <kbd class="hx_kbd"># author:@me</kbd>
    </span>
  </command-palette-help>
<command-palette-help
  data-group="filters_help"
  data-prefix="# is:pr"
>
  <span data-target="command-palette-help.titleElement">Filter to
    <span data-target="command-palette-help.hintElement">
      <kbd class="hx_kbd"># is:pr</kbd>
    </span>
  </command-palette-help>
<command-palette-help
  data-group="filters_help"
  data-prefix="# is:issue"
>
  <span data-target="command-palette-help.titleElement">Filter to
    <span data-target="command-palette-help.hintElement">
      <kbd class="hx_kbd"># is:issue</kbd>
    </span>
  </command-palette-help>
<command-palette-help
  data-group="filters_help"
  data-prefix="# is:discussion"
  data-scope-types="['&quot;owner&quot;;&quot;repository&quot;']"
>
  <span data-target="command-palette-help.titleEl
    <span data-target="command-palette-help.hintElement">

```

Chat with us

```

        <kbd class="hx_kbd"># is:discussion</kbd>
      </span>
</command-palette-help>

<command-palette-help
  data-group="filters_help"
  data-prefix="# is:project"
  data-scope-types="['"owner","repository"']"
>
  <span data-target="command-palette-help.titleElement">Filter to
    <span data-target="command-palette-help.hintElement">
      <kbd class="hx_kbd"># is:project</kbd>
    </span>
  </command-palette-help>
<command-palette-help
  data-group="filters_help"
  data-prefix="# is:open"
>
  <span data-target="command-palette-help.titleElement">Filter to
    <span data-target="command-palette-help.hintElement">
      <kbd class="hx_kbd"># is:open</kbd>
    </span>
  </command-palette-help>
</server-defined-provider>
<server-defined-provider
  data-type="prefetched"
  data-fetch-debounce="0"
  data-src="/command_palette/commands"
  data-supported-modes="['&gt;']"
  data-supports-commands

  ></server-defined-provider>
<server-defined-provider
  data-type="prefetched"
  data-fetch-debounce="0"
  data-src="/command_palette/jump_to_page_navigation"
  data-supported-modes="['&quot;']"

  ></server-defined-provider>
<server-defined-provider
  data-type="remote"
  data-fetch-debounce="0"

```

Chat with us

```

    data-fetch-debounce="200"
    data-src="/command_palette/issues"
    data-supported-modes="['"#","#"']"

    data-supported-scope-types="['"owner","repository"']"
  </server-defined-provider>
<server-defined-provider
  data-type="remote"
  data-fetch-debounce="200"
  data-src="/command_palette/jump_to"
  data-supported-modes="['"@","@"']"
  data-supported-scope-types="['"","owner"']"

  </server-defined-provider>
<server-defined-provider
  data-type="remote"
  data-fetch-debounce="200"
  data-src="/command_palette/jump_to_members_only"
  data-supported-modes="['""']"

  </server-defined-provider>
<server-defined-provider
  data-type="prefetched"
  data-fetch-debounce="0"
  data-src="/command_palette/jump_to_members_only_prefetched"
  data-supported-modes="['"@","@",""']"
  data-supported-scope-types="['"","owner"']"

  </server-defined-provider>
<server-defined-provider
  data-type="files"
  data-fetch-debounce="0"
  data-src="/command_palette/files"
  data-supported-modes="['"/"']"
  data-supported-scope-types="['"repository"']"

  </server-defined-provider>
<server-defined-provider
  data-type="remote"
  data-fetch-debounce="200"
  data-src="/command_palette/jump_to_members_only_prefetched"
  data-supported-modes="['"@","@",""']"
  data-supported-scope-types="['"","owner"']"

```

Chat with us

```

        data-src="/command_palette/discussions"
        data-supported-modes="["&quot;#&quot;]"
        data-supported-scope-types="["&quot;owner&quot;;&quot;repository

    ></server-defined-provider>
<server-defined-provider
  data-type="remote"
  data-fetch-debounce="200"
  data-src="/command_palette/projects"
  data-supported-modes="["&quot;#&quot;;&quot;!&quot;]"
  data-supported-scope-types="["&quot;owner&quot;;&quot;repository

    ></server-defined-provider>
<server-defined-provider
  data-type="prefetched"
  data-fetch-debounce="0"
  data-src="/command_palette/recent_issues"
  data-supported-modes="["&quot;#&quot;;&quot;#&quot;]"
  data-supported-scope-types="["&quot;owner&quot;;&quot;repository

    ></server-defined-provider>
<server-defined-provider
  data-type="remote"
  data-fetch-debounce="200"
  data-src="/command_palette/teams"
  data-supported-modes="["&quot;@&quot;;&quot;&quot;]"
  data-supported-scope-types="["&quot;owner&quot;]"

    ></server-defined-provider>
<server-defined-provider
  data-type="remote"
  data-fetch-debounce="200"
  data-src="/command_palette/name_with_owner_repository"
  data-supported-modes="["&quot;&quot;]"

    ></server-defined-provider>
<server-defined-provider
  data-type="main-window-commands"
  data-fetch-debounce="0"
  data-supported-modes="["&quot;&gt;&quot;]"

```

Chat with us

data-supports-commands

></server-defined-provider>

</command-palette>

</details-dialog>

</details>

<div class="position-fixed bottom-0 left-0 ml-5 mb-5 js-command-palette-toa

<div hidden class="Toast Toast--loading">

<svg class="Toast--spinner" viewBox="0 0 32 32" width="18" height="18

<path

fill="#959da5"

d="M16 0 A16 16 0 0 0 16 32 A16 16 0 0 0 16 0 M16 4 A12 12 0 0 1

/>

<path fill="ffffff" d="M16 0 A16 16 0 0 1 32 16 L28 16 A12 12 0 0

</svg>

</div>

<div hidden class="anim-fade-in fast Toast Toast--error">

<svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.1"

<path fill-rule="evenodd" d="M4.47.22A.75.75 0 015 0h6a.75.75 0 01.53.2

</svg>

</div>

<div hidden class="anim-fade-in fast Toast Toast--warning">

<svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.1"

<path fill-rule="evenodd" d="M8.22 1.754a.25.25 0 00-.44 0L1.698 13.132

</svg>

</div>

Chat with us


```

<div hidden class="anim-fade-in fast toast toast--success">
  <span class="Toast-icon">
    <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.1"
    <path fill-rule="evenodd" d="M13.78 4.22a.75.75 0 010 1.06l-7.25 7.25a.
</svg>
  </span>
  <span class="Toast-content"></span>
</div>

```

```

<div hidden class="anim-fade-in fast Toast">
  <span class="Toast-icon">
    <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.1"
    <path fill-rule="evenodd" d="M8 1.5a6.5 6.5 0 100 13 6.5 6.5 0 000-13z"
</svg>
  </span>
  <span class="Toast-content"></span>
</div>
</div>

```

```

    <div hidden class="js-command-palette-pjax-meta-data" data-pjax-replac
    data-subject-id="MDEwOlJlcG9zaXRvcnk3MTIyMDc1Nw=="
    data-subject-type="Repository"
  >
</div>

```

```

<div
  class="application-main "
  data-commit-hovercards-enabled
  data-discussion-hovercards-enabled
  data-issue-and-pr-hovercards-enabled
  >
    <div itemscope itemtype="http://schema.org/SoftwareSourceCode" clas
    <main id="js-repo-pjax-container" data-pjax-container >

```

Chat with us

```

<div id="repository-container-header" class="pt-3 hide-full-screen mb-5">

  <div class="d-flex mb-3 px-3 px-md-4 px-lg-5">

    <div class="flex-auto min-width-0 width-fit mr-3">
      <h1 class=" d-flex flex-wrap flex-items-center wb-break-word f
    <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.1" v
    <path fill-rule="evenodd" d="M2 2.5A2.5 2.5 0 0 14.5 0h8.75a.75.75 0 0 1.
  </svg>
  <span class="author flex-self-stretch" itemprop="author">
    <a class="url fn" rel="author" data-hovercard-type="user" data-hovercar
  </span>
  <span class="mx-1 flex-self-stretch color-fg-muted"></span>
  <strong itemprop="name" class="mr-2 flex-self-stretch">
    <a data-pjax="#repo-content-pjax-container" href="/swisskyrepo/Payloads
  </strong>

  <span></span><span class="Label Label--secondary v-align-middle mr-1">Put
</h1>

  </div>

  <ul class="pagehead-actions flex-shrink-0 d-none d-md-inline" sty
<li>
  <include-fragment src="/swisskyrepo/PayloadsAllTheThings/sponsor_bu
</li>

<li>
  <notifications-list-subscription-form class="f5 position-relative">
<details
  class="details-reset details-overlay f5 position-relative"
  data-target="notifications-list-subscription-form.details"
  data-action="toggle:notifications-list-subscription-f
  >

```

Chat with us

```

<summary data-hydro-click="{&quot;event_type&quot;:&quot;repository.<
  <span
    hidden

    data-target="notifications-list-subscription-form.unwatchButt
  >
    <svg aria-hidden="true" height="16" viewBox="0 0 16 16" versi
    <path fill-rule="evenodd" d="M1.679 7.932c.412-.621 1.242-1.75 2.366-2.
  </svg>
    Unwatch
  </span>
  <span
    hidden

    data-target="notifications-list-subscription-form.stopIgnorir
  >
    <svg aria-hidden="true" height="16" viewBox="0 0 16 16" versi
    <path fill-rule="evenodd" d="M8 1.5c-.997 0-1.895.416-2.534 1.086A.75.7
  </svg>
    Stop ignoring
  </span>
  <span

    data-target="notifications-list-subscription-form.watchButtor
  >
    <svg aria-hidden="true" height="16" viewBox="0 0 16 16" versi
    <path fill-rule="evenodd" d="M1.679 7.932c.412-.621 1.242-1.75 2.366-2.
  </svg>
    Watch
  </span>
</span>
  <span id="repo-notifications-counter" data-target="notification
  <span class="dropdown-caret"></span>
</summary>
<details-menu
  class="SelectMenu "
  role="menu"
  data-target="notifications-list-subscription-form

```

Chat with us

```

>
<div class="SelectMenu-modal notifications-component-menu-modal">
  <header class="SelectMenu-header">

    <h3 class="SelectMenu-title">Notifications</h3>
    <button class="SelectMenu-closeButton" type="button" aria-label="Close"
      <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.0">
        <path fill-rule="evenodd" d="M3.72 3.72a.75.75 0 011.06 0L8 6.94l3.22-3.22a.75.75 0 011.06 0l3.22 3.22a.75.75 0 010 1.06l-3.22 3.22a.75.75 0 01-1.06 0L8 12.06l-3.22-3.22a.75.75 0 010-1.06L3.72 3.72z" />
      </svg>
    </button>
  </header>

  <div class="SelectMenu-list">
    <form data-target="notifications-list-subscription-form.form">

      <input type="hidden" name="repository_id" value="71220757">

      <button
        type="submit"
        name="do"
        value="included"
        class="SelectMenu-item flex-items-start"
        role="menuitemradio"
        aria-checked="true"
        data-targets="notifications-list-subscription-form.subscribe-button"
      >
        <span class="f5">
          <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.0">
            <path fill-rule="evenodd" d="M13.78 4.22a.75.75 0 010 1.06l-7.25 7.25a.75.75 0 01-1.06 0L3.72 4.22a.75.75 0 010-1.06l7.25-7.25a.75.75 0 011.06 0z" />
          </svg>
        </span>
        <div>
          <div class="f5 text-bold">
            Participating and @mentions
          </div>
          <div class="text-small color-fg-muted text-normal pb-1">
            Only receive notifications from this repository when you mention it
          </div>
        </div>
      </button>
    </form>
  </div>

```

Chat with us

```

<button
  type="submit"

  name="do"
  value="subscribed"
  class="SelectMenu-item flex-items-start"
  role="menuitemradio"
  aria-checked="false"
  data-targets="notifications-list-subscription-form.subscr
>
  <span class="f5">
    <svg aria-hidden="true" height="16" viewBox="0 0 16 16"
    <path fill-rule="evenodd" d="M13.78 4.22a.75.75 0 010 1.06l-7.25 7.25a.
</svg>

    </span>
    <div>
      <div class="f5 text-bold">
        All Activity
      </div>
      <div class="text-small color-fg-muted text-normal pb-1">
        Notified of all notifications on this repository.
      </div>
    </div>
  </button>

<button
  type="submit"
  name="do"
  value="ignore"
  class="SelectMenu-item flex-items-start"
  role="menuitemradio"
  aria-checked="false"
  data-targets="notifications-list-subscription-form.subscr
>
  <span class="f5">
    <svg aria-hidden="true" height="16" viewBox="0 0 16 16"
    <path fill-rule="evenodd" d="M13.78 4.22a.75.75 0 010 1.06l-7.25 7.25a.
</svg>

    </span>
    <div>
      <div class="f5 text-bold">
        All Activity
      </div>
      <div class="text-small color-fg-muted text-normal pb-1">
        Notified of all notifications on this repository.
      </div>
    </div>
  </button>

```

Chat with us

```

        <div class="t5 text-bold">
            Ignore
        </div>

        <div class="text-small color-fg-muted text-normal pb-1">
            Never be notified.
        </div>
    </div>
</button>
</form>

<button
    class="SelectMenu-item flex-items-start pr-3"
    type="button"
    role="menuitemradio"
    data-target="notifications-list-subscription-form.customBut
    data-action="click:notifications-list-subscription-form#ope
    aria-haspopup="true"
    aria-checked="false"

>
    <span class="f5">
        <svg aria-hidden="true" height="16" viewBox="0 0 16 16" \
        <path fill-rule="evenodd" d="M13.78 4.22a.75.75 0 010 1.06l-7.25 7.25a.
    </svg>

    </span>
    <div>
        <div class="d-flex flex-items-start flex-justify-between">
            <div class="f5 text-bold">Custom</div>
            <div class="f5 pr-1">
                <svg aria-hidden="true" height="16" viewBox="0 0 16 1
                <path fill-rule="evenodd" d="M8.22 2.97a.75.75 0 011.06 0l4.25 4.25a.75
            </svg>

            </div>
        </div>
        <div class="text-small color-fg-muted text-normal pb-1">
            Select events you want to be notified of in addition to
        </div>
    </div>
</button>

<div class="px-3 py-2 d-flex color-bg-subtle flex-items-center"
    class="f5"

```

Chat with us

```

        <span class="t5">
          <svg aria-hidden="true" height="16" viewBox="0 0 16 16"
<path fill-rule="evenodd" d="M3.75 0A1.75 1.75 0 002 1.75v12.5c0 .966.7
</svg>
      </span>
      <span className="text-small color-fg-muted text-normal pt
        Get push notifications on <a target="_blank" rel="noope
      </span>
    </div>
  </div>
</div>
</details-menu>

<details-dialog class="notifications-component-dialog " data-target
  <div class="SelectMenu-modal notifications-component-dialog-modal
    <form data-target="notifications-list-subscription-form.customf

    <input type="hidden" name="repository_id" value="71220757">

    <header class="d-sm-none SelectMenu-header pb-0 border-bottom
      <h1 class="f3 SelectMenu-title d-inline-flex">
        <button
          class="color-bg-default border-0 px-2 py-0 m-0 Link--se
          aria-label="Return to menu"
          type="button"
          data-action="click:notifications-list-subscription-form
        >
          <svg aria-hidden="true" height="16" viewBox="0 0 16 16"
<path fill-rule="evenodd" d="M7.78 12.53a.75.75 0 01-1.06 0L2.47 8.28a.
</svg>
        </button>
        Custom
      </h1>
    </header>

    <header class="d-none d-sm-flex flex-items-start pt-1">
      <button
        class="border-0 px-2 pt-1 m-0 Link--second--55"
        style="background-color: transparent;"
        aria-label="Return to menu"
        type="button"
      >

```

Chat with us

```

        type="button"
        data-action="click:notifications-list-subscription-form#close"
      >

      <svg style="position: relative; left: 2px; top: 1px" aria-label="close" >
        <path fill-rule="evenodd" d="M7.78 12.53a.75.75 0 01-1.06 0L2.47 8.28a.75.75 0 010-.76l5.25-5.25a.75.75 0 011.06 0l4.27 4.27a.75.75 0 010 1.06l-5.25 5.25a.75.75 0 010 .76z" />
      </svg>

    </button>

    <h1 class="pt-1 pr-4 pb-0 pl-0 f5 text-bold">
      Custom
    </h1>
  </header>

  <fieldset>
    <legend>
      <div class="text-small color-fg-muted pt-0 pr-3 pb-3 pl-6">
        Select events you want to be notified of in addition to
      </div>
    </legend>
    <div class="form-checkbox mr-3 ml-6 ml-sm-5 mb-2 mt-0">
      <label class="f5 text-normal">
        <input
          type="checkbox"
          name="thread_types[]"
          value="Issue"
          data-targets="notifications-list-subscription-form.issues"
          data-action="change:notifications-list-subscription-form#update"
        />
        Issues
      </label>

      <span
        class="tooltipped tooltipped-nw mr-2 p-1 float-right"
        data-target="notifications-list-subscription-form.issues"
        data-action="change:notifications-list-subscription-form#update"
        aria-label="Issues are not enabled for this repo">
        <svg aria-hidden="true" height="16" viewBox="0 0 16 16">
          <path fill-rule="evenodd" d="M8 1.5a6.5 6.5 0 100 13 6.5 6.5 0 100-13z" />
        </svg>
      </span>
    </div>
  </fieldset>

```

Chat with us


```
</div>
<div class="form-checkbox mr-3 ml-6 ml-sm-5 mb-2 mt-0">
  <label class="f5 text-normal">

    <input
      type="checkbox"
      name="thread_types[]"
      value="PullRequest"
      data-targets="notifications-list-subscription-form.
      data-action="change:notifications-list-subscriptior

    >
    Pull requests
  </label>

</div>
<div class="form-checkbox mr-3 ml-6 ml-sm-5 mb-2 mt-0">
  <label class="f5 text-normal">
    <input
      type="checkbox"
      name="thread_types[]"
      value="Release"
      data-targets="notifications-list-subscription-form.
      data-action="change:notifications-list-subscriptior

    >
    Releases
  </label>

</div>
<div class="form-checkbox mr-3 ml-6 ml-sm-5 mb-2 mt-0">
  <label class="f5 text-normal">
    <input
      type="checkbox"
      name="thread_types[]"
      value="Discussion"
      data-targets="notifications-list-subscription-form.
      data-action="change:notifications-list-subscriptior

    >
    Discussions
  </label>
```

Chat with us

```

    </label>

    <span

      class="tooltipped tooltipped-nw mr-2 p-1 float-right"

      aria-label="Discussions are not enabled for this repository"
      <svg aria-hidden="true" height="16" viewBox="0 0 16 16"
        <path fill-rule="evenodd" d="M8 1.5a6.5 6.5 0 100 13 6.5 6.5 0 000-13zM8 1.5"
      </svg>
    </span>
  </div>
  <div class="form-checkbox mr-3 ml-6 ml-sm-5 mb-2 mt-0">
    <label class="f5 text-normal">
      <input
        type="checkbox"
        name="thread_types[]"
        value="SecurityAlert"
        data-targets="notifications-list-subscription-form.
        data-action="change:notifications-list-subscription-
      >
      Security alerts
    </label>

  </div>
</fieldset>
<div class="pt-2 pb-3 px-3 d-flex flex-justify-start flex-row">
  <button name="do" value="custom" data-target="notifications-
</button>

  <button data-action="click:notifications-list-subscription-
</button>
</div>
</form>
</div>
</details-dialog>
<div class="notifications-component-dialog-overlay"></div>
</details>
</notifications-list-subscription-form>

```

Chat with us

```

</li>

<li>
    <form class="btn-with-count" action="/swisskyrepo/PayloadsAllTh
    <button data-hydro-click="{&quot;event_type&quot;:&quot;repository.
    <path fill-rule="evenodd" d="M5 3.25a.75.75 0 11-1.5 0 .75.75 0 011.5 0
</svg>Fork
    <span id="repo-network-counter" data-pjax-replace="true" title="9
</button></form>
</li>

<li>

<div data-view-component="true" class="js-toggler-container js-social-cor
    <form class="starred js-social-form BtnGroup-parent flex-auto" action='
    <input type="hidden" name="context" value="repository">
    <button data-hydro-click="{&quot;event_type&quot;:&quot;repository.cl
    <path fill-rule="evenodd" d="M8 .25a.75.75 0 01.673.41811.882 3.815 4.2
</svg><span data-view-component="true" class="d-inline">
    Starred
</span>
    <span id="repo-stars-counter-unstar" aria-label="33636 use
</button></form>
    <form class="unstarred js-social-form BtnGroup-parent flex-auto" action
    <input type="hidden" name="context" value="repository">
    <button data-hydro-click="{&quot;event_type&quot;:&quot;repository.cl
    <path fill-rule="evenodd" d="M8 .25a.75.75 0 01.673.41811.882 3.815 4.2
</svg><span data-view-component="true" class="d-inline">
    Star
</span>
    <span id="repo-stars-counter-star" aria-label="33636 users
</button></form>
    <details id="details-59da93" data-view-component="true" class="detail
    <summary aria-label="Add this repository to a list" data-view-compone
    <path d="M4.427 7.42713.396 3.396a.25.25 0 00.354 013.396-3.396A.25.25
</svg>
</summary>
    <template class="js-user-list-create-dialog-template" data-la
    <div class="Box-header">
        <h2 class="Box-title">Create list</h2>
    </div>
    <form class="Box-body d-flex flex-column p-3 js-user-list-form" action="/
    <div class="Box-body d-flex flex-column p-3 js-user-list-form" action="/

```

Chat with us

```

    <p class="color-tg-subtle mb-3">Create a list to organize your star
    <input type="hidden" name="repository_id" value="{{ repositoryId }}">

<div class="form-group mx-0 mt-0 mb-2 js-user-list-input-container js-cha
    <auto-check src="/stars/shubh123-tri/list-check?attr=name" required>
        <text-expander keys=":" data-emoji-url="/autocomplete/emoji">
            <input
                type="text"
                name="user_list[name]"
                class="form-control js-user-list-input js-characters-remaining-fi
                placeholder="â i, Name this list"
                value=""
                aria-label="List name"
                maxlength="32"
                data-maxlength="32"
                autofocus
                required
            >
        </text-expander>
        <input type="hidden" value="RVm4-gUYxhKkdXiWKjSx1GIbZyq0rdDV-h_Qvt0JL
    </auto-check>
    <p
        class="note error position-relative js-user-list-error"
        hidden
    >
        Name .
    </p>
    <p class="mt-1 text-small float-right js-characters-remaining" data-suf
        32 remaining
    </p>
</div>
<div class="form-group mx-0 mt-0 mb-2 js-user-list-input-container js-cha
    <text-expander keys=":" data-emoji-url="/autocomplete/emoji">
        <textarea
            name="user_list[description]"
            class="form-control js-user-list-input js-characters-remaining-fiel
            placeholder="Write a description"
            aria-label="List description"
            maxlength="160"
            data-maxlength="160"
            "

```

Chat with us

```

        style="height: /4px; min-height: /4px"
    ></textarea>
</text-expander>

<p
  class="note error position-relative js-user-list-error"
  hidden
>
  Description .
</p>
<p class="mt-1 text-small float-right js-characters-remaining" data-suf
  160 remaining
</p>
</div>
<div hidden="hidden" data-generic-message="Unable to save your list at th
.

</div>      <button disabled="disabled" data-disable-invalid="true" data-su
</button>

<p class="note mt-2 mb-0">
  <strong>Tip:</strong> type <code>:</code> to add emoji to the name or c
</p>
</form>
<div data-view-component="true" class="Box-footer Box-row--gray text-smal
  <span title="Feature Release Label: Beta" aria-label="Feature Release Lat
  <span class="mr-1">Lists are currently in beta.</span>
  <a href="/github/feedback/discussions/categories/lists-feedback">Share fe
</div>
</template>

<details-menu
  class="SelectMenu right-0"
  src="/swisskyrepo/PayloadsAllTheThings/lists"

  role="menu"

```

Chat with us

```

>
<div class="SelectMenu-modal">

    <button class="SelectMenu-closeButton position-absolute right-0 m-2" type="button">
        <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.1">
            <path fill-rule="evenodd" d="M3.72 3.72a.75.75 0 011.06 0L8 6.94l3.28-3.28a.75.75 0 011.06 0l3.28 3.28a.75.75 0 010 1.06l-3.28 3.28a.75.75 0 01-1.06 0L8 12.06a.75.75 0 01-1.06 0L3.72 8.94a.75.75 0 010 1.06L3.72 3.72z" />
        </svg>
    </button>

    <div
        id="filter-menu-59da93"
        class="d-flex flex-column flex-1 overflow-hidden">

        <div
            class="SelectMenu-list">

                <div>

                    <include-fragment class="SelectMenu-loading" aria-label="Loading spinner">
                        <svg style="box-sizing: content-box; color: var(--color-icon); height: 1em;">
                            <circle cx="8" cy="8" r="7" stroke="currentColor" stroke-opacity="0.25" stroke-width="2">
                                <path d="M15 8a7.002 7.002 0 00-7-7" stroke="currentColor" stroke-width="2">
                                </path>
                            </circle>
                        </svg>
                    </include-fragment>
                </div>

                <div>

                    <div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</details-menu>
</details>
</div>
</li>

<li>

</li>
</ul>

</div>

<div id="responsive-meta-container" data-pjax-replace>

```

Chat with us

```
</div>
```

```
<nav data-pjax="#js-repo-pjax-container" aria-label="Repository" data-view-

  <ul data-view-component="true" class="UnderlineNav-body list-style-none">
    <li data-view-component="true" class="d-inline-flex">
      <a id="code-tab" href="/swisskyrepo/PayloadsAllTheThings" data-tab-item='

        <svg aria-hidden="true" height="16" viewBox="0 0 16 16" \
        <path fill-rule="evenodd" d="M4.72 3.22a.75.75 0 011.06 1.06L2.06 8.13.7
      </svg>
      <span data-content="Code">Code</span>
      <span id="code-repo-tab-count" data-pjax-replace="" title="Not

    </a></li>
    <li data-view-component="true" class="d-inline-flex">
      <a id="pull-requests-tab" href="/swisskyrepo/PayloadsAllTheThings/pulls"

        <svg aria-hidden="true" height="16" viewBox="0 0 16 16" \
        <path fill-rule="evenodd" d="M7.177 3.073L9.573.677A.25.25 0 0110 .854\
      </svg>
      <span data-content="Pull requests">Pull requests</span>
      <span id="pull-requests-repo-tab-count" data-pjax-replace="" ti

    </a></li>
    <li data-view-component="true" class="d-inline-flex">
      <a id="projects-tab" href="/swisskyrepo/PayloadsAllTheThings/projects?typ

        <svg aria-hidden="true" height="16" viewBox="0 0 16 16" \
        <path fill-rule="evenodd" d="M0 1.75C0 .784.784 0 1.75 0h12.5C15.216 0
      </svg>
      <span data-content="Projects">Projects</span>
      <span id="projects-repo-tab-count" data-pjax-re
```

Chat with us

```

</a></li>

    <li data-view-component="true" class="d-inline-flex">
      <a id="security-tab" href="/swisskyrepo/PayloadsAllTheThings/security" data-

          <svg aria-hidden="true" height="16" viewBox="0 0 16 16" \
            <path fill-rule="evenodd" d="M7.467.133a1.75 1.75 0 011.066 0 15.25 1.68
        </svg>
        <span data-content="Security">Security</span>
        <include-fragment src="/swisskyrepo/PayloadsAllTheThings/securi

</a></li>

    <li data-view-component="true" class="d-inline-flex">
      <a id="insights-tab" href="/swisskyrepo/PayloadsAllTheThings/pulse" data-

          <svg aria-hidden="true" height="16" viewBox="0 0 16 16" \
            <path fill-rule="evenodd" d="M1.5 1.75a.75.75 0 00-1.5 0v12.5c0 .414.33
        </svg>
        <span data-content="Insights">Insights</span>
        <span id="insights-repo-tab-count" data-pjax-replace="" title='

</a></li>
</ul>

    <div style="visibility:hidden;" data-view-component="true" class="Under
    <summary role="button" data-view-component="true">
      <div class="l
        <svg aria-hidden="true" height="16" viewBox="0 0 16 16" versior
        <path d="M8 9a1.5 1.5 0 100-3 1.5 1.5 0 000 3zM1.5 9a1.5 1.5 0 100-3 1.
    </svg>
      <span class="sr-only">More</span>
    </div>
  </summary>
  <div data-view-component="true">
    <details-menu role="menu" data-

    <ul>
      <li data-menu-item="i0code-tab" hidden>
        <a role="menuitem" class="js-selected-navigation-item sel

```

Chat with us


```

        Code
    </li>
    <li data-menu-item="i1pull-requests-tab" hidden>

        <a role="menuitem" class="js-selected-navigation-item drc
        Pull requests
    </a>
    </li>
    <li data-menu-item="i2projects-tab" hidden>
        <a role="menuitem" class="js-selected-navigation-item drc
        Projects
    </a>
    </li>
    <li data-menu-item="i3security-tab" hidden>
        <a role="menuitem" class="js-selected-navigation-item drc
        Security
    </a>
    </li>
    <li data-menu-item="i4insights-tab" hidden>
        <a role="menuitem" class="js-selected-navigation-item drc
        Insights
    </a>
    </li>
</ul>

</details-menu></div>
</details></div>
</nav>
</div>

```

```

<div class="clearfix new-discussion-timeline container-xl px-3 px-md-4 px-l
    <div id="repo-content-pjax-container" class="repository-content " >

        <a href="https://github.dev/" class="d-none js-github-dev-shortcut" >
        <a href="https://github.dev/" class="d-none js-github-dev-new-tab-shortcu

```

```

<div>

```

Chat with us

```

<a class="d-none js-permalink-shortcut" data-hotkey="y" href="/swisskyr

<div class="d-flex flex-items-start flex-shrink-0 pb-3 flex-wrap flex-n

<div class="position-relative">
  <details class="details-reset details-overlay mr-0 mb-0 " id="branch-select"
    <summary class="btn css-truncate"
      data-hotkey="w"
      title="Switch branches or tags">
      <svg text="gray" aria-hidden="true" height="16" viewBox="0 0 16 16" \
    <path fill-rule="evenodd" d="M11.75 2.5a.75.75 0 100 1.5.75.75 0 000-1.5
  </svg>
    <span class="css-truncate-target" data-menu-button>master</span>
    <span class="dropdown-caret"></span>
  </summary>

<div class="SelectMenu">
  <div class="SelectMenu-modal">
    <header class="SelectMenu-header">
      <span class="SelectMenu-title">Switch branches/tags</span>
      <button class="SelectMenu-closeButton" type="button" data-toggle-for=
    <path fill-rule="evenodd" d="M3.72 3.72a.75.75 0 011.06 0L8 6.94l3.22-3.22
  </svg></button>
    </header>

    <input-demux data-action="tab-container-change:input-demux#storeInput t
      <tab-container class="d-flex flex-column js-branches-tags-tabs" style=
        <div class="SelectMenu-filter">
          <input data-target="input-demux.source"
            id="context-commitish-filter-field"
            class="SelectMenu-input form-control"
            aria-owns="ref-list-branches"
            data-controls-ref-menu-id="ref-list-branch
            autofocus
            type="text" value="" />
        </div>
      </div>
    </div>
  </div>
</div>

```

Chat with us


```

        <div data-target="ref-selector.listContainer" role="menu" class="
          <div class="SelectMenu-loading pt-3 pb-0 overflow-hidden" aria-label="Loading"
            <svg style="box-sizing: content-box; color: var(--color-icc)
              <circle cx="8" cy="8" r="7" stroke="currentColor" stroke-opacity="0.25" stroke-width="1"
              <path d="M15 8a7.002 7.002 0 00-7-7" stroke="currentColor" stroke-width="1"
            </svg>
          </div>
        </div>

        <template data-target="ref-selector.itemTemplate">
          <a href="https://github.com/swisskyrepo/PayloadsAllTheThings/blob/{{ url }}"
            <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.1"
              <path fill-rule="evenodd" d="M13.78 4.22a.75.75 0 010 1.06l-7.25 7.25a.75.75 0 01-1.06 0l-7.25-7.25a.75.75 0 010-1.06l7.25-7.25a.75.75 0 011.06 0z"
            </path>
          </svg>
          <span class="flex-1 css-truncate css-truncate-overflow {{ isFilteringClass }}"
            <span hidden="{{ isNotDefault }}" class="Label Label--secondary flex-shrink-0"
          </a>
        </template>

        <footer class="SelectMenu-footer"><a href="/swisskyrepo/PayloadsAllTheThings/refs/"
        </ref-selector>

      </div>

    <div role="tabpanel" id="tags-menu" data-filter-placeholder="Find a tag"
      <ref-selector
        type="tag"
        data-action="
          input-entered:ref-selector#inputEntered
          tab-selected:ref-selector#tabSelected
          focus-list:ref-selector#focusFirstListMember
        "
        data-targets="input-demux.sinks"
        query-endpoint="/swisskyrepo/PayloadsAllTheThings/refs"
        cache-key="v0:1633899128.079813"
        current-committish="bWFzdGVy"
        default-branch="bWFzdGVy"
        name-with-owner="c3dpc3NreXJlcG8vUGF5bG9hZHNBBG
  >

```

Chat with us

```

    <template data-target="ref-selector.fetchFailedTemplate">
      <div class="SelectMenu-message" data-index="{{ index }}">Cou
    </template>

    <template data-target="ref-selector.noMatchTemplate">
      <div class="SelectMenu-message" data-index="{{ index }}">Notf
    </template>

    <template data-target="ref-selector.itemTemplate">
      <a href="https://github.com/swisskyrepo/PayloadsAllTheThings/blob/{{ urlf
        <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.1" v
        <path fill-rule="evenodd" d="M13.78 4.22a.75.75 0 010 1.06l-7.25 7.25a.
    </svg>
      <span class="flex-1 css-truncate css-truncate-overflow {{ isFilteringCl
      <span hidden="{{ isNotDefault }}" class="Label Label--secondary flex-se
    </a>
  </template>

  <div data-target="ref-selector.listContainer" role="menu" class=
    <div class="SelectMenu-loading pt-3 pb-0 overflow-hidden" ari
      <svg style="box-sizing: content-box; color: var(--color-icc
        <circle cx="8" cy="8" r="7" stroke="currentColor" stroke-opacity="0.25" s
        <path d="M15 8a7.002 7.002 0 00-7-7" stroke="currentColor" stroke-width='
    </svg>
  </div>
</div>
  <footer class="SelectMenu-footer"><a href="/swisskyrepo/Paylc
</ref-selector>
</div>
</tab-container>
</input-demux>
</div>
</div>

</details>

</div>

```

Chat with us

```

<h2 id="blob-path" class="breadcrumb flex-auto flex-self-center min-vw-100">
  <span class="js-repo-root text-bold"><span class="js-path-segment c
</h2>

<a href="/swisskyrepo/PayloadsAllTheThings/find/master"
  class="js-pjax-capture-input btn mr-2 d-none d-md-block"
  data-pjax
  data-hotkey="t">
  Go to file
</a>

<details id="blob-more-options-details" data-view-component="true" cl
<summary role="button" data-view-component="true" class="btn"> <svg aria
  <path d="M8 9a1.5 1.5 0 100-3 1.5 1.5 0 000 3zM1.5 9a1.5 1.5 0 100-3 1.
</svg>
</summary>
  <div data-view-component="true">
    <ul class="dropdown-menu dropdc
      <li class="d-block d-md-none">
        <a class="dropdown-item d-flex flex-items-baseline" data-hydr
          <span class="flex-auto">Go to file</span>
          <span class="text-small color-fg-muted" aria-hidden="true">
</a>
        </li>
        <li data-toggle-for="blob-more-options-details">
          <button data-toggle-for="jumpto-line-details-dialog" type="bu
            <span class="flex-auto">Go to line</span>
            <span class="text-small color-fg-muted" aria-hidden="true
          </span>
</button>
        </li>
        <li class="dropdown-divider" role="none"></li>
        <li>
          <clipboard-copy data-toggle-for="blob-more-options-details" a

          Copy path

</clipboard-copy>
        </li>
        <li>
          <clipboard-copy data-toggle-for="blob-more-options-details" a

          <span class="d-flex flex-items-baseline">
            <span class="flex-auto">Copy permalink</s
          </span>

```

Chat with us

```
</clipboard-copy>      </li>
      </ul>
```

```
</div>
</details>    </div>
```

```
<div class="Box d-flex flex-column flex-shrink-0 mb-3">
  <include-fragment src="/swisskyrepo/PayloadsAllTheThings/contributors">
    <div class="Box-header d-flex flex-items-center">
      <div class="Skeleton avatar avatar-user flex-shrink-0 ml-n1 mr-n1">
        <div class="Skeleton Skeleton--text col-5 ml-2">&nbsp;</div>
      </div>

      <div class="Box-body d-flex flex-items-center" >
        <div class="Skeleton Skeleton--text col-1">&nbsp;</div>
        <span class="color-fg-danger h6 loader-error">Cannot retrieve cor
      </div>
    </include-fragment>    </div>
```

```
<div data-target="readme-toc.content" class="Box mt-3 position-relative">

<div
  class="Box-header js-blob-header py-2 pr-2 d-flex flex-shrink-0 flex-mc
>
```

Chat with us

```
<div class="text-mono t6 flex-auto pr-3 flex-order-2 flex-md-order-1">
```

```
9 lines (8 sloc)
```

```
<span class="file-info-divider"></span>
```

```
379 Bytes
```

```
</div>
```

```
<div class="d-flex py-1 py-md-0 flex-auto flex-order-1 flex-md-order-2 fl
```

```
<div class="BtnGroup">
```

```
<a href="/swisskyrepo/PayloadsAllTheThings/blob/master/XSS%20Injection/"
```

```
<path fill-rule="evenodd" d="M4.72 3.22a.75.75 0 011.06 1.06L2.06 8.13.7
```

```
</svg>
```

```
</a> <a href="/swisskyrepo/PayloadsAllTheThings/blob/master/XSS%20Inject
```

```
<path fill-rule="evenodd" d="M3.75 1.5a.25.25 0 00-.25.25v11.5c0 .138.1
```

```
</svg>
```

```
</a> </div>
```

```
<div class="BtnGroup">
```

```
<a href="/swisskyrepo/PayloadsAllTheThings/raw/master/XSS%20Injection"
```

```
</a>
```

```
<a href="/swisskyrepo/PayloadsAllTheThings/blame/master/XSS%20Inject
```

```
</a>
```

```
</div>
```

```
<div>
```

```
<a class="btn-octicon tooltipped tooltipped-nw js-remove-unless-p
```

```
data-platforms="windows,mac"
```

```
href="https://desktop.github.com"
```

```
aria-label="Open this file in GitHub Desktop"
```

```
data-ga-click="Repository, open with desktop">
```

```
<svg aria-hidden="true" height="16" viewBox="0 0 16 16" versi
```

```
<path fill-rule="evenodd" d="M1.75 2.5h12.5a.25.25 0 01.25.25v7.5a.25.2
```

```
</svg>
```

```
</a>
```

```
<remote-clipboard-copy class="d-inline-block btn-octicon" style="he
```

Chat with us


```

<div class="d-flex hide-lg hide-xl flex-order-2 flex-grow-0">
  <details class="dropdown details-reset details-overlay d-inline-block">

    <summary class="btn-octicon" aria-haspopup="true" aria-label="possible actions" >
      <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.1">
        <path d="M8 9a1.5 1.5 0 100-3 1.5 1.5 0 00 3 1.5 1.5 1.5 0 10-3 1.5" />
      </svg>
    </summary>

    <ul class="dropdown-menu dropdown-menu-sw" style="width: 175px">
      <li>
        <a class="dropdown-item tooltipped tooltipped-nw js-remove-
          data-platforms="windows,mac"
          href="https://desktop.github.com"
          data-ga-click="Repository, open with desktop">
            Open with Desktop
          </a>
        </li>
      <li>
        <a class="dropdown-item" href="/swisskyrepo/PayloadsAllTheThings" >
          View raw
        </a>
      </li>
      <li>
        <remote-clipboard-copy class="dropdown-item" data-src="/swisskyrepo/PayloadsAllTheThings" >
          Copy raw contents
        </li>
    </ul>
  </details>

  <span data-target="remote-clipboard-copy.idle">
    Copy raw contents
  </span></span>

  <span data-target="remote-clipboard-copy.fetching" hidden="hidden">
    <span class="d-inline-block position-relative" style="top: -10px; left: 50%; transform: translate(-50%, -50%); font-size: 12px; color: #ccc; text-align: center; vertical-align: middle; white-space: nowrap; padding: 0 5px;">
      <svg aria-label="fetching contents" style="display: block; margin: 0 auto; height: 1em; width: 1em;">
        <circle cx="8" cy="8" r="7" stroke="currentColor" stroke-opacity="0.25" stroke-width="1" />
        <path d="M15 8a7.002 7.002 0 00-7-7" stroke="currentColor" stroke-width="1" />
      </svg>
    </span>
  </span>

  <span data-target="remote-clipboard-copy.success" hidden="hidden">
    <span class="d-inline-block position-relative" style="top: -10px; left: 50%; transform: translate(-50%, -50%); font-size: 12px; color: #28a745; text-align: center; vertical-align: middle; white-space: nowrap; padding: 0 5px;">
      <svg aria-label="Copied!" role="img" height="1em" viewBox="0 0 16 16">
        <path d="M12 7 13 7 13 13 7 13 7 12" stroke="currentColor" stroke-width="1" />
      </svg>
    </span>
  </span>

```

Chat with us

```
    <path fill-rule="evenodd" d="M13.78 4.22a.75.75 0 010 1.061-.725 .725a.  
</svg>  
</span>
```

```
    <span data-target="remote-clipboard-copy.error" hidden="hidden">  
        <svg aria-label="Something went wrong. Try again." role="'  
        <path fill-rule="evenodd" d="M8.22 1.754a.25.25 0 00-.44 0L1.698 13.132  
</svg>  
</span>  
</remote-clipboard-copy>    </li>
```

```
    <li>  
        <a class="dropdown-item" href="/swisskyrepo/PayloadsAllTheThi  
        View blame  
    </a>  
</li>  
  
    <li class="dropdown-divider" role="none"></li>  
    <li>  
        <a class="dropdown-item" href="/swisskyrepo/PayloadsAllThe1  
</li>  
    <li>  
        <a class="dropdown-item menu-item-danger" href="/swisskyrep  
</li>  
  
    </ul>  
</details>  
</div>  
</div>
```

```
<div itemprop="text" class="Box-body p-0 blob-wrapper data type-svg gist  
  
    <div class="render-wrapper ">  
    <div class="render-container is-render-pending js-render-target " data-identity="56187aa7-8ecf-4812-8f2a-9abd04afeb1c" data-host="https://viewscreen.githubusercontent.com" data-type="svg">  
        <svg style="box-sizing: content-box; color: var(--color-icon-primary)  
<circle cx="8" cy="8" r="7" stroke="currentColor" stroke-on="0.25"  
<path d="M15 8a7.002 7.002 0 00-7-7" stroke="currentColor  
    </svg>
```

Chat with us

```

<div class="render-viewer-error">Sorry, something went wrong. <a href="#">Report this error</a>
<div class="render-viewer-fatal">Sorry, we cannot display this file.</div>
<div class="render-viewer-invalid">Sorry, this file is invalid so it cannot be displayed.</div>

<iframe
  class="render-viewer "
  src="https://viewscreen.githubusercontent.com/view/svg?browser=chrome"
  sandbox="allow-scripts allow-same-origin allow-top-navigation"
  title="File display"
  name="56187aa7-8ecf-4812-8f2a-9abd04afeb1c"
>
  Viewer requires iframe.
</iframe>
</div>
</div>

</div>

</div>

```

```

<details class="details-reset details-overlay details-overlay-dark" id="jump-to-line">
  <summary data-hotkey="l" aria-label="Jump to line"></summary>
  <details-dialog class="Box Box--overlay d-flex flex-column anim-fade-in v-relative">
    <!-- '"` --><!-- </textarea></xmp> --></option></form><form class="js-jump-to-line">
      <input class="form-control flex-auto mr-3 linejump-input js-jump-to-line" type="text" value="" />
      <button data-close-dialog="" type="submit" data-view-component="true">Jump to line</button>
    </form>
  </details-dialog>
</details>

</div>

```

```

</div>
</div>

```

Chat with us

```

    </main>
</div>

</div>

    <footer class="footer width-full container-xl p-responsive" role=

<div class="position-relative d-flex flex-items-center pb-2 f6 color-fg-n
    <ul class="list-style-none d-flex flex-wrap col-0 col-lg-2 flex-justify
        <li class="mt-2 mt-lg-0 d-flex flex-items-center">
            <a aria-label="Homepage" title="GitHub" class="footer-octicon mr-2'
                <svg aria-hidden="true" height="24" viewBox="0 0 16 16" version='
                <path fill-rule="evenodd" d="M8 0C3.58 0 0 3.58 0 8c0 3.54 2.29 6.53 5.
</svg>
</a>
        <span>
            &copy; 2022 GitHub, Inc.
        </span>
    </li>
</ul>
    <ul class="list-style-none d-flex flex-wrap col-12 col-lg-8 flex-justif
        <li class="mr-3 mr-lg-0"><a href="https://docs.github.com/en/github
        <li class="mr-3 mr-lg-0"><a href="https://docs.github.com/en/github
        <li class="mr-3 mr-lg-0"><a data-hydro-click="{&quot;event_type&quot;
        <li class="mr-3 mr-lg-0"><a href="https://www.githubstatus.com/" d
        <li class="mr-3 mr-lg-0"><a data-ga-click="Footer, go to help, text
        <li class="mr-3 mr-lg-0"><a href="https://support.github.com?tags=c
        <li class="mr-3 mr-lg-0"><a href="https://github.com/pricing" data-
        <li class="mr-3 mr-lg-0"><a href="https://docs.github.com" data-hydro
        <li class="mr-3 mr-lg-0"><a href="https://services.github.com" data-b
        <li class="mr-3 mr-lg-0"><a href="https://github.blog" data-hydro-c
        <li><a data-ga-click="Footer, go to about, text:about" href="https:
    </ul>
</div>
<div class="d-flex flex-justify-center pb-6">
    <span class="f6 color-fg-muted"></span>
</div>
</footer>

```

Chat with us

```

<div id="ajax-error-message" class="ajax-error-message flash flash-error"
  <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.1" v
  <path fill-rule="evenodd" d="M8.22 1.754a.25.25 0 00-.44 0L1.698 13.132
</svg>
  <button type="button" class="flash-close js-ajax-error-dismiss" aria-la
    <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.1" v
    <path fill-rule="evenodd" d="M3.72 3.72a.75.75 0 011.06 0L8 6.9413.22-3
</svg>
  </button>
  You canâ t perform that action at this time.
</div>

<div class="js-stale-session-flash flash flash-warn flash-banner" hidden
  >
  <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.1" v
  <path fill-rule="evenodd" d="M8.22 1.754a.25.25 0 00-.44 0L1.698 13.132
</svg>
  <span class="js-stale-session-flash-signed-in" hidden>You signed in wit
  <span class="js-stale-session-flash-signed-out" hidden>You signed out i
</div>
  <template id="site-details-dialog">
<details class="details-reset details-overlay details-overlay-dark lh-def
  <summary role="button" aria-label="Close dialog"></summary>
  <details-dialog class="Box Box--overlay d-flex flex-column anim-fade-ir
    <button class="Box-btn-octicon m-0 btn-octicon position-absolute right
      <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.
      <path fill-rule="evenodd" d="M3.72 3.72a.75.75 0 011.06 0L8 6.9413.22-3
</svg>
    </button>
    <div class="octocat-spinner my-6 js-details-dialog-spinner"></div>
  </details-dialog>
</details>
</template>

  <div class="Popover js-hovercard-content position-absolute" style="displ
  <div class="Popover-message Popover-message--bottom-left P
  </div>
</div>

```

Chat with us

```

<template id="snippet-clipboard-copy-button">
<div class="zeroclipboard-container position-absolute right-0 top-0">


  <clipboard-copy aria-label="Copy" class="ClipboardButton btn js-clipboa
    <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.1"
    <path fill-rule="evenodd" d="M0 6.75C0 5.784.784 5 1.75 5h1.5a.75.75 0
</svg>
    <svg aria-hidden="true" height="16" viewBox="0 0 16 16" version="1.1"
    <path fill-rule="evenodd" d="M13.78 4.22a.75.75 0 010 1.061-7.25 7.25a.
</svg>
  </clipboard-copy>
</div>
</template>

<style>
  .user-mention[href$="/shubh123-tri"] {
    color: var(--color-user-mention-fg);
    background-color: var(--color-user-mention-bg);
    border-radius: 2px;
    margin-left: -2px;
    margin-right: -2px;
    padding: 0 2px;
  }
</style>

</body>
</html>


```

-----18722948012327188599867727395--



Error Screenshot that displays sensitive information

Chat with us



Instance 2

Steps to Reproduce

Login and go to Settings> General Settings and try to upload LOGO with the extension shell.gif and you will see the sensitive information.

Request:

```
POST /demo/plupload HTTP/1.1
```

Host: demo.microweber.org

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:96.0) Gecko/20100101

Accept: application/json, text/javascript, */*; q=0.01

Accept-Language: en-US,en;q=0.5

Accept-Encoding: gzip, deflate

X-Requested-With: XMLHttpRequest

```
Content-Type: multipart/form-data; boundary=-----2226
```

Content-Length: 977

Origin: <https://demo.microweber.org>

```
Connection: close
```

Referer: <https://demo.microweber.org/demo/admin/view:settings>

Cookie: laravel_session=vDn2fy71F6K7R0eP0dMXN9vnYMr6lXG16w4ziCVS; remember

Chat with us

Cookie: id=ave1_session=ybq21x210K7bQc1QdHxN5pTm01XG10W4210V3; remember_
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-origin


-----22203994064514157472442190611
Content-Disposition: form-data; name="name"

shell.pgif
-----22203994064514157472442190611
Content-Disposition: form-data; name="chunk"

0
-----22203994064514157472442190611
Content-Disposition: form-data; name="chunks"

1
-----22203994064514157472442190611
Content-Disposition: form-data; name="file"; filename="blob"
Content-Type: application/octet-stream

GIF89a



Response

HTTP/1.1 200 OK
Date: Wed, 19 Jan 2022 10:23:38 GMT
Server: Apache
Expires: Mon, 26 Jul 1997 05:00:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check
Pragma: no-cache
Last-Modified: Wed, 19 Jan 2022 10:23:38 GMT
Connection: close
Content-Type: application/json
Content-Length: 127

{"src":"https:\\\\demo.microweber.org\\/demo\\/userfiles\\/media\\\\"}

Chat with us

Now viewing file shell.pgif

Request

```
GET /demo/userfiles/media/default/shell.pgif HTTP/1.1
Host: demo.microweber.org
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:96.0) Gecko/201001
Accept: application/json, text/javascript, */*; q=0.01
Accept-Language: en-US,en;q=0.5
Accept-Encoding: gzip, deflate
X-Requested-With: XMLHttpRequest
Origin: https://demo.microweber.org
Connection: close
Referer: https://demo.microweber.org/demo/admin/view:settings
Cookie: laravel_session=yDq2fxz1F6K7BQePQdMXN9ypYMr6lXGl6W4ziCVS; remember_
Sec-Fetch-Dest: empty
Sec-Fetch-Mode: cors
Sec-Fetch-Site: same-origin
```

Response with sensitive information

```
HTTP/1.1 404 Not Found
Date: Wed, 19 Jan 2022 10:27:44 GMT
Server: Apache
Cache-Control: no-cache, private
Set-Cookie: laravel_session=yDq2fxz1F6K7BQePQdMXN9ypYMr6lXGl6W4ziCVS; expir
Connection: close
Content-Type: application/json
Content-Length: 14256
```

```
{
  "message": "",

```

Chat with us

```

"exception": "Symfony\\Component\\HttpKernel\\Exception\\NotFoundHttpException",
"file": "/home/demomicr/public_html/demo/vendor/laravel/framework/src/Illuminate/Http/Kernel.php",
"line": 1119,
"trace": [
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/framework/src/Illuminate/Foundation/Application.php",
        "line": 44,
        "function": "abort",
        "class": "Illuminate\\Foundation\\Application",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/framework/src/Illuminate/Foundation/Http/Kernel.php",
        "line": 64,
        "function": "abort"
    },
    {
        "file": "/home/demomicr/public_html/demo/src/MicroweberPackages/App/Http/Controllers/ServeStaticController.php",
        "line": 36,
        "function": "abort_if"
    },
    {
        "file": "/home/demomicr/public_html/demo/src/MicroweberPackages/App/Http/Controllers/ServeStaticController.php",
        "line": 27,
        "function": "sendResponse",
        "class": "MicroweberPackages\\App\\Http\\Controllers\\ServeStaticController",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/framework/src/Illuminate/Foundation/Http/Kernel.php",
        "line": 54,
        "function": "serveFromUserfiles",
        "class": "MicroweberPackages\\App\\Http\\Controllers\\ServeStaticController",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/framework/src/Illuminate/Foundation/Http/Kernel.php",
        "line": 45,
        "function": "callAction",
        "class": "Illuminate\\Routing\\Controller",
        "type": "->"
    }
]

```

Chat with us

```

        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/
        "line": 262,
        "function": "dispatch",
        "class": "Illuminate\\Routing\\ControllerDispatcher",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/
        "line": 205,
        "function": "runController",
        "class": "Illuminate\\Routing\\Route",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/
        "line": 695,
        "function": "run",
        "class": "Illuminate\\Routing\\Route",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/
        "line": 128,
        "function": "Illuminate\\Routing\\{closure}",
        "class": "Illuminate\\Routing\\Router",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/
        "line": 19,
        "function": "Illuminate\\Pipeline\\{closure}",
        "class": "Illuminate\\Pipeline\\Pipeline",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/
        "line": 167,
        "function": "Illuminate\\Pipeline\\{closure}"
    }
}

```

Chat with us

```

"function": "handle",
"class": "Illuminate\\Http\\Middleware\\CheckResponseForModific
"type": "->"
},
{
"file": "/home/demomicr/public_html/demo/vendor/laravel/framework
"line": 121,
"function": "Illuminate\\Pipeline\\{closure}",
"class": "Illuminate\\Pipeline\\Pipeline",
"type": "->"
},
{
"file": "/home/demomicr/public_html/demo/vendor/laravel/framework
"line": 64,
"function": "handleStatefulRequest",
"class": "Illuminate\\Session\\Middleware\\StartSession",
"type": "->"
},
{
"file": "/home/demomicr/public_html/demo/src/MicroweberPackages
"line": 23,
"function": "handle",
"class": "Illuminate\\Session\\Middleware\\StartSession",
"type": "->"
},
{
"file": "/home/demomicr/public_html/demo/vendor/laravel/framework
"line": 167,
"function": "handle",
"class": "MicroweberPackages\\App\\Http\\Middleware\\Sessionles
"type": "->"
},
{
"file": "/home/demomicr/public_html/demo/vendor/laravel/framework
"line": 103,
"function": "Illuminate\\Pipeline\\{closure}",
"class": "Illuminate\\Pipeline\\Pipeline",
"type": "->"
},
{

```

Chat with us

```

        "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/
        "line": 697,
        "function": "then",

        "class": "Illuminate\\Pipeline\\Pipeline",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/
        "line": 672,
        "function": "runRouteWithinStack",
        "class": "Illuminate\\Routing\\Router",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/
        "line": 636,
        "function": "runRoute",
        "class": "Illuminate\\Routing\\Router",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/
        "line": 625,
        "function": "dispatchToRoute",
        "class": "Illuminate\\Routing\\Router",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/
        "line": 167,
        "function": "dispatch",
        "class": "Illuminate\\Routing\\Router",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/
        "line": 128,
        "function": "Illuminate\\Foundation\\Http\\{closure}",
        "class": "Illuminate\\Foundation\\Http\\Kernel",
        "type": "->"
    },

```

Chat with us


```

        "class": "Illuminate\\Foundation\\Http\\Middleware\\PreventRequ
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/framewc
        "line": 27,
        "function": "Illuminate\\Pipeline\\{closure}",
        "class": "Illuminate\\Pipeline\\Pipeline",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/framewc
        "line": 167,
        "function": "handle",
        "class": "Illuminate\\Foundation\\Http\\Middleware\\ValidatePos
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/framewc
        "line": 21,
        "function": "Illuminate\\Pipeline\\{closure}",
        "class": "Illuminate\\Pipeline\\Pipeline",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/framewc
        "line": 40,
        "function": "handle",
        "class": "Illuminate\\Foundation\\Http\\Middleware\\TransformsF
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/framewc
        "line": 167,
        "function": "handle",
        "class": "Illuminate\\Foundation\\Http\\Middleware\\TrimStrings
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/framewc
        "line": 124
    }

```

Chat with us


```

        "line": 121,
        "function": "Illuminate\\Pipeline\\{closure}",
        "class": "Illuminate\\Pipeline\\Pipeline",

        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/5.4.16/src/Illuminate/Pipeline/Pipeline.php",
        "line": 64,
        "function": "handleStatefulRequest",
        "class": "Illuminate\\Session\\Middleware\\StartSession",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/src/MicroweberPackages\\App\\Http\\Middleware\\StartSession.php",
        "line": 22,
        "function": "handle",
        "class": "Illuminate\\Session\\Middleware\\StartSession",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/5.4.16/src/Illuminate/Pipeline/Pipeline.php",
        "line": 167,
        "function": "handle",
        "class": "MicroweberPackages\\App\\Http\\Middleware\\StartSession",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/5.4.16/src/Illuminate/Pipeline/Pipeline.php",
        "line": 21,
        "function": "Illuminate\\Pipeline\\{closure}",
        "class": "Illuminate\\Pipeline\\Pipeline",
        "type": "->"
    },
    {
        "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/5.4.16/src/Illuminate/Foundation/Http/Middleware/TrimStrings.php",
        "line": 31,
        "function": "handle",
        "class": "Illuminate\\Foundation\\Http\\Middleware\\TrimStrings",
        "type": "->"
    },
    {

```

Chat with us

```

{
  "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/
  "line": 167,

  "function": "handle",
  "class": "Illuminate\\Foundation\\Http\\Middleware\\ConvertEmptyStringsToBooleans",
  "type": "->"
},
{
  "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/
  "line": 37,
  "function": "Illuminate\\Pipeline\\{closure}",
  "class": "Illuminate\\Pipeline\\Pipeline",
  "type": "->"
},
{
  "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/
  "line": 167,
  "function": "handle",
  "class": "Illuminate\\Cookie\\Middleware\\AddQueuedCookiesToResponse",
  "type": "->"
},
{
  "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/
  "line": 103,
  "function": "Illuminate\\Pipeline\\{closure}",
  "class": "Illuminate\\Pipeline\\Pipeline",
  "type": "->"
},
{
  "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/
  "line": 142,
  "function": "then",
  "class": "Illuminate\\Pipeline\\Pipeline",
  "type": "->"
},
{
  "file": "/home/demomicr/public_html/demo/vendor/laravel/frameworks/
  "line": 111,
  "function": "sendRequestThroughRouter",
  "class": "Illuminate\\Foundation\\Http\\Kernel",
  "type": "->"
}

```

Chat with us

```
    "type": "->"
  },
  {
    "file": "/home/demomicr/public_html/demo/index.php",
    "line": 90,
    "function": "handle",
    "class": "Illuminate\\Foundation\\Http\\Kernel",
    "type": "->"
  }
]
```

Shell.pgif file can be found here:

<https://github.com/swisskyrepo/PayloadsAllTheThings/tree/master/Upload%20Insecure%20Files/Extension%20PHP>

CVE

CVE-2022-0504

(Published)

Vulnerability Type

CWE-209: Generation of Error Message Containing Sensitive Information

Severity

Medium (6.5)

Visibility

Public

Status

Fixed

Found by

shubh123-tri

@shubh123-tri

unranked

Fixed by



Peter Ivanov

Chat with us



@peter-mw

maintainer

This report was seen 193 times.

We are processing your report and will contact the **microweber** team within 24 hours.

10 months ago

We have contacted a member of the **microweber** team and are waiting to hear back

10 months ago

We have sent a follow up to the **microweber** team. We will try again in 7 days. 10 months ago

We have sent a second follow up to the **microweber** team. We will try again in 10 days.

10 months ago

Peter Ivanov validated this vulnerability 10 months ago

shubh123-tri has been awarded the disclosure bounty ✓

The fix bounty is now up for grabs

Peter Ivanov marked this as fixed in **1.2.11** with commit **e607e5** 10 months ago

Peter Ivanov has been awarded the fix bounty ✓

This vulnerability will not receive a CVE ✗

Sign in to join this conversation

huntr

home

hacktivity

leaderboard

FAQ

contact us

terms

privacy policy

part of 418sec

company

about

team

Chat with us