

```
==7944==ERROR: AddressSanitizer: heap-buffer-overflow on address 0x7fc3f2e48820 at pc
0x000000535bca bp 0x7ffe1d7fcb70 sp 0x7ffe1d7fcb68
READ of size 4 at 0x7fc3f2e48820 thread T0
   #0 0x535bc9 in get ipv6 next /benchmark/vulnerable/tcpreplay/src/common/get.c:679:14
   #1 0x53598e in get layer4 v6 /benchmark/vulnerable/tcpreplay/src/common/get.c:626:22
   #2 0x4f9bc4 in tcpedit_packet /benchmark/vulnerable/tcpreplay/src/tcpedit/tcpedit.c:198:13
   #3 0x4f80fc in rewrite packets /benchmark/vulnerable/tcpreplay/src/tcprewrite.c:304:22
   #4 0x4f7418 in main /benchmark/vulnerable/tcpreplay/src/tcprewrite.c:145:9
   #5 0x7fc3f175dbf6 in libc start main /build/glibc-S9d2JN/glibc-2.27/csu/../csu/libc-
start.c:310
   #6 0x41c2c9 in _start (/benchmark/vulnerable/tcpreplay/src/tcprewrite+0x41c2c9)
0x7fc3f2e48820 is located 10 bytes to the right of 262166-byte region
[0x7fc3f2e08800,0x7fc3f2e48816)
allocated by thread T0 here:
   #0 0x4aec90 in malloc /home/nipc/workspace/install/llvm-project/llvm/projects/compiler-
rt/lib/asan/asan malloc linux.cpp:145
   #1 0x536c1f in our safe malloc /benchmark/vulnerable/tcpreplay/src/common/utils.c:50:16
   #2 0x4f7e02 in rewrite_packets /benchmark/vulnerable/tcpreplay/src/tcprewrite.c:267:34
   #3 0x4f7418 in main /benchmark/vulnerable/tcpreplay/src/tcprewrite.c:145:9
   #4 0x7fc3f175dbf6 in libc start main /build/glibc-S9d2JN/glibc-2.27/csu/../csu/libc-
start.c:310
SUMMARY: AddressSanitizer: heap-buffer-overflow
/benchmark/vulnerable/tcpreplay/src/common/get.c:679:14 in get_ipv6_next
Shadow bytes around the buggy address:
 =>0x0ff8fe5c1100: 00 00 06 fa[fa]fa fa fa fa fa fa fa fa fa fa
 Shadow byte legend (one shadow byte represents 8 application bytes):
 Addressable:
                  00
 Partially addressable: 01 02 03 04 05 06 07
 Heap left redzone:
 Freed heap region:
                    fd
 Stack left redzone:
                    f1
 Stack mid redzone:
                    f2
 Stack right redzone:
                   f3
 Stack after return:
                    f5
 Stack use after scope: f8
 Global redzone:
 Global init order:
                    f6
 Poisoned by user:
                    f7
 Container overflow:
 Array cookie:
 Intra object redzone:
                    bb
 ASan internal:
                    fe
 Left alloca redzone:
                    ca
```

```
Right alloca redzone: cb
Shadow gap: cc
==7944==ABORTING
```

## Screenshots

## System (please complete the following information):

- OS: Ubuntu
- OS version : can be reproduced in 18.04/20.04
- clang version: 12.0.1 (release/12.x)
- Tcpreplay Version: latest commit 09f0774

## Credit

Han Zheng

NCNIPC of China

Hexhive

**POC** 

POC2.zip

- fklassen added this to To do in 4.4.2 on Apr 22
- chluo911 mentioned this issue on Jul 23



A fklassen self-assigned this on Aug 4

fklassen commented on Aug 4		Member
lm	proved overflow protection added in PR #740	
	<b>fklassen</b> closed this as completed on Aug 4	
III	4.4.2 automation moved this from To do to Done on Aug 4	
Ç	<b>fklassen</b> mentioned this issue on Aug 6	
	[Bug] heap-overflow in get.c:150 #736	
	⊙ Closed	
Ç	<b>fklassen</b> added a commit that referenced this issue on Aug 26	
	Bug #718 improved heap-overflow protection	49420cb
ÇŽ	<b>fklassen</b> added a commit that referenced this issue on Aug 26	
	Merge pull request #740 from appneta/Bug_#718_heap-overflow_in_get_ip	ad346b7
Assigi	nees	
fl	klassen	
Labels	5	
None	yet	
Projec	cts	
Ш	<b>4.4.2</b> Done	

Milestone

No milestone

Development

No branches or pull requests

2 participants



