

FUN WITH LINUX

Blog Friends GPG CVE







QCubed SQL Injection (CVE-2020-24913)

2 March 2021

AIT-SA-20210215-02 Identifier: Target: QCubed Framework

Vendor: QCubed

Version: all versions including 3.1.1 CVE: CVE-2020-24913

Accessibility: Remote Severity: Critical

Wolfgang Hotwagner (AIT Austrian Institute of Technology) Author:

Summary

QCubed is a PHP Model-View-Controller Rappid Application Development framework.

Vulnerability Description

A SQL injection vulnerability in qcubed (all versions including 3.1.1) in profile.php via the strQuery parameter allows an unauthenticated attacker to access the database by injecting SQL code via a crafted POST request.

strQuery parameter of the serialized array in profile.php could lead to a sql-injection:



Inside the PrintExplainStatement()-function the query is passed to the ExplainStatement-method of the specific database-provider:

```
### Cubed/qcubed/blob/master/assets/php/profile.php

### //Exit gracefully if called directly or profiling data is missing.

### ### isset($_POST['intDatabaseIndex']) & isset($_POST['strProfileData']) & exit('Nothing to profile. No Database Profiling data recived.');

### if { isset($_POST['intDatabaseIndex']) || isset($_POST['strProfileData']) & throw new Exception('Oatabase Profiling data appears to have been compared to the profile of the profile of
```

The ExplainStatement is a method of the specific database-provider. We tested the sql-injection with postgres and mysql(i). This could be exploited with both databases. Let's see how it looks in the postgres-provider:



In ExecuteQuery it finally gets executed. Unfiltered:



We were able to write proof-of concept exploit for mysql and postgres. Unfortunately with mysql we were not able to use a stacked-queries-payload and we had to exploit this vulnerability with a timebased approach.

Vulnerable Versions

All versions including 3.1.1 are affected.

Tested Versions

QCubed 3.1.1

Impact

An unauthenticated attacker could access the database remotely. In worst case scenarios an attacker might be able to execute code on the remote machine.

Mitigation

A patch was delivered by QCubed that allows to disable the profile-functionality.

Vendor Contact Timeline

2020-04-19 Contacting the vendor 2020-04-19 Vendor replied 2020-05-01 Vendor released a patch at Github 2021-02-15 Public disclosure

Advisory URL

https://www.ait.ac.at/ait-sa-20210215-02-unauthenticated-sql-injection-qcubed

[PHP Programming Web Security CVE]



My name is Wolfgang Hotwagner. I am a Linux and Information Security enthusiast. This blog is about my journey through Computer Science.

Tag Cloud

Security Sysadmin HackADay Programming Bash

Backup Network Ruby Email Tricks zsh Kernel Raspberry PHP

logrotate Crypto Database Downloads vim Proxy Linux Docker Perl Fun CVE Mail Hardware Multimedia External Anniversary Postgresql CU

Certification Web Debian git $\ensuremath{\text{News}}$ openssl Btrfs apache Toscom C

Virtualization Puppet Ansible Software-Raid TerminalEmulator Nagios LVM One-

Liner Open-Source Shell Blog Desktop Suricata Mathematics Firewall xmas

Recent Posts

- BSidesVienna 2022: Logrotten.
- SexyPolling SQL Injection
- Seventh Anniversary
- ForkCMS PHP Object Injection (CVE-2020-24036)
- QCubed Cross Site Scripting (CVE-2020-24912)
- QCubed SQL Injection (CVE-2020-24913)
- QCubed PHP Object Injection (CVE-2020-24914)
- Pimp my shell
- Refurbished Blog
- How to build a music-box for children

Except where otherwise noted, content on this site is licensed under a Creative

Commons Attribution 3.0 Unported License.

Copyright 2015-present Hoti