New issue

Jump to bottom

Reflected Xss #44

```
Tr3jer commented on May 21, 2020 • edited ▼
Hi Team
I found a reflected xss vulnerability.
routes/base.py
    def query_string():
    """Returns a sanitized query string."""
            rejected_keys = [
   'space_id',
                     'delivery_token',
                      'editorial features
             args = {k: v for k, v
                           in request.args.items()
if k not in rejected_keys}
             if not args:
             return ''
return '?{0}'.format(
                     '&'.join(
                              '{0}={1}'.format(k, v) for k, v
                            in args.items()
Proof of concept:
    https://the-example-app-py.contentful.com/?cda'"<evil><script>alert(1)</script>&locale=locale=de-DE
    {'api': 'cda\'"<script>alert(1)</script>', 'locale': 'en-US'}
    Searching 24 files for "{{ query_string }}" (regex)
     /Users/CongRong/github/the-example-app.py/views/course.dhtml: 17 <div class="table-of-contents__item">
           18
                                                                                 $$ \operatorname{href-''/courses/{\{ course.slug \}\}{\{ query\_string \}\}''  } $$ class="table-of-contents_link {{ 'visited' if course.id in visited_lessons else '' }} {\{ 'courseOverviewLabel'|trans(current_locale.code) }} {absolute lesson else '' }} $$
           20
           21
           26
                                                                                  <div class="table-of-contents__item">
           27
                                                                                               $$ href="/courses/{{ course.slug }}/lessons/{{ course_lesson.slug }}{{ query_string }}"$$ class="table-of-contents_link {{ 'visited' if course_lesson.id in visited_lessons else '' }} {{ 'active' if lesson and lesson lesson else '' }} {{ 'active' if lesson and lesson else '' }} {{ 'active' if lesson and lesson else '' }} {{ 'active' if lesson and lesson else '' }} {{ 'active' if lesson and lesson else '' }} {{ 'active' if le
           28:
      course_lesson.id == lesson.id else '' }}"
           76
                                                                         <div class="course__overview-cta-wrapper">
           77
           78:
                                                                                         class="course__overview-cta cta"
           80
                                                                                          >{{ 'startCourseLabel'|trans(current_locale.code) }}</a>
      /Users/CongRong/github/the-example-app.py/views/course.html:
                                                                  <div class="table-of-contents__item">
           18
                                                                                 href="/courses/{{ course.slug }}{{ query_string }}"
class="table-of-contents_link {{ 'visited' if course.id in visited_lessons else '' }} {{ 'courseOverviewLabel'|trans(current_locale.code) }}/a>
           20
           21
           25
                                                                          <div class="table-of-contents__item">
           26
           27:
                                                                                         href="/courses/{{ course.slug }}/lessons/{{ course_lesson.slug }}{{ query_string }}"
class="table-of-contents_link {{ 'visited' if course_lesson.id in visited_lessons else '' }} {{ 'active' if lesson and course_lesson.id
      == lesson.id else '' }}"
           29
                                                                                         >{{ course_lesson.title }}</a>
           74
                                                                          <div class="course__overview-cta-wrapper">
           75
           76:
                                                                                         href="/courses/{{ \ course.slug}}/lessons/{{ \ next\_lesson.slug \ }}{{ \ query\_string \ }}"
           77
                                                                                          class="course__overview-cta cta"
           78
                                                                                          >{{ 'startCourseLabel'|trans(current_locale.code) }}</a>
      17
                                                               <a href="/courses{{ query_string }}" class="sidebar-menu_link {{ '' if current_category else 'active' }}">{{
      'allCoursesLabel'|trans(current locale.code) }}</a>
                                                                  19
20
           22
```

```
23
                                                          href="/courses/categories/{{ category.slug }}{{ query_string }}"
class="sidebar-menu_link {{ 'active' if current_category and current_category.id == category.id else '' }}"
    24:
    25
    26
                                                          >{{ category.title }}</a>
/Users/CongRong/github/the-example-app.py/views/courses.html:
    16
                                   18:
'allCoursesLabel'|trans(current_locale.code) }}</a>
    19
                                          20
    22
                                                class="sidebar-menu item">
    23
                                                     кa
                                                          href="/courses/categories/{{ category.slug }}{{ query_string }}"
class="sidebar-menu_link {{ 'active' if current_category and current_category.id == category.id else '' }}"
    24:
    26
                                                          >{{ category.title }}</a>
/Users/CongRong/github/the-example-app.py/views/layout.dhtml:
  148
                    <div class="header__upper-menu">
   149:
                      \label{lem:code} $$\arrowvert = "/settings{{ query_string }}">{{ 'settingsLabel'|trans(current_locale.code) }}</a> $$
  151
                 </div>
  ...
155
                 <div class="header lower layout-centered">
                    <div class="header__logo">
                      157:
   158
  159
                       </a>
  163
                       164
165:
                         <a class="{{ 'active' if current_path == '/' else '' }}" href="/{{ query_string }}">{{ 'homeLabel'|trans(current_locale.code) }}</a>
  166
                         <
                            168:
  169
170
                         186
   187
                         <
                            \label{lem:cond} $$ \arrangle = '' else '' } $$
  188:
   189
                          191:
                            <a class="{{ 'active' if current_path.startswith('/courses') else '' }}" href="/courses{{ query_string }}">{{ 'coursesLabel'|trans(current_locale.code) }}</a>
   192
                         193
                       216
                         {{ 'footerDisclaimer'|trans(current_locale.code) }} 
  217
                         <a href="https://github.com/contentful/the-example-app.php" target="_blank" rel="noopenen">{{ 'viewOnGithub'|trans(current_locale.code) }}</a>.&nbsp;<a href="/imprint{{ query_string }}">{{ 'imprintLabel'|trans(current_locale.code) }}</a>.&nbsp;
  218:
  219
                         220
                       /Users/CongRong/github/the-example-app.py/views/partials/breadcrumb.dhtml:
                    {% for crumb in breadcrumbs -%}
     5:
                              \label{limit} $$ \a href="{{ crumb['url'] }}{{ query\_string }}">{{ crumb['label'] }}</a>
                          {%- endfor %}
/Users/CongRong/github/the-example-app.py/views/partials/breadcrumb.html:
                    {% for crumb in breadcrumbs -%}
                        <
                               \label{limit} $$ \arrowvert a href="{{ crumb['url'] }}{{ query\_string }}">{{ crumb['label'] }}</a>
                    {%- endfor %}
/Users/CongRong/github/the-example-app.py/views/partials/courseCard.dhtml:
                         {% for category in course.categories %}
                              <div class="course-card__category">
                                    \label{lem:constraint} $$ \accord_category-link" href="\courses/categories/{{ category.slug }}{{ query_string }}">{{ category.title }}</a> $$ \accord_category-link" href="\courses/categories/{{ category.slug }}}">{{ category.title }}</a> $$ \accord_category-link" href="\courses/categories/{{ category.slug }}}">{{ category.title }}</a> $$ \accord_category-link" href="\courses/categories/{{ category.slug }}}">{{ category.slug }}">{{ category.slug
     8
                         {% endfor %}
    11
               <h2 class="course-card__title">
    13:
                    <a href="/courses/{{ course.slug }}{{ query_string }}">{{ course.title }}</a>
                    {% if should_show_entry_state(course, current_api['id']) %}
    15
                         <div class='editorial-features'>
    22
    23
24:
               25
              </div>
/Users/CongRong/github/the-example-app.py/views/partials/lesson.dhtml:
    35
    36
    37:
                    <a href="/courses/{{ course.slug }}/lessons/{{ next_lesson.slug }}{{ query_string }}" class="lesson_cta cta">{{ 'nextlessonlabel'|trans(current_locale.code) }}
    38
               {% endif %}
    39 </div>
/Users/CongRong/github/the-example-app.py/views/partials/lesson.html:
    35
36
    37:
                    <a href="/courses/{{ course.slug }}/lessons/{{ next_lesson.slug }}{{ query_string }}" class="lesson_cta cta">{{ 'nextlessonLabel'|trans(current_locale.code) }}</a>
    39 </div>
/Users/CongRong/github/the-example-app.py/views/partials/moduleCopy.dhtml:
    14
               <div class="module-copy__second{{ style }}">
    15
                    {% if module.cta_title and module.cta_link %}
    16:
                         {% endif %}
    18
               c/div>
/Users/CongRong/github/the-example-app.py/views/partials/moduleHighlightedCourse.dhtml: 9  < {\tt div~class="module-highlighted-course\_categories"} > 
    10
                                    {% for category in course.categories %}
```

```
11:
                                                                                        \label{lem:constraint} $$ \an exercises (a category.slug ) {\ query_string } $$ \an exercises (a category) {\ category.slug } $$ \an exercises (a category) {\ category.slug } $$ \an exercises (a category) $$ \an ex
                                                                            \{\% \text{ endfor } \%\}
       12
13
                                                                </div>
       15
16
                                                     <h2 class="module-highlighted-course__title">
                                                   17:
18
19
       23
       24
25:
                                                    </div>
       26
27
                                         </div>
/Users/CongRong/github/the-example-app.py/views/settings.dhtml:
       86
87
       88:
                                                                                       \verb| <form method="post" action="/settings/reset{{ query\_string }}">
       89
90
                                                                                                  <strong>{{ "applicationCredentialsLabel"|trans(current_locale.code) }}:
                            {% endif %}
     103
                            <form action="/settings{{ query_string }}" method="POST" class="form">
     <div class='form-item'>
     104:
     105
                                                    <label for="input-space-id">{{ 'spaceIdLabel'|trans(current_locale.code) }}</label>
30 matches across 13 files
```

Contrib/fix xss url args #45

Merged
 Me

gkijko commented on Jun 17, 2020 Contributor @Tr3jer Could you check this pull request: #42 to validate that it fixes this issue?

Tr3jer commented on Jun 17, 2020 @gkijko Yes, it has been fixed.

Tr3jer closed this as completed on Jun 17, 2020

gkijko commented on Jun 17, 2020 Contributor @Tr3jer the PR is not yet merged or reviewed though.

Assignees

No one assigned

Labels

None yet

Projects None yet

Milestone

No milestone

Development

No branches or pull requests

2 participants **6**