
<> Code	○ Issues 61	?1 Pull requests	Actions	Projects	₩iki	
New issue					J	lump to
Flatpr	ess- 1.2.1	- Reflected 2	XSS on pa	age para	meter #1	53
Open		ened this issue on Sep	-			
_abels	security					
s4n-h4x	or commented on	n Sep 27 • edited ▼				
Severity	•					
-	•					
Medium						
Medium Descript						
Descript Cross-si	t ion : te scripting (XSS) v	vulnerabilities arise who				
Descript Cross-sit victim's	t ion : te scripting (XSS) v browser, mostly u	sing JavaScript. A vulne	erable web appli	cation might em	bed untrusted	
Descript Cross-sir victim's data in t	ti on : te scripting (XSS) v browser, mostly us he output, withou		erable web applionit. In this way, ar	cation might em attacker can inj	bed untrusted ect a malicious	e
Descript Cross-sir victim's data in t script in victim's	tion: te scripting (XSS) ventors to the seripting the seripting the seription withous to the application, browser.	sing JavaScript. A vulne t filtering or encoding and the script will be i	erable web applion it. In this way, ar returned in the re	cation might em attacker can inj esponse. This wil	bed untrusted ect a malicious Il then run on the	
Descript Cross-sir victim's data in t script in victim's	tion: te scripting (XSS) ventors to the seripting the seripting the seription withous to the application, browser.	sing JavaScript. A vulne t filtering or encoding	erable web applion it. In this way, ar returned in the re	cation might em attacker can inj esponse. This wil	bed untrusted ect a malicious Il then run on the	
Descript Cross-sirvictim's data in t script invictim's lt is obse attacks.	tion: te scripting (XSS) ventors to the seripting the seripting the seription withous to the application, browser.	sing JavaScript. A vulne t filtering or encoding and the script will be i	erable web applion it. In this way, ar returned in the re	cation might em attacker can inj esponse. This wil	bed untrusted ect a malicious Il then run on the	
Descript Cross-sir victim's data in t script in victim's It is obse attacks. Technica It is poss	tion: te scripting (XSS) vectors browser, mostly use the output, withou to the application, browser. browser that the page al Impact: sible to steal or mage	sing JavaScript. A vulne t filtering or encoding and the script will be a ge parameter does not anipulate customer ses	erable web applicit. In this way, and returned in the resamilize input prossions and cookies	cation might em attacker can inj esponse. This wil operly which lea es, which might b	bed untrusted ect a malicious Il then run on the ds to reflected X	
Descript Cross-sir victim's data in t script in victim's It is obse attacks. Technica It is poss	tion: te scripting (XSS) vectors browser, mostly use the output, withou to the application, browser. browser that the page al Impact: sible to steal or mage	sing JavaScript. A vulne t filtering or encoding and the script will be i se parameter does not	erable web applicit. In this way, and returned in the resamilize input prossions and cookies	cation might em attacker can inj esponse. This wil operly which lea es, which might b	bed untrusted ect a malicious Il then run on the ds to reflected X	
Descript Cross-sir victim's data in t script in victim's It is obse attacks. Technica It is poss imperso	tion: te scripting (XSS) vectors browser, mostly use the output, withou to the application, browser. browser that the page al Impact: sible to steal or mage	sing JavaScript. A vulne t filtering or encoding and the script will be a ge parameter does not anipulate customer ses	erable web applicit. In this way, and returned in the resamilize input prossions and cookies	cation might em attacker can inj esponse. This wil operly which lea es, which might b	bed untrusted ect a malicious Il then run on the ds to reflected X	
Descript Cross-sir victim's data in t script in victim's It is obse attacks. Technica It is poss imperso	tion: te scripting (XSS) vectors browser, mostly use the output, withou to the application, browser. erved that the page al Impact: sible to steal or manate a legitimate use the Remediation:	sing JavaScript. A vulne t filtering or encoding and the script will be a ge parameter does not anipulate customer ses	erable web applicit. In this way, and returned in the resamilize input prossions and cookies	cation might em attacker can inj esponse. This wil operly which lea es, which might b	bed untrusted ect a malicious Il then run on the ds to reflected X	
Descript Cross-sir victim's data in t script in victim's It is obse attacks. Technica It is poss imperso Suggest 1. App	tion: te scripting (XSS) vectors browser, mostly use the output, without to the application, browser. Berved that the page al Impact: Sible to steal or manate a legitimate used Remediation:	sing JavaScript. A vulne t filtering or encoding and the script will be a se parameter does not anipulate customer ses user, allowing the hack	erable web applicit. In this way, and returned in the research sanitize input pressions and cookies er to view or alternative.	cation might em attacker can inj esponse. This wil operly which lea es, which might b	bed untrusted ect a malicious Il then run on the ds to reflected X	

1. Login to the application



2. Entre the below payload in the URL and observe XSS payload getting executed. Payload:

http://server/flatpress/admin.php?

p=static&action=write&page=%22onfocus%3d%22alert%28document.cookie%29%22autofocus%3d%22zr4da



Opening issue here, Got no reply from [hello@flatpress.org] for 2 months

azett commented on Oct 2

Confirmed. Sorry for being late!



Assignees
No one assigned
Labels
security
Projects
None yet
Milestone
No milestone
Development
No branches or pull requests
2 participants

T,