«

getRoomRoles Method leaks Channel Owner



SUMMARY BY ROCKET.CHAT



1

Summary

Lack of ACL checks in the getRoomRoles Meteor method leak channel members with special roles to unauthorized clients.

Description

Lack of ACL checks in the <code>getRoomRoles</code> Meteor method allow unauthorized clients to query channel members with special roles:

```
Code 300 Bytes
 1 Meteor.methods({
 2
        getRoomRoles(rid) {
            check(rid, String);
 3
 4
 5
            if (!Meteor.userId() && settings.get('Accounts_AllowAnonymousRead') === fa
 6
                throw new Meteor.Error('error-invalid-user', 'Invalid user', { method:
            }
 7
 8
            check(rid, String);
 9
10
11
            return getRoomRoles(rid);
        },
12
13 });
```

The rid argument must be a String but is not further validated.

Releases Affected:

steps to reproduce (nonthingalmistaliation to value ability).

- 1. Open Rocket.Chat
- 2. (Optional) Login as low-privileged user
- 3. Query getRoomRoles Meteor method with target Room ID

Supporting Material/References:

Proof of Concept

```
Code 93 Bytes

1  const TARGET_ROOM_ID = "<ROOM_ID>";
2  Meteor.call("getRoomRoles", TARGET_ROOM_ID, console.log);
```

Suggested mitigation

• Check for the users access to the channel with given Room ID rid.

Impact

Unauthorized clients can leak members with special permission of private channels.

Fix

Fixed in versions 4.7.5, 4.8,2 and 5.0.0>

TIMELINE

gronke submitted a report to Rocket.Chat.	Jan 11th (11 months ago)
O-lucas_magno Rocket.Chat staff changed the status to O Triaged.	Jan 14th (11 months ago)
— lucas_magno Rocket.Chat staff posted a comment.	Jan 14th (11 months ago)
— mrrorschach Rocket.Chat staff closed the report and changed the status to • Resolved.	Jul 25th (4 months ago)
— mrrorschach Rocket.Chat staff requested to disclose this report.	Sep 22nd (2 months ago)
— mrrorschach Rocket.Chat staff disclosed this report.	Sep 22nd (2 months ago)