

Debian Bug report logs - [#891469](#)
awstats: Path traversal in config parameter if site config is missing (CVE-2020-29600)

Package: [awstats](#); Maintainer for [awstats](#) is [Debian QA Group <packages@qa.debian.org>](#); Source for [awstats](#) is [src:awstats](#) ([PTS](#), [build](#), [popcon](#)).

Reported by: [Tomaž Šolc <tomaz.solc@tablix.org>](#)

Date: Sun, 25 Feb 2018 20:45:02 UTC

Severity: normal

Tags: security, upstream

Found in versions awstats/7.6+dfsg-2, awstats/7.2+dfsg-1+deb8u1, awstats/7.6+dfsg-1+deb9u1

Fixed in version awstats/7.8-1

Done: Salvatore Bonaccorso <carnil@debian.org>

Bug is archived. No further changes may be made.

Forwarded to <https://github.com/eldy/awstats/issues/90>

[Toggle useless messages](#)

View this report as an [mbox folder](#), [status mbox](#), [maintainer mbox](#)

Message #5 received at submit@bugs.debian.org ([full text](#), [mbox](#), [reply](#)):

From: Tomaž Šolc <tomaz.solc@tablix.org>
To: Debian Bug Tracking System <submit@bugs.debian.org>
Subject: awstats: Path traversal in config parameter if site config is missing.
Date: Sun, 25 Feb 2018 21:33:34 +0100

Package: awstats
Version: 7.6+dfsg-2
Severity: normal

Dear Maintainer,

the patch for [CVE-2017-1000501](#) seems to have been incomplete. Please see this report upstream:

<https://github.com/eldy/awstats/issues/90>

awstats will parse arbitrary files passed in the "config" parameter if the default /etc/awstats/awstats.conf is not present. Debian package will install awstats.conf, so a default install does not seem to be vulnerable. However it is possible to use awstats with separate configs for different sites without the default awstats.conf (although README.Debian recommends leaving awstats.conf in place)

I can confirm that the reported issue exists in awstats 7.6+dfsg-2 and 7.6+dfsg-1+deb9u1.

Steps to reproduce (on Stretch)

```
# apt-get install awstats  
# rm /etc/awstats/awstats.conf  
# cp /usr/share/doc/awstats/examples/apache.conf /etc/apache2/conf-available/awstats.conf  
# a2enconf awstats  
# systemctl reload apache2
```

Visit <http://localhost/cgi-bin/awstats.pl?config=/etc/passwd>



```
-- System Information:

Debian Release: 9.3

APT prefers stable

APT policy: (500, 'stable')

Architecture: amd64 (x86_64)

Foreign Architectures: i386


Kernel: Linux 4.9.0-6-amd64 (SMP w/4 CPU cores)

Locale: LANG=en_US.UTF-8, LC_CTYPE=en_US.UTF-8 (charmap=UTF-8), LANGUAGE=en_US.UTF-8 (charmap=UTF-8)

Shell: /bin/sh linked to /bin/dash

Init: systemd (via /run/systemd/system)


Versions of packages awstats depends on:

ii perl 5.24.1-3+deb9u2


Versions of packages awstats recommends:

ii libnet-xwhois-perl 0.90-4


Versions of packages awstats suggests:

ii apache2 [httpd] 2.4.25-3+deb9u3
pn libgeo-ipfree-perl <none>
ii libnet-dns-perl 1.07-1
ii libnet-ip-perl 1.26-1
ii liburi-perl 1.71-1


-- Configuration Files:

/etc/awstats/awstats.conf [Errno 2] No such file or directory: '/etc/awstats/awstats.conf'


-- no debconf information
```

[Message #10](#) received at 891469@bugs.debian.org ([full text](#), [mbox](#), [reply](#)):

From: Sylvain Beucier <beuc@beuc.net>
To: 891469@bugs.debian.org
Subject: Re: awstats: Path traversal in config parameter if site config is missing.
Date: Sun, 22 Nov 2020 00:18:46 +0100

Hi,

Since awstats is currently unmaintained, can you request a new CVE for this at <https://cveform.mitre.org/> ?

This way it'll be properly monitored and taken care of in distros.

Cheers!

Sylvain

On Sun, 25 Feb 2018 21:33:34 +0100 =?utf-8?b?VG9tYcW+IMWgb2xj?=?

<tomaz.solic@tablix.org> wrote:

```
> Package: awstats
> Version: 7.6+dfsg-2
> Severity: normal
```

```
>

> Dear Maintainer,

>

> the patch for CVE-2017-1000501 seems to have been incomplete. Please see this

> report upstream:

>

> https://github.com/eldy/awstats/issues/90

>

> awstats will parse arbitrary files passed in the "config" parameter if the

> default /etc/awstats/awstats.conf is not present. Debian package will install

> awstats.conf, so a default install does not seem to be vulnerable. However it

> is possible to use awstats with separate configs for different sites without

> the default awstats.conf (although README.Debian recommends leaving

> awstats.conf in place)

>

> I can confirm that the reported issue exists in awstats 7.6+dfsg-2 and

> 7.6+dfsg-1+deb9u1.

>

> Steps to reproduce (on Stretch)

>

> # apt-get install awstats

> # rm /etc/awstats/awstats.conf

> # cp /usr/share/doc/awstats/examples/apache.conf /etc/apache2/conf-available/awstats.conf

> # a2enconf awstats

> # systemctl reload apache2

>

> Visit http://localhost/cgi-bin/awstats.pl?config=/etc/passwd

>

>

> -- System Information:

> Debian Release: 9.3

> APT prefers stable

> APT policy: (500, 'stable')

> Architecture: amd64 (x86_64)

> Foreign Architectures: i386

>

> Kernel: Linux 4.9.0-6-amd64 (SMP w/4 CPU cores)

> Locale: LANG=en_US.UTF-8, LC_CTYPE=en_US.UTF-8 (charmap=UTF-8), LANGUAGE=en_US.UTF-8 (charmap=UTF-8)

> Shell: /bin/sh linked to /bin/dash

> Init: systemd (via /run/systemd/system)

>

> Versions of packages awstats depends on:

> ii perl 5.24.1-3+deb9u2

>

> Versions of packages awstats recommends:

> ii libnet-xwhois-perl 0.90-4

>

> Versions of packages awstats suggests:

> ii apache2 [httpd] 2.4.25-3+deb9u3

> pn libgeo-ipfree-perl <none>

> ii libnet-dns-perl 1.07-1
```

```
> ii libnet-ip-perl      1.26-1
> ii liburi-perl        1.71-1
>
>
> -- Configuration Files:
> /etc/awstats/awstats.conf [Errno 2] No such file or directory: '/etc/awstats/awstats.conf'
>
```

Message #15 received at 891469@bugs.debian.org ([full text](#), [mbox](#), [reply](#)):

From: Sylvain Beucier <beuc@beuc.net>
To: 891469@bugs.debian.org
Subject: Re: awstats: Path traversal in config parameter if site config is missing.
Date: Sun, 22 Nov 2020 00:23:23 +0100

> Since awstats is currently unmaintained, can you request a new CVE
> for this at <https://cveform.mitre.org/> ?

(I meant the awstats Debian package is currently orphaned, awstats
itself is still maintained)

Added tag(s) security. Request was from Salvatore Bonaccorso <carnil@debian.org> to control@bugs.debian.org. (Tue, 08 Dec 2020 08:27:05

GMT) ([full text](#), [mbox](#), [link](#)).

Added tag(s) upstream. Request was from Salvatore Bonaccorso <carnil@debian.org> to control@bugs.debian.org. (Tue, 08 Dec 2020 08:27:05

GMT) ([full text](#), [mbox](#), [link](#)).

Set Bug forwarded-to-address to 'https://github.com/eldy/awstats/issues/90'. Request was from Salvatore Bonaccorso <carnil@debian.org> to control@bugs.debian.org. (Tue, 08 Dec 2020 08:27:06 GMT) ([full text](#), [mbox](#), [link](#)).

Changed Bug title to 'awstats: Path traversal in config parameter if site config is missing (CVE-2020-29600)' from 'awstats: Path traversal in config parameter if site config is missing.' Request was from Salvatore Bonaccorso <carnil@debian.org> to control@bugs.debian.org. (Tue, 08 Dec 2020 19:57:03 GMT) ([full text](#), [mbox](#), [link](#)).

Marked as fixed in versions awstats/7.8-1. Request was from Salvatore Bonaccorso <carnil@debian.org> to control@bugs.debian.org. (Sat, 12 Dec 2020 08:24:03 GMT) ([full text](#), [mbox](#), [link](#)).

Marked Bug as done Request was from Salvatore Bonaccorso <carnil@debian.org> to control@bugs.debian.org. (Sat, 12 Dec 2020 08:24:03 GMT) ([full text](#), [mbox](#), [link](#)).

Message sent on to Tomaž Šolc <tomaz.solc@tablix.org>:

Bug#891469. (Sat, 12 Dec 2020 08:24:05 GMT) ([full text](#), [mbox](#), [link](#)).

Message #32 received at 891469-submitter@bugs.debian.org ([full text](#), [mbox](#), [reply](#)):

From: Salvatore Bonaccorso <carnil@debian.org>
To: control@bugs.debian.org
Cc: 891469-submitter@bugs.debian.org
Subject: closing 891469
Date: Sat, 12 Dec 2020 09:21:33 +0100

close 891469 7.8-1

thanks

Marked as found in versions awstats/7.2+dfsg-1+deb8u1. Request was from Salvatore Bonaccorso <carnil@debian.org> to control@bugs.debian.org. (Sat, 12 Dec 2020 08:27:02 GMT) ([full text](#), [mbox](#), [link](#)).

Marked as found in versions awstats/7.6+dfsg-1+deb9u1. Request was from Salvatore Bonaccorso <camil@debian.org> to

control@bugs.debian.org. (Sat, 12 Dec 2020 08:27:03 GMT) ([full text](#), [mbox](#), [link](#)).

Bug archived. Request was from Debbugs Internal Request <owner@bugs.debian.org> to internal_control@bugs.debian.org. (Tue, 12 Jan 2021

07:30:24 GMT) ([full text](#), [mbox](#), [link](#)).

Send a report that [this bug log contains spam](#).

Debian bug tracking system administrator <owner@bugs.debian.org>. Last modified: Sun Dec 18 23:36:32 2022; Machine Name: buxtehude

[Debian Bug tracking system](#)

Debbugs is free software and licensed under the terms of the GNU Public License version 2. The current version can be obtained from <https://bugs.debian.org/debbugs-source/>.

Copyright © 1999 Darren O. Benham, 1997,2003 nCipher Corporation Ltd, 1994-97 Ian Jackson, 2005-2017 Don Armstrong, and many other contributors.