

Cross-site Scripting (XSS) - Generic in forkcms/forkcms

0



Valid

Reported on Mar 23rd 2021



Description

A cross-site scripting (XSS) issue in the Fork version 5.9.3 allows remote attackers to inject JavaScript via the "end_date" Parameter



Proof of Concept

XSS payload: `'()%26%25<yes><ScRiPt%20>alert(1)</ScRiPt>`

Steps to reproduce issue

- 1- Login to Fork admin panel
- 2- Goto Modules=>Formbuilder
- 3- Turn on Burp Intercept
- 4- Click on "Update Filter"
- 5- Change value of "end_date" parameter to `22/03/2021'()%26%25<yes><ScRiPt%20>alert(1)</ScRiPt>`
- 6- Forward the request and XSS will be triggered

Video POC: <https://drive.google.com/file/d/1vDjgFCvTuWJq1gPuusVz-7SKaK6icYsq/view?usp=sharing>



Impact

With the help of xss attacker can perform social engineering on users by redirecting them from real website to fake one. Attacker can steal their cookies leading to account takeover and download a malware on their system, and there are many more attacking scenarios a skilled attacker can perform with xss.

Vulnerability Type

CWE-79: Cross-site Scripting (XSS) - Generic

Severity

High (7.1)

Chat with us

High (7.1)

Affected Version

5.9.3*

Visibility

Public

Status

Fixed

Found by



Piyush Patil

@xoffense

unranked ▼

Fixed by



Jelmer Prins

@carakas

maintainer

This report was seen 555 times.

Sign in to join this conversation

2022 © 418sec

huntr

home

hacktivity

part of 418sec

company

about

Chat with us

[leaderboard](#)

[team](#)

[FAQ](#)

[contact us](#)

[terms](#)

[privacy policy](#)

[Chat with us](#)