IOBIT MALWARE FIGHTER - ARBITRARY CODE EXECUTION AS NT AUTHORITY\SYSTEM

Product: IOBit Malware Fighter Version: 8.0.2.547

Tested on: Windows 10 Pro 2004 x64

Vendor informed: No


PoC: This blog post


CVE: Requested




 $\textbf{Short Description:} \ A \ local \ attacker \ can \ use \ IOB \ it \ Malware \ Fighter \ to \ arbitrary \ execute \ code \ as \ NT \ Authority \ System \ by \ placing \ a. \ dll \ file.$

 $\textbf{Vulnerability Description:} \ IOB it \ Malware \ Fighter \ uses \ a \ service \ called \ "IMF Service" \ running \ as \ NT \ Authority \ System.$





This service also spawn other Malware Fighter Processes (sub processes are "only" running elevated with high integrity).




To run code as NT Authority\System the attacker acts as following:


 $First the attacker drops a malicious dll file into "C: \Users \User \App Data \Local \Microsoft \Windows Apps" called "Register. dll".$



This file is executed when IOB it Malware Fighter is launched or the user opens Malware Fighter GUI with high integrity (admin rights).



 $Once the code runs with high integrity the same dll (evil.dll) will be copied to "C:\Program Files (x86)\lObit\lObit\Molivare Fighter" and called "version.dll" and the copied to "C:\Program Files (x86)\lObit\Molivare Fighter" and called "version.dll" and the copied to "C:\Program Files (x86)\lObit\Molivare Fighter" and called "version.dll" and the copied to "C:\Program Files (x86)\Molivare Fighter" and called "version.dll" and the copied to "C:\Program Files (x86)\Molivare Fighter" and called "version.dll" and the copied to "C:\Program Files (x86)\Molivare Fighter" and called "version.dll" and the copied to "C:\Program Files (x86)\Molivare Fighter" and called "version.dll" and the copied to "C:\Program Files (x86)\Molivare Fighter" and called "version.dll" and the copied to "C:\Program Files (x86)\Molivare Fighter" and called "version.dll" and the copied to "C:\Program Files (x86)\Molivare Fighter" and called "version.dll" and the copied to "C:\Program Files (x86)\Molivare Fighter" and called "version.dll" and the copied to "C:\Program Files (x86)\Molivare Fighter" and called "version.dll" and the copied to "C:\Program Files (x86)\Molivare Fighter" and called "version.dll" and the copied to "C:\Program Files (x86)\Molivare Fil$



Minyon	0.05	25.750 K		1463 Old Malware Fighter Service		NT AUTHORITY SYSTEM	System
condese		3.328 K	4.180 K	1712 Windows Command Processor	Microsoft Corporation	NT AUTHORITY SYSTEM	System
corrhoid ever	< 0.01	6.756 K		1743 Consile Window Heat	Morraid Copyright	NT AUTHORITY SYSTEM	System
3 MFSyWices		2.535.5			09.	AT AUTHORITY GYSTEM	Zysten
O Stiff and	0.22	74.416.K	6.040 K	2024 KOSE Malware Fighter	Die	TESTVM coor	76(6)
to the condition		4.400 K	471210	6036 Windows Command Processor	Morent Copyrights	TESTVM-user	High
ggs contrast exe	0.01	6.575 K	16 668 K	6450 Consile Window Host	Manant Colporation	TESTVM over	Hati
(BETIES eve	0.01	39 K24 K	107 D66 K	7410 YOM Manuse Firster Tox	Die	TESTVM\unit	7400

Conclusion: I don't know why IOBit Malware Fighter loads dll files from user locations or doesn't validate files before loading or protects it's installation folder...Classical dll hijacking and privilege escalation

Share


POPULAR POSTS

luto- levated	Executable	DLL	Procedure	
•	winsat.exe	d3d10_1.dll	DllMain	
•		d3d10_1core.dll	DllMain	
•		d3d10.dll	DllMain	
•		d3d10core.dll	DllMain	
•		d3d11.dll	DllMain	
•		dxgi.dll	DllMain	
~		winmm.dll	DllMain	

July 30, 2020

UAC BYPASS VIA DLL HIJACKING AND MOCK DIRECTORIES

Share



GOG GALAXY - ESCALATION OF PRIVILEGES INCL. CODE EXECUTION

Share

Powered by Blogger

